Connectors and Fasteners for Cross-Laminated Timber Structures



C-CLT-EU-2023 | strongtie.eu







Table of Contents



	1.0			0.00	
Genera		Into	rm	211	\cap n

General Information
Solution Finder Company Information Online Tools & Support for Engineers The Simpson Difference Calculation and Design Connections. Timber Grades About Mass Timber and CLT Acoustics and Buildings Seismic Activity and Timber Constructions 20 Fire Resistance 3
CLT Wall to Concrete
CLT Wall to Concrete Solutions. 3 CLT Panel to Concrete Slab Solutions. 3 Hold Downs with Angle Brackets 3 Comparison Between Hold Downs and Angle Brackets 4 Angle Brackets 4 Tension Plates and Anchor Plates 5 Anchor Plates 5 CLT Panel to Concrete Slab with Interlayer Solutions 5 Hold Downs with Angle Brackets 5 Angle Brackets 5
Angle Brackets

CLT Wall to CLT Wall Solutions	69
Structural Angle Brackets for 90° Corner / T-Connection	70
Structural Fasteners for 90° Corner / T- and L-Connection	76
Structural Fasteners for Corner Connections Other Than 90°	87

CLT Wall to CLT Floor

CLT Wall to CLT Floor / Ceiling Connection Solutions	91
Structural Angle Brackets	92
Enhanced Structural Angle Bracket	98
Structural Fasteners)1
Concealed Connection)7
Acoustic Solutions	10

CLT Floor to CLT Floor (in plane Connection)

CLT Floor to CLT Floor Solutions	
Timber Spline Connection	
Steel Spline Connection	
Half-Lap Joint	
Butt-Joint	

CLT Wall to CLT Wall (in plane Connection)

Footopor Footuroo	200
Fasteners and Anchors Additional Information	
External Insulation to CLT Wall Solutions	
External Insulation to CLT Wall	
CLT to Steel Profile Solutions	
CLT Floor to Steel Profile	
CLT Floor to Glulam Beam Solutions	
CLT Floor to Glulam Beam	
CLT Floor to CLT Wall Solutions	157
CLT Floor to CLT Wall	
Anchor Plates (with intermediate horizontal layer)	152
Tension Plates and Anchor Plates (with intermediate horizontal layer)	1/10
Tension Plates and Anchor Plates (direct wall panel contact) Anchor Plates (direct wall panel contact)	
	143

-asterier reatures
Structural Timber Fasteners
Space and Edge Distance
Fire Calculation for Screws
Structural Connector Fasteners
Hole Diameter Steel / Space and Edge Distance Steel 229
Concrete Fastening

C-CLT-EU-2023 @2023 SIMPSON STRONG-TIE COMPANY INC

Alphabetical Index



Α	R	2	5	5	н	П
_	_		V	J		

Heavy Duty Angle Bracket for CLT Wall to CLT Floor / Ceiling Connection.....100

AB255SSH

Heavy Duty Angle Bracket for CLT Wall to CLT Floor / Ceiling Connection.....99

ABAI

Acoustic Isolating Angle Bracket for CLT Wall to CLT Floor / Ceiling Connection. 114

ABR100

ABR255

ABR255SO

ABR9020

Reinforced Angle Bracket for
CLT Wall to CLT Wall (L- and T-Connections) 75
CLT Wall to CLT Floor / Ceiling Connection 97

AE116

Reinforced Angle Bracket for
CLT Wall to CLT Wall (L- and T-Connections) 72
CLT Wall to CLT Floor / Ceiling Connection 94

AG922

AT-HP + LMAS

Heavy Duty Chemical Anchor
Fasteners and Anchors Additional Information . . . 233

BTALU

Concealed Connector for
CLT Wall to CLT Floor / Ceiling Connection. 108

CNA/CNA-G/CNA-S

Connector Nail
Fasteners and Anchors Additional Information . . 227

CSA/CSA-Z/CSA-S

Connector Screw
Fasteners and Anchors Additional Information . . 226

ESCRFTC

Fully Threaded Countersunk Screw
Fasteners and Anchors Additional Information . . 214

ESCRFTZ

FM 753 evo

FM 753 crack

HTT

NP

Nail Plate for CLT Floor to CLT Floor (in plane connection)....125

NPB255

NPB

SIT SITW SITW-H

Acoustic Isolating Washers for CLT Wall to CLT Floor / Ceiling Connection.....111

SSH

Hex-Head Connector Screw for	
CLT Floor to CLT Wall	17
CLT to Steel Profile	19
Fasteners and Anchors Additional Information	22

SWC

Countersunk Screw for
CLT Wall to CLT Wall (L- and T-Connections) 8
CLT Floor to CLT Floor (in plane connection)13
CLT Floor to CLT Wall
CLT Floor to Glulam Beam
Fasteners and Anchors Additional Information 21:

SWD

Double Threaded Screw for
CLT Wall to Concrete60
CLT Wall to CLT Wall (L- and T-Connections) $\dots83$
CLT Wall to CLT Floor / Ceiling Connection 102
CLT Floor to CLT Floor (in plane connection) 129, 138
CLT Floor to CLT Wall
CLT Floor to Glulam Beam
Fasteners and Anchors Additional Information 213

SWW

Washer-Head Screw for
CLT Wall to CLT Wall (L- and T-Connections) \dots 7
CLT Floor to CLT Floor (in plane connection) 13
CLT Floor to CLT Wall
Fasteners and Anchors Additional Information 21

SWW + SIT

Washer-Head Screw with Acoustic Isolating Washers for CLT Wall to CLT Floor / Ceiling Connection.....112

TTUFS

Countersunk Screw for	
CLT Floor to CLT Floor (in plane connection) 121,	13
CLT Floor to CLT Wall	159
External Insulation to CLT Wall	205
Fasteners and Anchors Additional Information	200

WSV

Quik Drive® Collated Screw for
CLT Floor to CLT Floor (in plane connection)123
Fasteners and Anchors Additional Information 216

Solution Finder





CLT Wall to CLT Wall

screws for anchoring timber structures to concrete.

Pages: **68-89**

Structural screws and angle brackets for connecting CLT walls at corner and T and L junctions.



CLT Wall to CLT Floor Pages: 90-117

Structural screws and angle brackets for connecting CLT walls to CLT floors and ceilings.



CLT Floor to CLT Floor Pages: 118-141

Structural screws and nail plates for connecting CLT floor panels to each other to create floor diaphragms.



CLT wall to CLT wall Pages: 142-155


Hold downs, structural screws and plates for connecting CLT walls along the same vertical plane.



Solution Finder

C-CLT-EU-2023 @2023 SIMPSON STRONG-TIE COMPANY INC.






used in this catalogue here and find their characteristic parameters.

Company Information



For more than 60 years, Simpson Strong-Tie® has focused on creating structural products that help people build safer and stronger homes and buildings. A leader in structural systems research and technology, Simpson Strong-Tie® is one of the largest suppliers of structural building products in the world. Our commitment to product development, engineering, testing and training is evident in the consistent quality and delivery of our products and services.

For more information, visit the company's website at strongtie.eu



European Fastener Manufacturing

Simpson Strong-Tie® has several manufacturing facilities placed strategically across the European continent, to ensure a high degree of product availability and a strong understanding of the local markets. We have fastener manufacturing in various locations across Europe and our close-knit logistical network ensures that there is always a Simpson Strong-Tie warehouse or distributor near you.

Company Information

SIMPSON Strong-Tie

The Simpson Strong-Tie® Company Inc. "No Equal" Pledge Includes:

- Quality products value-engineered for the lowest installed cost at the highest-rated performance levels
- Most thoroughly tested and evaluated products in the industry
- Strategically located manufacturing and warehouse facilities
- National code agency listings

- Largest number of patented connectors in the industry
- European locations with an international sales team
- In-house R&D and tool and die professionals
- In-house product testing and quality control engineers

Quality Policy

We help people build safer structures economically. We do this by designing, engineering and manufacturing "No Equal" structural connectors and other related products that meet or exceed our customers' needs and expectations.

Everyone is responsible for product quality and is committed to ensuring the effectiveness of the Quality Management System. Simpson Strong-Tie® is an ISO 9001 registered company. ISO 9001 is an internationally recognised quality management system standard, which lets our customers know that they can count on the consistent quality of Simpson Strong-Tie's products and services.

METERS

Mike Olosky Chief Executive Officer

Testing Laboratory Accreditation



The Andris Peterson European Test Laboratory, located in the UK in Tamworth, Staffordshire, is the first manufacturer's facility to achieve third party accreditation to the international standard BS EN ISO/IEC 17025.

The world-class facility now conducts around 10,000 product tests annually and has recently benefited from a significant investment, which will enable double productivity. The fact that we extensively test our products give you the reassurance that they will perform in the toughest conditions. We strive to ensure that our products are compliant with the latest European requirements for construction products.



We Are ISO 9001-2015 Registered

Simpson Strong-Tie is an ISO 9001-2015 registered company. ISO 9001-2015 is an internationally-recognized quality assurance system which lets our domestic and international customers know that they can count on the consistent quality of Simpson Strong-Tie® products and services.



ISO 14001

Our Swedish, French (St. Gemme la Pleine) and UK facilities are ISO 14001 certified. This standard states the requirements for an environmental management system, and applies to the environmental aspects over which our company has control and can be expected to have an influence.



OHSAS 18001

Our Tamworth, UK facility is OHSAS 18001 certified. This certification reflects an internationally applied British Standard for occupational health and safety management systems.

To learn more about these certifications and organizations, please visit ISO.org, ICCSafe.org and bsigroup.com.

General Information	3-33
CLT Wall to Concrete	34-67
CLT Wall to CLT Wall (L- and T-Connections)	68-89
CLT Wall to CLT Floor	90-117

CLT Floor to CLT Floor (in plane connection)	118-141

CLT Wall to CLT Wall (in plane connection)	142-155
--	---------

CLT Floor to Glulam Beam	184-193
alulam beam	

T Floor to eel Profile	194-201

External Insulation to
CLT Wall

202-207

Fasteners and Anchors Additional Information

208-230

Online Tools & Support for Engineers





Technical Support

Experts in structural wood engineering, Simpson Strong-Tie is always at your side, making life easier with complete solutions, effective support, tools and advice.

With our proven track-record for service and support, peace of mind comes built-in. It's part of an engineer's DNA to plan for the unexpected. We've already spent over six decades doing just that.

We are with you every step of the way; from planning and tendering to site-build, we have people on the ground to support the process and to give further guidance. Our Technical Support team is on hand to answer your questions and provide some sound installation advice, from making sure you have the most suitable product, to the best ways to go about installing them.



CAD/BIM Library

Any 2D and 3D model of our Solid-Drive fasteners can be immediately integrated into building designs and design software.

We know how useful the drawings of our fasteners can be for you. That is why we offer our drawings in the following formats for free download:

- 2D / 3D DWG
- SAT
- 2D / 3D Revit
- XML
- BIM

Please note that you will need at least CAD software to open some of the files. You can get a free file reader at: Autodesk Review.




DoP/ETA Library

Our entire library of DoP (Declaration of Performance) and ETA documentation is available online. Here we provide DoP's in all main European languages.

If you know the name of the product family, you can search on each of our websites, or — alternatively— browse the products section as the relevant DoP and ETA file can also be found on each individual product's detail page.

Go to **strongtie.eu** to find more.



The Simpson Difference





















With our proven track-record for service and support, peace of mind comes built-in

It's part of an Engineers DNA to plan for the unexpected. We've already spent over six decades doing just that. So you can be confident that by specifying our connectors and fasteners, you have reliability and trust built-in to everything they touch. We are with you every step of the way; from planning and tendering to site-build, we have people on the ground to support the process and to give further guidance if ever the unexpected occurs.

Tried, tested and documented connectors and fasteners

Although mass timber construction methods are a relatively recent focus area for many engineers, the connectors and fastenings they need as part of the assembly have similarities to those used in more familiar construction settings. Whether connecting CLT floors, walls or ceilings to each other (or to concrete foundations); we have tried, tested and simple to use solutions to what might usually be considered an unfamiliar or complex practice.

Calculation and Design Connections



Calculation and Design

In the following pages we will go through the basics of how to calculate and design connections. There are a number of factors to take into consideration when calculating your connections. For

example the direction and duration of the loads. The characteristics of the wood and other materials and of course the impact of the environment in which the connection is placed.

Load Duration Classes

The design load capacity depends on the duration of the load. In the case of a combination of loads with different load durations, the class of the load with the shortest duration is selected.

For example, in the case of a load combination of dead weight (load duration class P) and wind load (load duration class S), the load duration is S.

Load Duration			
Load duration		Duration of characteristic load	
Р	Permanent	More than 10 years. For example, the self-weight of the structure	
L	Long term	6 months - 10 years. For example, useful load in warehouse	
М	Medium term	1 week - 6 months. For example, payload	
S	Short term	Less than 1 week. For example, snow load	
I	Instantaneous	For example, accident load and wind load	

Design Load Capacities

The design load carrying capacity $F_{\text{R,d}}$ is calculated by correcting the characteristic load carrying capacity $F_{\text{R,k}}$ by the factor k_{mod} and γ_{m} .

$$F_{R,d} = k_{mod} \frac{F_{R,k}}{\mathbf{y}_m}$$

 γ_m is the partial factor for connections.

 $k_{\mbox{\scriptsize mod}}$ is a modification factor taking into account the effect of the duraction of load and moisture content.

Note: The values given in this document are the characteristic capacities except when other is communicated.

$\mathbf{k}_{ ext{mod}}$					
Camina Class	Load Duration				
Service Class	Р	L	M	S	I
1	0,6	0,7	0,8	0,9	1,1
2	0,6	0,7	0,8	0,9	1,1
3	0,5	0,55	0,65	0,7	0,9

Y _m		
Solid wood	1,3 *	
Glulam	1,3 *	
CLT	1,3 *	

^{*} Note: In Denmark the safety factor is 1,35.

Service Classes

When connecting timber structures, the dimensional load-bearing capacity is influenced by the effect of moisture. The requirements for

the corrosion protection of the fittings depend on the climate class in which the fastener or connector is used.

Service Class	Description	Examples	
1	Moisture content in the materials corresponding to a temperature of 20°C and the relative humidity of the surrounding air only exceeding 65% for a few weeks per year.	Warm roof, intermediate floors, timber frame walls – internal and party walls.	
2	Moisture content in the materials corresponding to a temperature of 20°C and the relative humidity of the surrounding air only exceeding 85% for a few weeks per year.	Cold roof, ground floors, timber frame walls – external walls where member is protected from direct wetting.	
3	Climatic conditions leading to higher moisture contents than in service class 2.	External uses – fully exposed.	

Service classes according to Eurocode 5: Definition of the service classes environment are given within the EN1995-1-1.

Timber Grades

Strong-Tie

Timber Grades - Characteristic Densities (k_{dens} factor)

In this document, all values for **solid timber** are given for a C24 timber.

In case of glulam they are given for a GL24h glulam.

In case of **CLT**, the characteristic density used is ρ_{ν} = 350 kg/m³.

For **boards**, the characteristic density used is ρ_{ν} = 380 kg/m³.

For **plywood**, the charcateristic density used is $\rho_k = 490 \text{ kg/m}^3$.

It is possible to change the timber class by multiplying the characteristic values by the k_{dens} factor.

with:
$$k_{dens} = \left(\frac{\rho_k}{\rho_a}\right)^{0.8}$$

 $\rho_{\rm L}$ the target characteristic density according to EN 338

 $\rho_{\rm a}$ the characteristic density of the timber according to EN 338

so, for solid timber the equation is:

$$k_{dens} = \left(\frac{\rho_k}{350}\right)^{0.8}$$



In this catalogue you will find the characteristic values for our fasteners in C24 solid timber and GL24h glulam and CLT density $\rho_{\nu} = 380 \text{ kg/m}^3$.

For all other timber- and glulam grades and CLT densities you will find the characteristic values in Solid Wood

solidwood.strongtie.eu

Solid Timber -

The table below allows to go from C24 to other solid timber classes:

Timber	r grade	C14	C16	C18	C20	C22	C24
$ ho_{ m k}$	[kg/m³]	290	310	320	330	340	350
k _{dens}	[-]	0,86	0,91	0,93	0,95	0,98	1,00

For glulam the equation is:

$$k_{dens} = \left(\frac{\rho_k}{385}\right)^{0.8}$$


Glulam -

The table below allows to go from GL24h to other glulam classes:

Glulam	grade	GL20h	GL20c	GL22h	GL22c	GL24h
$ ho_{ m k}$	[kg/m³]	340	355	370	355	385
k _{dens}	[-]	0,91	0,94	0,97	0,94	1,00

Difference between GLT c and GLT h

Glued Laminated Timber made from one type wood grade planks is indicated with symbol h. The c mark indicate beams with different layers, where the wood of a better quality is used in the outer layers, while the planks of a lower class are used



About Mass Timber and CLT



Mass Timber

Mass timber construction basically means the use of large, prefabricated slabs or panels of engineered wood products (EWP) for walls, floors, diaphragms, roofs, and more in the design and construction of buildings. ("Diaphragm" in this context refers to a flat structural unit, usually horizontal, creating a partition between spaces, as a floor-ceiling unit does between stories of a building. Mass timber diaphragms typically consist of panels joined by metal splines or straps, or by lap joints fastened by dowels or structural screws.)

There are several kinds of mass timber, of which the best known may be cross-laminated timber, or CLT. Lamination in this context simply means bonding material together in layers, or laminae (or lamellae) for greater strength or rigidity. The bonding can use either adhesive (glues) under intense compression (using hydraulic or vacuum presses), or mechanical means such as screws, nails, or other solid fasteners.

Advantages of Using Mass Timber

- Environmentally-friendly construction material
- Healthy and comfortable indoor climate
- Maximum architectural freedom
- · Easy planning of individual homes and residential buildings
- Effective use of the available land area through slim-line modules
- Superior mechanical performance

- Short building times, dry construction and quick occupation
- High precision with numerically controlled cutting
- Prefabricated elements delivered straight to the construction site
- Lightweight elements compared to masonry and concrete elements
- Technically endorsed construction product featuring the CE marking









About Mass Timber and CLT



Type of Mass Timber

CLT

History

Wood is clearly a material for the future, as evidenced by its growing popularity in the construction industry. During the 1990s, wood engineers in Austria and Germany achieved a breakthrough with a new construction system known as CLT (Cross-Laminated Timber). Nowadays, CLT is widely used across Europe and is beginning to gain traction in the United States. CLT panels are favoured for residential and public-access buildings, but they can also be used in all types of construction projects, ranging from individual houses to high-rise buildings.

Sara Kulturhus, a 20 floors building in Sweden, is one of the most iconic constructions made from CLT. Cross-laminated timber is also used in engineered structures, such as Canada's 160-metre Mistissini Bridge, and all types of small residential buildings.

Manufacturing

CLT is made from gluing perpendicular layers of solid timber boards together. Each layer is rotated by 90° in relation to the previous layer to improve the panel's performance. The number of layers varies and depends on the application (generally between three and eight layers). Panels can be made in sizes up to 20 metres in length and 4 metres in height. Their thickness tends to vary between 60 mm and 320 mm

Other type of massive timber panels

If CLT is made from wood and glue, on the market other type of panel made of solid timber exist.

Though we can find DLT (Dowel Laminated Timber) and NLT (Nail Laminated Timber).

NLT

Unlike CLT, NLT has been around for more than a century. Used in conjunction with other forms of mass timber construction, however, it's experiencing a renaissance of late. NLT typically comprises dimensional lumber members fastened together on edge using aluminium nails. The smaller component members make NLT particularly pliable and well suited to curved roof designs, although it is also commonly used in floors and decking. The advantages to use aluminium nails is that it make it easy to cut the panel with standard timber saw.

DLT

DLT is a relatively new form of mass timber consisting of layers of softwood dimensional lumber laminated by means of hardwood dowels. No glue is used at all but only timber. The dowels are inserted totally dried and when they reach the equilibrium with the moisture of the boards after installation, they expand and lock totally the panel.


If these two material have benefits, they are more subjected to splitting than standard CLT as they have no glue to bond the different boards/layers.

Glulam


Glulam is short for glued laminated timber. It is an industrial manufactured product used for load-bearing structures. It consists of at least three layers of dried softwood boards or board lamellas glued together with their fibers aligned parallel to each other. Glulam is versatile, ranging from simple, straight beams to complex, curved members.

Creating mass timber panels and beams not only ensures excellent mechanical strength, but also guarantees high dimensional stability. These two qualities give architects and building planners considerable freedom with their designs.


Mass Timber can easily be incorporated into hybrid construction projects, such as timber-concrete and timber-metal, and is also suited to projects combining different construction systems, whether posts, beams, or timber frames.












Sound

Sound is a wave that propagates through a transmission medium by causing the molecules to vibrate. These vibrations generate pressure on our eardrums, which we perceive as sound. There are several characteristics for defining sound. In this guide, we will focus our attention on two specific characteristics, namely frequency (expressed in hertz - Hz) and amplitude or intensity (measured in decibels - dB).

Audible frequency scale

A sound's frequency refers to the number of oscillations per second and determines whether the sound is low or high-pitched. The human ear is only capable of detecting sounds within a frequency band between 20 Hz and 20,000 Hz.



SIMPSON Strong-Tie

Definition of Sound Amplitude

Amplitude is what distinguishes between a quiet sound (whispering) and a loud sound (a jet plane taking off). There are two different types of sound level:

- L..: the sound power level is the power required to generate sound waves
- L_o: the sound pressure level corresponds to the sound that we can hear

The sound levels can be defined using the following formulae:

$$L_p = 20 * \log(\frac{P_e}{P_0})$$
 $L_w = 10 * \log(\frac{W_e}{W_0}) = L_p + 10 * \log(\frac{S}{S_0})$

Note that doubling the pressure increases the amplitude by 6 dB, whereas doubling the power of the sound source only increases the amplitude by 3 dB.

To understand why this happens, we are going to expand on the previous formulae:

If:
$$P_e = P_0$$
 then: $L_p = 20 * \log\left(\frac{P_0}{P_0}\right) = 20 \log(1) = 0 \ dB$

Consider sound pressure level L_{n1} for sound pressure P_e and sound power level L_{w1} for sound power W_e.

$$L_{p1} = 20 * \log\left(\frac{P_e}{P_0}\right) \qquad L_{w1} = 10 * \log\left(\frac{W_e}{W_0}\right)$$

If sound pressure doubles, we obtain:

$$L_p = 20 * \log\left(\frac{2 * P_e}{P_0}\right) = 20 * \log\left(\frac{P_e}{P_0}\right) + 20 * \log(2) = L_{p1} + 6 dB$$

Now if we double the power of the sound source, we obtain:

$$L_w = 10 * \log\left(\frac{2 * W_e}{W_0}\right) = 10 * \log\left(\frac{W_e}{W_0}\right) + 10 * \log(2) = L_{w1} + 3 dB$$

Power level = sound actually emitted





_b

Pressure level = perceived sound

(influenced by the external environment)

Key:

P_a: actual sound pressure [Pa]

 P_0 : reference sound pressure (2,10⁻⁵ Pa)

Wa: actual power [W]

 $W_0 = 1pW = 10-12 W$

 S_e : measurement surface area $[m^2]$

S₀: reference surface area (1 m²)



SIMPSON

Strong-Tie

Acoustics and Buildings

Acoustics in Buildings

Noise in buildings has a direct effect on everyday health and quality of life. Standards and regulations have been implemented to guarantee the best level of acoustic comfort for building occupants and users.


For example in France, sound insulation solutions in buildings need to meet various legal requirements. The New Acoustic Regulations (NRA) define a number of sound performance objectives for buildings that were granted planning permission after 1 January 2000. The Regulation of 30 June 1999 for the Housing and Construction Code, especially Article R.111-4, relating to the Regulation of 30 May 1996, specifies the required acoustic performance for new builds, roof lifts and extensions.

The minimum requirements stipulated in the NRA are as follows:


- Insulation against external noise D_{nTA tr} ≥ 30 dB
- Insulation against internal noise L_{n,w} ≥ 53 dB
- Impact noise L'_{nTw}≤ 58 dB

Designing a building that satisfies applicable regulations will not necessarily create pleasant conditions for the occupants. Regulations fail to take account of low-frequency noise below 100 Hz. This type of noise can be a significant nuisance, because low-frequency sound is hard to attenuate.

People perceive low frequencies in a different way to other frequencies. They cannot be heard at low amplitudes, but when they do become audible, the sensation of their amplitude increases faster than with other frequencies. A solution is available for overcoming this problem, which involves separating the construction elements to prevent low-frequency waves from spreading.









Acoustics in Mass Timber Buildings

To ensure a good level of acoustic insulation, a solution often used in the building industry involves increasing the mass of the dividing elements. The heavier the element, the harder it will be to make that element vibrate. This is commonly known as the mass law.


However, increasing the mass of a dividing element is sometimes easier said than done. That explains why the spring-mass system can be used, which involves separating two elements with a material that will act as a spring, such as air or insulation.


Increasing the thickness of the insulation between dividing elements will only affect the building's thermal performance and not its sound performance. Contrary to a popular misconception, increasing thermal insulation will not improve acoustic insulation.


The last solution is to separate the different elements (discontinuous construction). If one element vibrates but not the next, sound will not be transmitted and will stay where it is.

Mass Rule: Spring-Mass System

For a given material, the higher its density, the better its sound insulation performance!







When the incident wave comes into contact with a material, part of the wave is reflected and absorbed, while the rest of the wave is transmitted into the adjacent room.

When it comes to a building's acoustics, the principle is straightforward, i.e. increasing the mass improves performance. One of the advantages with a timber building is its lightweight structure (~550 kg/m³ for CLT compared to ~2.200 kg/m³ for concrete), which represents a weakness in its acoustic performance according to the mass law. In this case, a combination of different methods is required to obtain the desired performance levels (insulation, extra mass and discontinuous construction).


Simpson Strong-Tie offers a number of solutions for discontinuous construction, especially for isolated dividing elements and airtight wall junctions.




Example of the Performance Levels With Timber Walls

The ACOUBOIS study financed by CODIFAB provides the performance for isolated wall linings based on different parameters. The following example calculates the sound reduction index to external noise $R_w + C_{tr}$.

Front wall made from cross-laminated timber panels (CLT): $[R_w+C_{tr}]$ base = 39 dB





- 21 mm timber cladding (tongue and groove)
 - Timber battens creating a cavity of at least 25 mm
 - Breather membrane
 - Double layer of rigid or semi-rigid mineral wool insulation (maximum of 70 mm) fitted between timber studs
 - 70x50 mm² timber studwork
 - 6 CLT panel at least 93/94 mm thick (subject to technical approval)
 - Vapour control layer if necessary
 - Metal rails with intermediate supports, incorporating 45 mm mineral wool or bio-based insulation, or
 - Horizontal or vertical timber battens, incorporating 45 mm mineral wool or biobased insulation:
 Δ[R_w+C_{tr}] = 5 dB
 - 48 mm metal studs separated from the timber frame, incorporating 45 mm mineral wool or bio-based insulation: Δ[R_w+C_{t,t}] = + 1 dB
- Wall lining with one layer of plasterboard, or
 - 1x13 mm acoustic plasterboard:
 Δ[R_w+C_t] = + 4 dB
 - 1x18 mm plasterboard: $\Delta[R_w + C_{tr}] = + 4 dB$

Three corrections can be combined. The sum will be capped at $\Delta[R_{\rm w}+C_{\rm t}]=+~8~{\rm dB}$

The full ACOUBOIS study is available on the CODIFAB website (https://www.codifab.fr).

This example demonstrates the beneficial effects of:

- A discontinuous structure; separating the studs can improve performance by 1 dB,
- Adding extra mass; using 13 mm acoustic plasterboard (which is heavier) can improve performance by up to 4 dB.

Some designs can achieve even higher increases in performance.



Parameters for Calculating Sound Propagation

Internal sound reduction index and impact sound level

Carrying out a study into the building's acoustic performance can provide a clearer understanding of how sound can spread between the building's different rooms.

Several parameters have been defined for quantifying acoustic performance. Some parameters are used to assess the acoustic performance of dividing walls, such as the sound reduction index $R_w(C;C_{tr})$, while others evaluate the weighted pressure level of the standardised impact sound $L_{n,w}$.


Some building-specific parameters assess in-situ acoustic performance, namely the weighted standardised level difference $D_{nTw}(C,C_t)$


and the weighted pressure level of the standardised impact sound $L^{\prime}_{\ n\text{\tiny T,w}}.$

The R_w and $L_{n,w}$ values are used in laboratory tests, where the global level $L_{n,w}$ is calculated according to EN ISO 717-2 from spectrum L_n , and the sound pressure level in dB in the receiving room is measured in the laboratory according to EN ISO 10140-1 and 3.

These laboratory values are different to the field measurements, since the model used for the laboratory measurements cannot replicate the flanking transmission, defects and other differences in the building's construction.


Airborne sound






In-situ

Impact sound









Calculating Flanking Transmission – Gerretsen Method (1986) – EN 12354-1

First published in 2000, EN 12354 contains calculation models for estimating the airborne sound insulation between adjacent rooms in buildings. The standard is based on the Gerretsen model and uses measured data that characterise direct or indirect flanking transmission by the participating building elements.

$$R_{ij} = \frac{R_i}{2} + \frac{R_j}{2} + \frac{D_{ij} + D_{ji}}{2} + 10 * \log(\frac{S_0}{\sqrt{S_i * S_j}})$$

Key:

 R_{ij} is the flanking sound reduction index according to the transmission path from i to j

 R_i and R_j are the sound reduction indices of elements i and j respectively

 D_{ij} and D_{ji} are the vibration reduction factors of paths i to j and j to i

 S_0 is the reference area, which is equal to 10 m^2

 S_i and S_j are the surface areas of elements i and j

The thing that interests us with this calculation method is that it takes account of the path travelled by the sound wave. In a timber frame building, Simpson Strong-Tie connectors are an integral part of the junctions between the different structural elements, meaning that they play a key role in the building's acoustic performance.

EN 12354 offers quantities for expressing the vibration reduction indices between two structural elements *i* and *j*: *Kij*, which can be found in the following equations:

$$D_{v,ij,n} = K_{ij} = \frac{D_{ij} + D_{ji}}{2} + 10 * \log(\frac{l_{ij} * l_0}{\sqrt{S_i * S_j}})$$

$$R_{ij} = \frac{R_i}{2} + \frac{R_j}{2} + K_{ij} + 10 * \log(\frac{S_0}{l_{ij} * l_0})$$

 I_{ii} is the common length of the junction between elements i and j

This allows us to calculate the sound reduction index R_{ij} for each transmission path and thereby determine the apparent sound reduction index R':

$$R' = -10\log(10^{-\frac{R}{10}} + \sum_{ij} 10^{-\frac{R_{ij}}{10}})$$

R is the sound reduction index of the different elements.

The apparent sound reduction index R' lets us calculate the standardised level difference $D_{n,r'}$

$$D_{nT} = R' - 10\log(\frac{V}{6T_0S_s})$$

Key:

 $\textit{T}_{\textit{o}}$ is the reference reverberation time (equal to 0.5 s)

V is the volume of the receiving room [m³]

S is the surface area of the element separating the two rooms $[m^2]$




The Different Acoustic Solutions

The acoustic performance of the Simpson Strong-Tie range of products has been assessed by the BOIS HD laboratory (owned by the ESB Group). The results are available in report BHD18705 (version of 21/10/2019).

The values of the vibration reduction indices \mathbf{K}_{ij} have been determined through testing in accordance with EN ISO10848-1:2017 and EN ISO 10848-4:2017, which specify the calculation methods for the vibration reduction index and the test methods respectively.


The configuration for this example shows an X-shaped junction with a dividing floor, and bare floors and walls. Two vibration transmission paths are identified in the following diagram: from element 1 to element 2, which represents the junction between the lower wall and the floor, and from element 1 to element 4, which shows the transmission path between two walls through the floor.



To ensure that the results in this guide are easier to understand, we are going to take a closer look at the concept of sound level perception with the associated hearing sensations.

Increasing the sound level by:	Multiplies the sound energy by:	Has the following influence on what we are hearing
3 dB	2	Slight change
5 dB	3	Significant change
10 dB	10	As if the sound were two times louder
20 dB	100	As if the sound were four times louder
50 dB	100.000	As if the sound were thirty times louder

Note that the sensitivity of the human ear to different frequencies also depends on the amplitude of that frequency.





Paris Arboretum, France







Sara Cultural Centre, Sweden





Murray Grove Residential Building, UK





Seismic Activity and Timber Constructions



Evidence suggests that the use of timber for construction in seismic areas dates back to at least 10,000 years. Many of the buildings that still stand today provide clear evidence that timber and the associated construction systems are well suited to the forces and stresses caused by seismic events.

Until recently, Europe had experienced very few destructive earthquakes, unlike Japan and the United States, which have played a major role in understanding and developing a scientific approach towards assembly and connection methods in timber constructions.

The types of connectors used, and their materials, have undergone significant changes over the last few decades. Efforts were therefore needed to create an array of design calculations and regulations to understand the systemic behaviour of timber constructions.

Background

The whole process of designing timber structures in seismic areas is a complex issue and goes far beyond the metal connectors used.

Simpson Strong-Tie® connectors

The three-dimensional metal connectors used for timber constructions that have been CE certified according to EAD 130186-00-0603 and EN 14545 are not specifically tested in seismic conditions.

However, there are fixing accessories, such as anchors, that can be classed as C1 or C2 according to EAD 330232-01-0601.

When it comes to designing dissipative zones for the connectors and a continuous load transfer, Eurocode 8 specifies two approaches: distribution and dissipation. Where the behaviour factor q is considered to be greater than 1.5, cyclic tests according to EN 12512 can be carried out to determine the dissipative properties of a connector or part of the structure.

Seismic design: first tests in France

The first cyclic tests on E5 angle brackets were carried out by the FCBA laboratory in Bordeaux in 2005. The data gathered during testing were instrumental in incorporating E5 brackets into the SISBAT and SISMOB research projects aimed at analysing the behaviour of timber buildings during seismic events.

The tests performed during the research projects demonstrated that these brackets and the associated construction methods were capable of withstanding seismic stresses according to the French Regulation of 1 April 2011.

Simpson Strong-Tie® continued taking part in test programmes during the Woodrise Congress in 2017.

R&D laboratories and research

Simpson Strong-Tie® has spent several decades investing in internal test equipment and campaigns to improve the development of connectors, anchors and fasteners in seismic conditions. The vast majority of our products are tested in-house during development.

In an effort to gain a clearer insight into how connectors behave during seismic events, the Group acquired a host of cyclic test systems in the mid-1990s. Research focused on both connector behaviour and the systems with the aim of understanding how parts and components affect the behaviour of the systems and ratifying the regulatory options.

Tyrel Gilb Research Laboratory in Stockton, California

This laboratory was built in 2003 to test full-scale structures subjected to seismic events. Featuring an investment of close to \$10 million, this laboratory simulates earthquakes according to the curves recorded during real seismic activity.

Buildings with up to three storeys can be tested, thereby allowing engineers to analyse the behaviour of the ground floor and intermediate floor. Specific loads can be applied to simulate the weight of several storeys. The laboratory team is led by Steve Pryor, who has been developing research activities for Simpson Strong-Tie® since 1997. He is a recognised expert in seismic timber design. He actively takes part in international programmes, including the NEES in Japan in 2009, which involved testing a seven-storey building.





SIMPSON

Strong-Tie

Seismic Activity and Timber Constructions

Andris Peterson Laboratory in Tamworth, UK

This laboratory was created in 1997 to support the development of connectors in Europe. The laboratory now focuses exclusively on timber connectors and fasteners, and already has the necessary equipment for carrying out cyclic tests.

Connectors, panel anchors, the Steel Strong-Wall™ and the system developed for Europe and France in particular are tested in this laboratory. This ensures that products are compliant with all applicable regulations, the supply of specific wood species to the target markets and interactivity with the design teams based in different countries.

New builds and renovations

Seismic design generally tends to apply to new builds that need to satisfy regulatory obligations. Discrepancies may arise between the recommended products and the solutions actually implemented due to a lack of knowledge.

The issues often reported are caused by the use of fasteners (nails or screws) that fail to conform to quality specifications (lack of certification) or generally the required quantities. The repercussions in the event of an earthquake could be the early slip of a connector leading to a critical deformation in the building's stability. You are advised to check this particular point.

Furthermore, a whole range of buildings has been built in accordance with the PS92 standards, which were highly concise for timber constructions, or the Eurocodes and the new seismic zoning regulations enacted in France on 1 May 2011.

The existing timber structure can easily be reinforced to withstand the stresses and forces laid down by the new regulations. Generally speaking, standard connectors and the associated fasteners are sufficient to achieve these objectives. A thorough inspection is recommended of the design and the execution of the metal connector zones considered to be dissipative, regardless of whether the structure is a new build or renovation.





Reinforcement of the connection with the foundation

Specific Features of Connectors

Connectors play an important role in enabling buildings to withstand seismic stresses and forces. Depending on the type of structure, it must fulfil a specific function:

Transfer the forces (distribution) or dissipate the energy (dissipation).

In all cases, it is important to use the connector so as to create a continuous load path.

The structure must be designed in such a way that fragile elements are sufficiently resistant, so that any ductile elements flex before the fragile elements break.

Continuous load path


In terms of the application directions, seismic forces are often considered to be similar to wind forces. However, wind forces are exerted against the outer surfaces, whereas seismic forces are caused by the movement of the foundations, which displaces the mass constituting the structure. This means that all the rooms in the structure are required to move and not just the outer surfaces. In

addition, the quick change in direction during an earthquake means that parts of the building may be required to displace several centimetres before returning to their initial position.

Seismic forces (both horizontal and vertical) depend on the mass of the element that displaces during the earthquake. Consequently, these forces occur in both the roof structure and the floors / walls. They increase as they get closer to the ground, since they tend to build up over time.

One of the key points in seismic design is to ensure that all forces are transferred to the building's foundations. To do so, you must create what is known as a continuous load path. This is a set of components that ensure that the forces are transferred to the foundations as directly as possible.

Connectors are partly important, since they will create a link between the different masses in movement and ensure that the resulting forces are exerted downwards.



Principle of conception

Seismic Activity and Timber Constructions



Distribution

There are two possibilities for connectors: the first is called Distribution. In this case, the structure is fairly ductile. The aim is to use connectors to transfer the forces. In this scenario, they act as the weakest link.

This is typically the case with a timber frame house. This type of structure is quite flexible due to the many fixings between the sheathing, studs and rails. In some cases, sheathing may be required on both sides of the timber frame wall panel.

The connector is then responsible for preventing two phenomena that could occur: sliding and overturning.

There are several solutions to overcome this problem, such as anchoring the timber frame, using a continuous tie-down system (currently unavailable in Europe) or implementing a Steel StrongWall™ stability wall. Each solution addresses a specific need and offers different distribution performance levels.

For example, timber frame anchors are suitable for low seismic loads. This type of connector is fixed to the ends of the walls to prevent uplift. They can be reinforced with anchor plugs or pre-grouted rods for earthquake-prone areas (certification: C2 for anchors) to resist the shear forces along the sole plate. Timber frame anchors should not be too flexible, otherwise the studs could be wrenched away from the sole plate.

Where anchors are fitted to the external face of the walls, their behaviour varies according to whether the anchor is fixed to the sheathing or directly to the stud. The maximum load is reduced when timber frame anchors are fixed to the sheathing, but ductility and equivalent viscous damping are slightly improved.

Similarly, the length of the fasteners and the fact that fixings are asymmetric may cause early failure in the studs.

If fasteners are too short in comparison to the thickness of the stud (length of the fastener less than half the thickness of the stud), tensile failure may occur. To avoid this phenomenon, it may be worthwhile using longer fasteners or adding structural screws to the other side of the timber element.


The second solution for distribution is to use a Strong-Wall™.


This product is especially suited to situations where space is at a premium and timber frame walls are unable to withstand the forces. The low footprint and rigid design of the Steel Strong-Wall™ system are invaluable in such cases.


Steel Strong-Wall™ panels have been subjected to cyclic testing and have demonstrated effective behaviour, meaning that they can be used to withstand seismic forces. Their behaviour factor is equivalent to a timber frame wall (q=3).


If this type of solution is chosen, the concrete foundation is a critical element, meaning that special care must be taken, since high forces may be exerted on the anchors (> 60 kN in tensile).


It is important to remember that the walls are only part of the structure. The load path must be ensured in all the structural members and also between members. Fixing bands or retaining brackets may need to be added to the horizontal diaphragms or roof structure, so that forces are quickly transferred through all the elements within the structure.











Seismic Activity and Timber Constructions



Dissipation

The other possibility is dissipation. This case is required if the structure is sufficiently rigid. The connector acts as a fuse in the structure and therefore represents the ductile link in the chain. This is the principle chosen for CLT structures. CLT elements are rigid enough to transfer the forces, but they lack flexibility. This is where the connector comes into play.

However, using ductile connectors in this type of structure is not enough to guarantee effective performance. Other parameters, such as the dimension ratio of the panels, also have an effect on design performance.

As with the timber frame, it may be worthwhile using specialised products for each force direction. That is why an effective solution is the combined use of wall anchors (HTT22E) and structural angle brackets (ABR255). HTT22E anchors absorb the uplift forces and are fitted at each end of the panel. AE116 structural brackets are placed at regular intervals along the panels and absorb the shear forces.


Other more versatile brackets, such as ABR100, can be used for their good performance in both force directions.


Conclusion

It is important to ensure the continuous force path when designing for buildings for earthquake resistance. Care must also be taken to ensure that all connection points are resistant enough to prevent the structure from partially or fully collapsing. With timber frame structures, connections can easily be made with the standard products that are already used for wind resistance. Whether standard tie straps or Steel Strong-Wall™, an end-to-end range of connectors is available in the market to address this particular issue (dissipation or distribution).



HTT22 subjected to Cyclic Loading





Steel Strong-Wall™ panels subjected to cyclic loading





Fire Resistance

SIMPSON Strong-Tie



Timber is an Excellent Thermal Insulator

There is a preconception that timber as a construction material presents a greater fire risk than steel or concrete. However, this is not the case. Timber is in fact an excellent thermal insulator with high heat resistant properties. In the event of a fire and the extreme temperatures generated, wood loses only 10-15% of its fire resistance.

Furthermore, while some materials may be less inclined to ignite when exposed to fire, they will still react to it in ways that present risk to a structure that are not associated with timber. For example, in response to intense temperatures, steel softens and eventually melts, concrete shatters.

To help you build safer structures and choose the right connectors, fasteners or anchors for your needs, Simpson Strong-Tie provides information on the fire resistance of its products.

Charring Rate: a Predictable Structural Behaviour

The first thing to know when designing structures with fire conditions in mind, is that the charring rate of timber is constant and depends on the type of timber used. This is a significant advantage, as the structural behaviour of timber under fire conditions is entirely predictable.

The charring rates according to Eurocode 5 (EN1995-1-2) are:

		Charring rate β _n [mm/min]
Softwood	Glulam ($\rho_k \ge 290 \text{ kg/m}^3$)	0,7
	Solid Timber ($\rho_k \ge 290 \text{ kg/m}^3$)	0,8
Hardwood	Glulam or Solid Timber ($\rho_k \ge 290 \text{ kg/m}^3$)	0,7
naruwoou	Glulam or Solid Timber ($\rho_k \ge 450 \text{ kg/m}^3$)	0,55
LVL	$(\rho_k \ge 480 \text{ kg/m}^3)$	0,7



Fire Resistance



Reaction to Fire vs Resistance to Fire

Reaction to fire

Reaction to fire indicates if a material is combustible and may therefore fuel a fire. This classification is based only on the materials used. The stated reactions according to EN13-501-1 have been determined via standardised tests carried out by an approved body. There are 7 categories:

- A1 and A2: non-combustible (e.g. concrete, steel);
- B: low-combustible (e.g. mineral slabs for false ceilings, PVC);
- C: combustible (e.g. particleboard);
- D: highly combustible (e.g. solid wood);
- E: highly flammable and flame-spreading (e.g. fibreboard with a density < 400 kg/m³);
- F: not classified or not tested

Indices are included which define the ability of these materials to emit smoke (s1, s2 or s3) and debris (d0, d1 or d2).

Tests are not necessary for some materials as they are already defined in Annex 3 of the Order of 21 November 2002. For example, all S250GD+Z275 steel products are classified A1 – this classification covers all Simpson Strong-Tie connectors, mechanical or chemical anchors and fasteners. This classification is given in the ETA and/or DoP for the various products.

Please note that this parameter is not used to justify the fire resistance of a structure.



Resistance to fire

Where reaction to fire refers to the ability of products to perform their function in the event of a fire, fire resistance relates to the flammability of materials. In the case of connectors and fasteners, the aim is to guarantee the mechanical properties of the product in order to avoid the collapse of the structure. The justification of the fire resistance of timber structures is described in Eurocode 5 Part 2 (EN1995-1-2).

To prove the fire resistance of an assembly using product in its intended use, it is necessary to have a technical certification (type ETE, technical opinion, ...) or to carry out a specific study based on the Eurocode 5 Part 1-2 (EN1995- 1-2) and Eurocode 3 in addition (for steel elements).

The same material may be non-combustible but have poor fire resistance and vice versa.

For example: concrete blocks are non-combustible, so their reaction to fire will be excellent (classified A1) but their resistance to fire will be mediocre because of its friability at high temperature (a wall can collapse because it is weakened by heat).

Oak, on the other hand is combustible and will have an average reaction to fire (class D), but fairly good resistance to fire. A 35 mm oak door will resist fire for 30 minutes.

Simpson Strong-Tie certifies 30-minute fire resistance for GSE, GSI, GLE and GLI in 4 mm on timber, as well as concealed beam hangers and connectors using ETE06/0270 and ETE-07/0245.

For information about justification of fasteners, please see chapter 10.



connections have two important structural roles to play.

Firstly, they need to transfer loads from the structure above into the foundations of the building.

They're also required to resist both horizontal shear loads and uplift arising from the rotation of racking walls.

The following section describes connection methods suitable for 90° and in-line CLT junctions with direct contact with the concrete, as well as a specific set of solutions for use where an intermediate timber plate has been added as a levelling aid.



CLT Panel to Concrete Slab Solutions



Hold Downs with Angle Brackets

Product Options:

HTT see page 39
ABR255 see page 40
AG922 see page 41
ABR100 see page 42


Get the best performance from a CLT racking wall, by combining hold downs at each end of the CLT panel to take care of uplift forces, with angle brackets providing support against shear (sliding) movement.



Angle Brackets

Product Options:

ABR255 see page 46 AG922 see page 47 ABR100 see page 48 In situations where the CLT panel is exposed, yet it is preferable to hide the connections in the floor zone layers, additional angle brackets can be used in place of the hold downs to resist both uplift and shear forces.



Tension Plates and Anchor Plates

Product Options:

NPB255 see page 50 NPB60400 see page 51 NPB100540 see page 51 NPB140540 see page 51 On the external face of structures where the CLT panel is connected to the edge of the foundation slab, this combination sees the tension plate providing uplift resistance, while the anchor plates handle shear forces. A good solution if it is not possible to conceal the connectors on the inner face of the CLT panel.




Anchor Plates

Product Options:

NPB255 see page 53

On the external face of structures where the CLT panel is connected to the edge of the foundation slab, here the tension plates are replaced with more anchor plates to accommodate uplift and shear forces. A good solution if it is not possible to conceal the connectors on the inner face of the CLT panel.



CLT Panel to Concrete Slab with Interlayer Solutions



Hold Downs with Angle Brackets

Product Options:

HTT see page 55 ABR255SO see page 56 Get the best performance from a CLT racking wall, by combining hold downs at each end of the CLT panel to take care of uplift forces, with angle brackets designed to span across timber plate supporting against shear (sliding) movement.




Angle Brackets

Product Options:

ABR255SO see page 58

In situations where the CLT panel is exposed, yet it is preferable to hide the connections in the floor zone layers, additional angle brackets designed to span across the timber plate can be used in place of the hold downs to resist both uplift and shear forces.



Screws and Through-bolts

Product Options:


SWD see page 60 FM 753 evo see page 62 On the internal face of structures where the wall to floor connection is completely exposed, through-bolts to fix the sole plate down to the concrete, combined with structural screws connecting the CLT panel to the sole plate provide a completely hidden connection.



Tension Plates and Anchor Plates

Product Options:

NPB255SO see page 64 NPB100540 see page 65 NPB140540 see page 65 On the external face of structures where the CLT panel is connected to the edge of the foundation slab, this combination sees the tension plate providing uplift resistance, while the anchor plates handle shear forces. A good solution if it is not possible to conceal the connectors on the inner face of the CLT panel.




Anchor Plates

Product Options:

NPB255SO see page 67


On the external face of structures where the CLT panel is connected to the edge of the foundation slab, here the tension plates are replaced with more anchor plates to accommodate uplift and shear forces. A good solution if it is not possible to conceal the connectors on the inner face of the CLT panel.





Get the best performance from a CLT racking wall, by combining hold downs at each end of the CLT panel to take care of uplift forces, with angle brackets providing support against shear (sliding) movement.







HTT - Heavy Duty Hold Down

Generally placed at each end of a CLT panel or at openings within them, the singlepiece HTT is especially suited to providing very high resistance to uplift forces. The seat is formed from a rolled edge for exceptional reinforcement at the anchoring point, while the fastener pattern is designed to optimise the load taken by each nail or screw used.

Advantages:

- · Very high uplift resistance
- Reduces the number of angle brackets required to fix the CLT panel to concrete
- Variety of fixing and fastening options to suit the required balance of installation time and load capacity






Dimensions


Model No.		Dimensio	ons [mm]		Qty Holes	Qty Holes Flange B	
Model No.	А	В	С	t	Screws or Nails	Bolts	Anchors
HTT5	403	62	64	2,8	26 Ø4,7	-	1 Ø17,5
HTT22E	558	60	63	3,0	31+3 Ø5	3 Ø21	1 Ø18
HTT31	790	60	90	3,0	41+4 Ø5	6 Ø21	1 Ø25


Characteristic Capacity and Slip Modulus – CLT to Concrete – 1 Hold Down

	Fasteners		Characteristic Values [kN]	Slip Modulus [kN/mm]
Model No.	Flange A CLT	Flange B Concrete	$R_{_{1,k}}$	k _{ser,1,k}
HTT5	26 CNA4.0x50	1 FM 753 evo M12 or AT-HP +	24,7	2,2
ппо	26 CNA4.0x60	1 LMAS M12	31,0	2,6
	29 CNA4.0x50 + 5 CSA5.0x50	1 FM 753 evo	min (67,1; 57,5/k _{mod})	6,1
HTT22E	29 CNA4.0x60 + 5 CSA5.0x50	M16	min (73,2; 57,5/k _{mod})	6,8
ППИ	34 CSA5.0x50	or AT-HP +	min (80,2; 57,5/k _{mod})	8,3
	34 CSA5.0x80	1 LMAS M16	min (106,7; 57,5/k _{mod})	8,4
	41 CNA4.0x50 + 4 CSA5.0x50		min (85,7; 85,1/k _{mod})	-
HTT31	41 CNA4.0x60 + 4 CSA5.0x50	AT-HP	min (85,7; 85,1/k _{mod})	-
HII3I	45 CSA5.0x50	2 LMAS M24	min (85,7; 85,1/k _{mod})	24,3
	45 CSA5.0x80		min (85,7 ; 85,1/k _{mod})	24,3



The performance of the anchor has to be checked by the designer considering concrete edge distance and potentially other base material parameters using Anchor Designer software.





SIMPSON Strong-Tie

ABR255 - Reinforced Angle Bracket

Developed specifically for CLT construction, this reinforced angle bracket delivers high load capacities in all force directions and is capable of extremely high shear loads when anchoring CLT panels to concrete.

Advantages:

- High load performance in all force directions, especially shear
- Versatile fixing and fastener pattern choices
- Enables the use of fewer connectors per CLT panel






Dimensions


		imensio	ons [mm	1]	Qty Holes	Flange A	Qty Holes Flange B		
Model No.	Α	В	С	t	Screws or Nails	Bolts/ Anchors	Screws or Nails	Bolts	
ABR255	120	100	255	3,0	52 Ø5	2 Ø14	41 Ø5	4 Ø14	


Characteristic Capacity and Slip Modulus -CLT to Concrete - 1 Angle Bracket

<u> </u>		. ,			
Model No.	Flange A CLT	Fasteners Flange B Concrete	Fastening Pattern	Characteristic Values [kN] Shear $R_{2,k} = R_{3,k}$	Slip Modulus [kN/mm] Shear $k_{ser,2,k} = k_{ser,3,k}$
	17 CNA4.0x50	2 FM 753 evo	Pattern 1	24,9	4,5
ABR2555	17 CNA4.0x60	M12		26,5	4,8
ADNZUUU	17 CSA5.0x50	or AT-HP + 2		26,5	4,8
	35 CSA5.0x50	LMAS M12	Pattern 2	min (58,0 ; 57,6/k _{mod})	10,5



The performance of the anchor has to be checked by the designer considering concrete edge distance and potentially other base material parameters using Anchor Designer software







AG922 - Reinforced Angle Bracket

Providing good load capacity and stiffness. When used in conjunction with SSH connector screws, the AG922 can deliver equally high tensile and shear loads.

Advantages:

- · High capacity and rigidity
- Versatile fastener and fastener pattern choices
- Flexible choice for CLT to CLT connections







Dimensions


Model No.	D	imensi	ons (mn	n]	Qty Holes	Flange A	Qty Holes Flange B	
Wodel No.	Α	В	С	t	Screws or Nails	Bolts/Anchors	Screws or Nails	Bolts
AG922	121	79	150	2,5	26 Ø5	2 Ø13	18 Ø5	2 Ø13

Characteristic Capacity and Slip Modulus – CLT to Concrete – 1 Angle Bracket

Model No.	Faste Flange A CLT	eners Flange B Concrete	Characteristic Values [kN] Shear R _{2,k} = R _{3,k}	Slip Modulus [kN/mm] Shear k _{ser,2,k} = k _{ser,3,k}	
AG922	16 CNA4.0x50	2 FM 753 evo M12 or AT-HP +	24,1	3,2	
AU922	16 CSA5.0x40	2 LMAS M12	24,1	3,2	









ABR100 - Double Reinforced Angle Bracket

The rolled edge design of the ABR100 gives it impressive strength and stiffness considering its comparatively smaller form. The adapted fastener pattern recommended here is ideally suited to the grain direction of a CLT panel's outer layer.

Advantages:

- · High stiffness from a smaller form factor
- Optimised for high capacity in shear and uplift
- Fastener patterns adapted to CLT grain direction






Dimensions


Model No.	Di	mensio	ons [mi	m]	Q	ty Holes Flange	Qty Holes Flange B		
Model No.	А	В	С	t	Screws or Nails	Bolts/ Anchors	Obround	Screws or Nails	Bolts
ABR100	103	103	90	2,0	10 Ø5	1 Ø12	1 Ø12x32	14 Ø5	1 Ø12


Characteristic Capacity and Slip Modulus – CLT to Concrete – 1 Angle Bracket

Model No.	Fasteners Flange A Flange B Concrete CLT		Characteristic Values [kN] Shear R _{2,k} = R _{3,k}	Slip Modulus [kN/mm] Shear k _{ser,2,k} = k _{ser,3,k}		
ABR100	1 FM 753 evo M10 or AT-HP	5 CNA4.0x50	4,1	1,5		
ADRIUU	+ 1 LMAS M10	5 CSA5.0x40	4,1	1,5		

The performance of the anchor has to be checked by the designer considering concrete edge distance and potentially other base material parameters using Anchor Designer software.









HELPFUL TIP

Did you know that ABR100 may be used with upto 25 mm of interlayer under the CLT wall panel, with specified nail pattern?


SIMPSON Strong-Tie

Comparison Between Hold Downs and Angle Brackets

Method of Selection Stabilizing Connectors for CLT Shear Walls

Selection of stabilizing connectors for CLT shear walls should be prepare taking into account the vertical working of all connectors fixing the wall. Assuming separate work of hold downs only for vertical forces and angle brackets only for horizontal forces may result in excessive effort of the angle brackets.

The procedure for verifying the stabilizing connectors of the CLT shear wall is presented below in the form of a diagram. For better readability of the procedure, in the assumptions shown below, the pivot point was taken as the leeward edge of the shear wall. Due to the change of position the wall pivot point, resulting from a appropriate pressure zone to the member below, it may be reasonable to reduce the arm of forces for stabilizing connectors.



Strong-Tie

To better illustrate the issue, two calculation examples are presented below. In the first one, only angle brackets were used to stabilize the wall. In the second a set of angle brackets and hold downs are working together. Calculations were made for the following boundary conditions.

Comparison Between Hold Downs and Angle Brackets

Boundary conditions:

 $F_{H,d} = 50 \text{ kN}$

 $g_d = 10 \text{ kN/m}$

 $q_d = 2 \text{ kN/m}$

h = 3000 mm

b = 2500 mm

Example A: angle brackets only

Example of verification calculation of the stabilizing connectors for a CLT shear wall with using only angle brackets. The 9 ABR255 are spread all over the length of the wall.

Verification of shear load-capacity of connections (sliding)

$$\frac{F_{H,d,1\div 9}}{R_{H,d,1\div 9}} = \frac{5,56 \text{ kN}}{18,3 \text{ kN}} = 0,30 < 1$$


Verification of wall equilibrium (rotate)

$$\frac{M_{dst,d}}{M_{stb,d}} = \frac{156,3 \ kNm}{159,8 \ kNm} = 0,98 < 1$$

The wall retains its stability. \checkmark

Totally:

9 x (ABR255 + 17 CNAx60 + 2 FM 753 evo M12)



Properties of ABR255 angle brackets

ABR255 connectors with 17 pcs. of CNA4.0x60 nails were used as angle brackets.

Load-capacity:

 $R_{H,d,ABR255} = 18,3 \text{ kN}$

 $R_{V,d,ABR255} = 16,9 \text{ kN}$

Slip modulus

 $K_{u,H,ABR255} = 2/3 \cdot K_{ser,H,ABR255} = 2/3 \cdot 4,8 \text{ kN/mm}$

= 3,2 kN/mm

 $\begin{array}{ll} K_{u,v,ABR255} &= 2/3 \cdot K_{ser,V,ABR255} \\ &= 2/3 \cdot 4,5 \text{ kN/mm} \end{array}$

= 3.0 kN/mm



Example B: Hold downs + angle brackets

Example of verification calculation of the stabilizing connectors for a CLT shear wall with using hold downs and angle brackets. 2 HTT31 + 3 ABR255 spread over the length of the wall.

Verification of shear load-capacity of connections (sliding)

$$\frac{F_{H,d,2+4}}{R_{H,d,2+4}} = \frac{16.7 \text{ kN}}{18.3 \text{ kN}} = 0.91 < 1$$

Verification of wall equilibrium (rotate)


$$\frac{M_{dst,d}}{M_{stb,d}} = \frac{156,3 \ kNm}{173,1kNm} = 0,90 < 1$$

The wall retains its stability.



Totally:

2 x (HTT31 + 42 CSA5.0x50 + 1 LMAS M24 + AT-HP) 3 x (ABR255 + 17 CNAx60 + 2 FM 753 evo M12)



Properties of HTT31 hold downs

HTT31 connectors with 42 pcs. of CSA5.0x50 screws were used as hold down.

Load-capacity:

 $R_{V,d,HTT31} = 65,4 \text{ kN}$

Slip modulus:

 $\begin{array}{ll} \overset{\cdot}{K_{u,V,HTT31}} &= 2/3 \cdot K_{ser,V,HTT31} \\ &= 2/3 \cdot 4,5 \text{ kN/mm} \end{array}$ = 3.0 kN/mm




Angle Brackets



In situations where the CLT panel is exposed, yet it is preferable to hide the connections in the floor zone layers, additional angle brackets can be used in place of the hold downs to resist both uplift and shear forces.





Strong-Tie

Angle Brackets

ABR255 - Reinforced Angle Bracket

Developed specifically for CLT construction, this reinforced angle bracket delivers high load capacities in all force directions and is capable of extremely high shear loads when anchoring CLT panels to concrete.

Advantages:


- High load performance in all force directions, especially shear
- Versatile fixing and fastener pattern choices
- Enables the use of fewer connectors per CLT panel






Dimensions

Mada		Г)imensi	ons [mm	1]	Qty Holes	Flange A	Qty Holes Flange B		
Model No.	I NO.	А	В	С	t	Screws or Nails	Bolts/ Anchors	Screws or Nails	Bolts	
ABR	255	120	100	255	3,0	52 Ø5	2 Ø14	41 Ø5	4 Ø14	




		Fasteners		Characteristi	c Values [kN]	Slip Modulus [kN/mm]		
Model No.	Flange A CLT	Flange B Concrete	Fastening Pattern	Tensile R _{1,k}	Shear $R_{2,k} = R_{3,k}$	Tensile k _{ser,1,k}	Shear $k_{ser,2,k} = k_{ser,3,k}$	
	17 CNA4.0x50	2 FM 753		min (23,4 ; 22/k _{mod})	24,9	3,8	4,5	
ABR2555	17 CNA4.0x60	evo M12 or AT-HP + 2	Pattern 1 Pattern 2	min (27,3 ; 22/k _{mod})	26,5	4,5	4,8	
ADRZ000	17 CSA5.0x50			min (27,3 ; 22/k _{mod})	26,5	4,5	4,8	
	35 CSA5.0x50	LMAS M12		22/k _{mod}	min (58,0 ; 57,6/k _{mod})	13,2	10,5	




The performance of the anchor has to be checked by the designer considering concrete edge distance and potentially other base material parameters using Anchor Designer software

Angle brackets take uplift and shear loads at the same time. It means that interaction between both load direction should be considered using this equation:

$$\left(\frac{F_{1,d}}{R_{1,d}}\right)^2 + \left(\frac{F_{2/3,d}}{R_{2/3,d}}\right)^2 \le 1$$





SIMPSON Strong-Tie

AG922 - Reinforced Angle Bracket

Providing good load capacity and stiffness. When used in conjunction with SSH connector screws, the AG922 can deliver equally high tensile and shear loads.

Advantages:

- · High capacity and rigidity
- Versatile fastener and fastener pattern choices
- Flexible choice for CLT to CLT connections







Dimensions

C-CLT-EU-2023 @2023 SIMPSON STRONG-TIE COMPANY INC.

Model No.	D	imensi	ons (mn	n]	Qty Holes	Flange A	Qty Holes Flange B		
WIOGEI NO.	Α	В	С	t	Screws or Nails	Bolts/Anchors	Screws or Nails	Bolts	
AG922	121	79	150	2,5	26 Ø5	2 Ø13	18 Ø5	2 Ø13	



Model No.		eners		c Values [kN]	Slip Modulus [kN/mm]		
Model No.	Flange A CLT	Flange B Concrete	Tensile R _{1,k}	Shear $R_{2,k} = R_{3,k}$	Tensile k _{ser,1,k}	Shear $k_{ser,2,k} = k_{ser,3,k}$	
AG922	16 CNA4.0x50	2 FM 753 evo M12 or AT-HP +	15,3	24,1	5,6	6,5	
AUSZZ	16 CSA5.0x40	2 LMAS M12	15,3	24,1	5,6	6,5	




The performance of the anchor has to be checked by the designer considering concrete edge distance and potentially other base material parameters using Anchor Designer software.

Angle brackets take uplift and shear loads at the same time. It means that interaction between both load direction should be considered using this equation:

$$\left(\frac{F_{1,d}}{R_{1,d}}\right)^2 + \left(\frac{F_{2/3,d}}{R_{2/3,d}}\right)^2 \le 1$$

Flange A Flange B Flange Flange Flange B Flange



Angle Brackets



ABR100 - Double Reinforced Angle Bracket

The rolled edge design of the ABR100 gives it impressive strength and stiffness considering its comparatively smaller form. The adapted fastener pattern recommended here is ideally suited to the grain direction of a CLT panel's outer layer.

Advantages:


- · High stiffness from a smaller form factor
- Optimised for high capacity in shear and uplift
- Fastener patterns adapted to CLT grain direction





Dimensions

Madal No	Di	mensio	ons [mi	m]	Q:	ty Holes Flange	Qty Holes	Flange B	
Model No.	Α	В	С	t	Screws or Nails	Unround		Screws or Nails	Bolts
ABR100	103	103	90	2,0	10 Ø5	1 Ø12	1 Ø12x32	14 Ø5	1 Ø12





	Fasten	ore	Characteristi	c Values [kN]	Slip Modulus [kN/mm]		
Model No.			Tensile R _{1,k}	Shear $R_{2,k} = R_{3,k}$	Tensile k _{ser,1,k}	Shear $k_{ser,2,k} = k_{ser,3,k}$	
APD100	1 FM754 evo M10 or AT-HP + 1 LMAS	5 CNA4.0x50	8,3	4,1	9,2	1,5	
ABR100	M10	5 CSA5.0x40	8,3	4,1	9,2	1,5	


The performance of the anchor has to be checked by the designer considering concrete edge distance and potentially other base material parameters using Anchor Designer software.

Angle brackets take uplift and shear loads at the same time. It means that interaction between both load direction should be considered using this equation:

$$\left(\frac{F_{1,d}}{R_{1,d}}\right)^2 + \left(\frac{F_{2/3,d}}{R_{2/3,d}}\right)^2 \le 1$$







HELPFUL TIP


Did you know that ABR100 may be used with upto 25 mm of interlayer under the CLT wall panel, with specified nail pattern?

Tension Plates and Anchor Plates



On the external face of structures where the CLT panel is connected to the edge of the foundation slab, this combination sees the tension plate providing uplift resistance, while the anchor plates handle shear forces. A good solution if it is not possible to conceal the connectors on the inner face of the CLT panel.





SIMPSON Strong-Tie

NPB – Anchor Plate

A 3 mm thick plate with a fastener pattern designed to accommodate timber and concrete fixings, the NPB255 is an excellent method for connecting CLT walls to concrete that meet along the same plane, as it can provide high load capacities in terms of shear and uplift forces.

Advantages:

- · High shear and uplift capacity
- Fast and simple connection between CLT and concrete along the same plane







Dimensions


Model No.	ı	Dimensions [mm]	Qty Holes		
WIOGET NO.	А	B t		Screws or Nails	Bolts/Anchors	
NPB255	214	255	3,0	93 Ø5	6 Ø14	


Characteristic Capacity and Slip Modulus – CLT to Concrete – 1 Anchor Plate

Model No.	Faste Upper Part	eners Bottom Part	Characteristic Values [kN] Shear	Slip Modulus [kN/mm] Shear	
	оррег гагт	DULLUIII FAIT	$R_{2,k} = R_{3,k}$	$\mathbf{K}_{\text{ser,2,k}} = \mathbf{K}_{\text{ser,3,k}}$	
	13 CNA4.0x50	2 FM 753 evo M12	min (21,1/k _{mod} ; 19,4)	2,5	
NPB255	13 CNA4.0x60	or AT-HP + 2 LMAS	min (21,1/k _{mod} ; 20,8)	2,7	
	13 CSA5.0x50	M12	min (21,1/k _{mod} ; 22,8)	4,4	









HELPFUL TIP

Do you know that the NPB has an installation marking line to ensure the minimum distance between the edge of the concrete and the anchor is achieved?

Tension Plates and Anchor Plates




NPB - Tension Plate

A 3 mm thick plate with a fastener pattern designed to accommodate timber and concrete fixings, the NPB is an excellent method for connecting CLT walls to concrete that meet along the same plane, including across intermediate timber layers. This variant of the NPB is able to resist very high uplift forces.

Advantages:

- · Very high uplift capacity
- Fast and simple connection between CLT and concrete along the same plane
- Variety of fixing and fastening options to suit the required balance of installation time and load capacity






Dimensions


Model No.		Dimensions [mm]	Qty Holes		
Wiodel No.	A	В	t	Screws or Nails	Bolts/Anchors	
NPB60400	60	400	2,0	49 Ø5	1 Ø13	
NPB100540	100	540	3,0	54 Ø5	2 Ø14 + 2 Ø17	
NPB140540	140	540	3,0	72 Ø5	4 Ø17	


Characteristic Capacity and Slip Modulus – CLT to Concrete – 1 Tension Plate

	Faste	eners	Characteristic Values [kN]	Slip Modulus [kN/mm]
Model No.	Upper Part	Bottom Part	Tensile R _{1,k}	Tensile k _{ser,1,k}
	20 CNA4.0x50	1 FM 753 evo	min (44,0 ; 20,6/k _{mod})	3,6
NPB60400	20 CNA4.0x60	M12 or AT-HP + 1 LMAS M12	min (48,0 ; 20,6/k _{mod})	3,6
	20 CSA5.0x50		min (52,6; 20,6/k _{mod})	5,6
	26 CNA4.0x50	2 FM 753 evo M12 or AT-HP +	min (57,2; 58,8/k _{mod})	8,1
NPB100540	26 CNA4.0x60		min (62,4 ; 58,8/k _{mod})	8,6
	26 CSA5.0x50	2 LMAS M12	min (68,3; 58,8/k _{mod})	14,8
	36 CNA4.0x50	2 FM 753 evo	min (81,4 ; 82,4/k _{mod})	11,5
NPB140540	0540 36 CNA4.0x60 M16 or AT-HP +	M16 or AT-HP +	min (88,8 ; 82,4/k _{mod})	12,2
	36 CSA5.0x50	2 LMAS M16	min (97,3 ; 82,4/k _{mod})	13,6



The performance of the anchor has to be checked by the designer considering concrete edge distance and potentially other base material parameters using Anchor Designer software.





Anchor Plates




On the external face of structures where the CLT panel is connected to the edge of the foundation slab, here the tension plates are replaced with more anchor plates to accommodate uplift and shear forces. A good solution if it is not possible to conceal the connectors on the inner face of the CLT panel.



Items Required

Anchor Plate - Uplift and Shear Restraint NPR



NPB255



SIMPSON

NPB – Anchor Plate

A 3 mm thick plate with a fastener pattern designed to accommodate timber and concrete fixings, the NPB255 is an excellent method for connecting CLT walls to concrete that meet along the same plane, as it can provide high load capacities in terms of shear and uplift forces.

Advantages:

- · High shear and uplift capacity
- Fast and simple connection between CLT and concrete along the same plane






Dimensions

C-CLT-EU-2023 @2023 SIMPSON STRONG-TIE COMPANY INC.

Model No.	ı	Dimensions [mm]	Qty Holes		
Model No.	A	B t		Screws or Nails	Bolts/Anchors	
NPB255	214	255	3,0	93 Ø5	6 Ø14	

Characteristic Capacity and Slip Modulus -CLT to Concrete - 1 Anchor Plate

	Faste	ners	Characteristic Values [kN]		Slip Modulus [kN/mm]	
Model No.	Upper Part	Bottom Part	Tensile R _{1,k}	Shear $R_{2,k} = R_{3,k}$	Tensile k _{ser,1,k}	Shear $k_{ser,2,k} = k_{ser,3,k}$
	13 CNA4.0x50	2 FM 753 evo M12 or AT-HP +	min (37,1/k _{mod} ; 28,6)	min (21,1/k _{mod} ; 19,4)	4,0	2,5
NPB255	13 CNA4.0x60		min (37,1/k _{mod} ; 31,2)	min (21,1/k _{mod} ; 20,8)	4,3	2,7
	13 CSA5.0x50	2 LMAS M12	min (37,1/k _{mod} ; 34,1)	min (21,1/k _{mod} ; 22,8)	7,1	4,4





The performance of the anchor has to be checked by the designer considering concrete edge distance and potentially other base material parameters using Anchor Designer software.

Anchor plates take uplift and shear loads at the same time. It means that interaction between both load direction should be considered using this equation:

$$\left(\frac{F_{1,d}}{R_{1,d}}\right)^2 + \left(\frac{F_{2/3,d}}{R_{2/3,d}}\right)^2 \le 1$$

Fastening Pattern









HELPFUL TIP

Do you know that the NPB has an installation marking line to ensure the minimum distance between the edge of the concrete and the anchor is achieved?



Get the best performance from a CLT racking wall, by combining hold downs at each end of the CLT panel to take care of uplift forces, with angle brackets designed to span across timber plate supporting against shear (sliding) movement.







HTT - Heavy Duty Hold Down

Generally placed at each end of a CLT panel or at openings within them, the singlepiece HTT is especially suited to providing very high resistance to uplift forces. The seat is formed from a rolled edge for exceptional reinforcement at the anchoring point, while the fastener pattern is designed to optimise the load taken by each nail or screw used.

Advantages:

- · Very high uplift resistance
- Reduces the number of angle brackets required to fix the CLT panel to concrete
- Variety of fixing and fastening options to suit the required balance of installation time and load capacity






Dimensions


Model No.	Dimensions [mm]				Qty Holes	Qty Holes Flange A		
Model No.	А	B C t		t	Screws or Nails	Bolts	Anchors	
HTT22E	558	60	63	3,0	31+3 Ø5	3 Ø21	1 Ø18	
HTT31	790	60	90	3,0	41+4 Ø5	6 Ø21	1 Ø25	


Characteristic Capacity and Slip Modulus – CLT to Concrete – 1 Hold Down

Model No.	Fasteners		Characteristic Values [kN]	Slip Modulus [kN/mm]
woder No.	Flange A CLT	Flange B Concrete	$\mathbf{R}_{1,k}$	k _{ser,1,k}
	29 CNA4.0x50 + 3 CSA5.0x50	1 FM 753 evo	min (67,1; 57,5/k _{mod})	6,1
LITTOOF	29 CNA4.0x60 + 3 CSA5.0x50	M16	min (73,2; 57,5/k _{mod})	6,8
HTT22E	34 CSA5.0x50	or AT-HP +	min (80,2 ; 57,5/k _{mod})	8,3
	34 CSA5.0x80	1 LMAS M16	min (106,7; 57,5/k _{mod})	8,4
	41 CNA4.0x50 + 4 CSA5.0x50		min (85,7; 85,1/k _{mod})	-
HTT31	41 CNA4.0x60 + 4 CSA5.0x50	AT-HP	min (85,7; 85,1/k _{mod})	-
ППЗП	45 CSA5.0x50	2 LMAS M24	min (85,7; 85,1/k _{mod})	24,3
	45 CSA5.0x80		min (85,7; 85,1/k _{mod})	24,3



The performance of the anchor has to be checked by the designer considering concrete edge distance and potentially other base material parameters using Anchor Designer software.





ABR255SO -Extended Reinforced Angle Bracket

Developed specifically for connecting CLT wall panels to concrete via an 80 mm thick intermediate timber layer, this reinforced angle bracket delivers high load capacities in all force directions and is capable of extremely high shear loads. The face of the ABR255SO is marked with a guide to ensure fasteners are always installed with a minimum edge distance maintained.

Advantages:

- High load performance in all force directions
- Versatile fixing and fastener pattern choices
- Enables the use of fewer connectors per CLT panel






Dimensions

Model No.	Di	mensi	ons [mi	n]	Qty Holes Flange A		Qty Holes Flange B	
WOUEI NO.	Α	В	С	t	Screws or Nails Bolts/Anchors		Screws or Nails	Bolts
ABR255S0	197	100	255	3,0	56 Ø5	2 Ø14	41 Ø5	4 Ø14

Characteristic Capacity and Slip Modulus -CLT to Concrete - 1 Angle Bracket


Model No.	Faste Flange A CLT	eners Flange B Concrete	Characteristic Values [kN] Shear R _{2,k} = R _{3,k}	Slip Modulus [kN/mm] Shear k _{ser,2,k} = k _{ser,3,k}
ABR255S0	30 CNA4.0x50	2 FM 753 evo M12 or AT-HP +	26,1	5,3
ADRZOOSU	30 CSA5.0x50	2 LMAS M12	35,3	5,8

The performance of the anchor has to be checked by the designer considering concrete edge distance and potentially other base material parameters using Anchor Designer software



C-CLT-EU-2023 @2023 SIMPSON STRONG-TIE COMPANY INC.

Fastening Pattern Flange B Concrete Red dots indicate holes filled with fasteners.





HELPFUL TIP


Interlayer stick up to 80 mm can be used with ABR255SO. Do not exceed this limit, as minimum edge distance between fasteners and edge of CLT will not otherwise not be sufficient.

Angle Brackets



In situations where the CLT panel is exposed, yet it is preferable to hide the connections in the floor zone layers, additional angle brackets designed to span across the timber plate can be used in place of the hold downs to resist both uplift and shear forces.





Angle Brackets

SIMPSON Strong-Tie

ABR255SO -


Extended Reinforced Angle Bracket

Developed specifically for connecting CLT wall panels to concrete via an 80 mm thick intermediate timber layer, this reinforced angle bracket delivers high load capacities in all force directions and is capable of extremely high shear loads. The face of the ABR255SO is marked with a guide to ensure fasteners are always installed with a minimum edge distance maintained.

Advantages:

- High load performance in all force directions
- Versatile fixing and fastener pattern choices
- Enables the use of fewer connectors per CLT panel





Dimensions

Model No.	Dimensions [mm]				Qty Holes	Flange A	Qty Holes Flange B				
WOUGH NO.	Α	В	С	t	Screws or Nails	Bolts/Anchors	Screws or Nails	Bolts			
ABR255S0	197	100	255	3,0	56 Ø5	2 Ø14	41 Ø5	4 Ø14			


Characteristic Capacity and Slip Modulus – CLT to Concrete – 1 Angle Bracket


	Fasto	eners	Characteristi	c Values [kN]	Slip Modulus [kN/mm]			
Model No.	Model No. Flange A CLT		Tensile R _{1,k}	Shear $R_{2,k} = R_{3,k}$	Tensile k _{ser,1,k}	Shear $k_{ser,2,k} = k_{ser,3,k}$		
ABR255S0	30 CNA4.0x50	2 FM 753 evo M12 or AT-HP +	22,9/k _{mod}	26,1	3,8	5,3		
ADNZOOSU	30 CSA5.0x50	2 LMAS M12	22,9/k _{mod}	35,3	3,9	5,8		



Angle brackets take uplift and shear loads at the same time. It means that interaction between both load direction should be considered using this equation:

$$\left(\frac{F_{1,d}}{R_{1,d}}\right)^2 + \left(\frac{F_{2/3,d}}{R_{2/3,d}}\right)^2 \leq 1$$







HELPFUL TIP

Interlayer stick up to 80 mm can be used with ABR255SO. Do not exceed this limit, as minimum edge distance between fasteners and edge of CLT will not otherwise not be sufficient.



On the internal face of structures where the wall to floor connection is completely exposed, through-bolts to fix the sole plate down to the concrete, combined with structural screws connecting the CLT panel to the sole plate provide a completely hidden connection.



Double Threaded Screw SWD Wedge Anchor with Large Washer FM 753 evo FM 753 evo FM 753 evo



SWD – Double Threaded Screws

SWD is a double threaded structural screw designed to connect CLT and mass timber wood members. The screws are suitable for inclined installations and the chisel point makes it easy to install.

Advantages:

- Double threaded, pulls the two wood members together
- Small cylinder head for allowing hidden assemblies
- No pre-drilling required
- SWD double threaded screws provide a high strength hidden connection between the CLT panel and the timber plate







SWD - Range Overview

Product		Dimensions [mm]												
Reference	d	1	l _{g1}	l _{g2}	d _h	d _i								
SWD6.5xℓ	6,5	65-220	40-95	33,5-88,5	8	4,0								
SWD8.0xl	8,0	90-330	40-95	31,5-86,5	10	5,4								

SWD – Fastener Dimensions & Characteristic Capacities – α = 25°, CLT, Bottom Plate (C24)

										В	ottom Pla	te thic	kness	s, t _{bp} [mm]								
Product	W _{ba min}		70			75		80			90		1	00		120			140			
Reference	w _{bp,min} [mm]	ydrive	R _{1,k}	R _{2/3,k}	ydrive	R _{1,k}	R _{2/3,k}	y drive	R _{1,k}	R _{2/3,k}	ydrive	R _{1,k}	R _{2/3,k}	ydrive	R _{1,k}	R _{2/3,k}	y drive	R _{1,k}	R _{2/3,k}	y drive	R _{1,k}	R _{2/3,k}
		λ	[k	:N]	λ	[k	N]	λ	[k	N]	λ	[k	N]	λ	[k	N]	λ	[k	N]	λ	[k	:N]
SWD6.5x160	80	90	3,42	2,46	90	3,42	2,46	90	3,42	2,46	90	3,42	2,46	90	3,42	2,46	90	3,42	2,46	90	3,42	2,46
SWD6.5x190	90	-	-	-	-	-	-	105	3,96	2,66	95-105	3,96	2,66	90-105	3,96	2,66	90-105	3,96	2,66	90-105	3,96	2,66
SWD6.5x220	105	-	-	-	-	-	-	-	-	-	-	-	-	115-120	4,46	2,85	95-120	4,46	2,85	95-120	4,46	2,85
SWD8.0x220	105	-	-	-	-	-	-	-	-	-	-	-	-	115-120	5,6	3,93	110-120	5,6	3,93	110-120	5,6	3,93
SWD8.0x245	115	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	120-130	6,09	4,11	110-130	6,09	4,11
SWD8.0x275	130	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	145-160	6,09	4,11	125-160	6,09	4,11
SWD8.0x300	140	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	150-155	7,16	4,53
SWD8.0x330	150	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	175-185	7,16	4,53



The structural guide GSCREW4560 can be used to ensure the correct angle during installation



HELPFUL TIP

The screw should be installed so that the smooth middle part ends up between the two wood members.





SWD – Fastener Dimensions & Characteristic Capacities – α = 35°, CLT, Bottom Plate (C24)

							Вс	ttom Plate	thicknes	s, t _{bp} [m	m]					
Product	W _{bp min}		80			90			100			120			140	
Reference	W _{bp,min} [mm]	Vdrive	R _{1,k}	R _{2/3,k}	y drive	R _{1,k}	R _{2/3,k}	y drive	R _{1,k}	R _{2/3,k}	ydrive	R _{1,k}	R _{2/3,k}	Vdrive	R _{1,k}	R _{2/3,k}
		y _{dı}		N]	y _{dı}		N]	γ _d		N]	γ _d		N]	γ _d		N]
SWD6.5x190	120	90	3,58	2,66	85-90	3,58	2,66	85-90	3,58	2,66	85-90	3,58	2,66	85-90	3,58	2,66
SWD6.5x220	135	-	-	-	100-105	3,96	2,85	90-105	3,96	2,85	85-105	3,96	2,85	85-105	3,96	2,85
SWD8.0x220	140	-	-	-	105	5,14	3,93	105	5,14	3,93	105	5,14	3,93	105	5,14	3,93
SWD8.0x245	150	-	-	-	-	-	-	115	5,52	4,11	105-115	5,52	4,11	105-115	5,52	4,11
SWD8.0x275	170	-	-	-	-	-	-	140	5,52	4,11	120-140	5,52	4,11	105-140	5,52	4,11
SWD8.0x300	185	-	-	-	-	-	-	-	-	-	140	6,34	4,53	120-140	6,34	4,53
SWD8.0x330	200	-	-	-	-	-	-	-	-	-	165	6,34	4,53	145-165	6,34	4,53

SWD – Fastener Dimensions & Characteristic Capacities – α = 45°, CLT, Bottom Plate (C24)

								E	Bottom	Plate t	hickness, t	t _{bp} [mm	1]						
Product	W		75			80			90			100			120			140	
Reference	w _{bp,min} [mm]	y _{drive}	R _{1,k}	R _{2/3,k}	Ydrive		R _{2/3,k}	Ydrive	R _{1,k}		Ydrive	R _{1,k}	R _{2/3,k}	Ydrive		R _{2/3,k}	Ydrive	R _{1,k}	R _{2/3,k}
SWD6.5x220	165	90	3,56	2,85	85-90	3,56	2,85	85-90	3,56	2,85	85-90	3,56	2,85	85-90	3,56	2,85	85-90	3,56	2,85
SWD8.0x245	185	-	-	-	-	-	-	100	5,03	4,11	100	5,03	4,11	100	5,03	4,11	100	5,03	4,11
SWD8.0x275	205	-	-	-	-	-	-	115-120	5,03	4,11	105-120	5,03	4,11	100-120	5,03	4,11	100-120	5,03	4,11
SWD8.0x300	225	-	-	-	_	-	-	-	-	-	-	-	-	105-120	5,68	4,53	100-120	5,68	4,53
SWD8.0x330	245	-	-	-	-	-	-	-	-	-	-	-	-	125-140	5,68	4,53	105-140	5,68	4,53


Screws take uplift and shear loads at the same time. It means that interaction between both load direction should be considered using this equation:


For
$$F_1$$
 and $F_{2/3}$:
$$\left(\frac{F_{1.d} \cdot \sin(\alpha)}{R_{2.d}}\right)^2 + \left(\frac{F_{2.d}}{R_{2.d}}\right)^2 + \frac{F_{1.d}^2 \cdot \cos(\alpha)^2 \cdot \left(1 - \frac{R_{1.d}^2 \cdot \sin(\alpha)^2}{R_{2.d}^2}\right)}{R_{1.d}^2 \cdot \cos(\alpha)^2} \le 1$$

SWD – Minimum Spacings and Edge and End Distances

Spacing or distance [mm]	Ø6,5	Ø8,0
a ₂ *	78	96
a, *	98	120

Note: Other min. spacing and edge distances requirements are fulfilled for the installation characteristics given in the load table. Both CLT and Softwood edge distances needs to be fulfilled. If the grain orientation is different the spacing defintion may change.








FM 753 evo - Heavy Duty Through Anchor


The combination of FM 753 evo wedge anchors and SWD double threaded screws are the easiest way to connect CLT panels to concrete via an intermediate timber layer when it is preferred that no connections are visible.

Advantages:

- · Large washer to connect to timber
- High pull through resistance
- Small spacing and edge distances








Wedge Anchor Dimensions

						Dimensio	ons [mm]				
Product Reference	Item code	Thread diameter [d]	Length [L]	Washer diameter [d _w]	Washer thickness [t _w]	Max fixture thickness [t _{fix}]	Ø max. fixture hole [d ₁]	Effective embed- ment depth [h _{ef}]	Ø drilled hole [d _o]	Min. depth of drilling hole [h ₁]	Wrench size [SW]
FM 753 evo M10x123/50 LW	75343B1012300	10	123	34	3,0	50	12	50	10	70	17
FM 753 evo M10x173/100 LW	75343B1017300	10	173	34	3,0	100	12	50	10	70	17
FM 753 evo M12x149/50 LW	75343B1214900	12	149	44	4,0	50	14	65	12	90	19
FM 753 evo M12x219/120 LW	75343B1221900	12	219	44	4,0	120	14	65	12	90	19



HELPFUL TIP

According to EN1995-1-1 10.4.3 (2): Washers with a side length or a diameter of at least 3d and a thickness of at least 0,3d should be used under the head and nut. Washers should have a full bearing area.




Tension Plates and Anchor Plates



On the external face of structures where the CLT panel is connected to the edge of the foundation slab, this combination sees the tension plate providing uplift resistance, while the anchor plates handle shear forces. A good solution if it is not possible to conceal the connectors on the inner face of the CLT panel.





SIMPSON Strong-Tie

NPB - Anchor Plate

A 3 mm thick plate with a fastener pattern designed to accommodate timber and concrete fixings, the NPB255SO is an excellent method for connecting CLT walls to concrete that meet along the same plane via an 80 mm thick intermediate timber layer, as it can provide high load capacities in terms of shear and uplift forces. The face of the NPB255SO is marked with a guide to ensure fasteners are always installed with a minimum edge distance maintained.

Advantages:

- · High shear and uplift capacity
- Fast and simple connection between CLT and concrete along the same plane






Dimensions


Model No.	ı	Dimensions [mm]	Qty Holes					
WIOUCI WO.	A	В	t	Screws or Nails	Bolts/Anchors				
NPB255S0	294	255	3,0	97 Ø5	6 Ø14				


Characteristic Capacity and Slip Modulus – CLT to Concrete – 1 Anchor Plate

Model No	Faste	eners	Characteristic Values [kN]	Slip Modulus [kN/mm]
Model No.	Upper Part	Bottom Part	Shear R _{2,k} = R _{3,k}	Shear $\mathbf{k}_{\text{ser,2,k}} = \mathbf{k}_{\text{ser,3,k}}$
NPB255S0	26 CNA4.0x50	2 FM 753 evo M12 or AT-HP +	21,5	2,5
NPB2000	26 CSA5.0x50	2 LMAS M12	24,8	4,4

The performance of the anchor has to be checked by the designer considering concrete edge distance and potentially other base material parameters using Anchor Designer software.







HELPFUL TIP

Do you know that the NPB has an installation marking line to ensure the minimum distance between the edge of the concrete and the anchor is achieved?

Tension Plates and Anchor Plates




NPB - Tension Plate

A 3 mm thick plate with a fastener pattern designed to accommodate timber and concrete fixings, the NPB is an excellent method for connecting CLT walls to concrete that meet along the same plane, including across intermediate timber layers. This variant of the NPB is able to resist very high uplift forces.

Advantages:

- · Very high uplift capacity
- Fast and simple connection between CLT and concrete along the same plane
- Variety of fixing and fastening options to suit the required balance of installation time and load capacity






Dimensions

Model No.]	Dimensions [mm]	Qty Holes				
Model No.	А	В	t	Screws or Nails	Bolts/Anchors			
NPB100540	100	540	3,0	54 Ø5	2 Ø14 + 2 Ø17			
NPB140540	140	540	3,0	72 Ø5	4 Ø17			

Characteristic Capacity and Slip Modulus – CLT to Concrete – 1 Tension Plate

	Faste	eners	Characteristic Values [kN]	Slip Modulus [kN/mm]
Model No.	Upper Part	Bottom Part	Tensile R _{1,k}	Tensile k _{ser,1,k}
	26 CNA4.0x50	2 FM 753 evo	min (57,2; 58,8/k _{mod})	8,1
NPB100540	26 CNA4.0x60	M12 or AT-HP +	min (62,4 ; 58,8/k _{mod})	8,6
	26 CSA5.0x50	2 LMAS M12	min (68,3; 58,8/k _{mod})	14,8
	36 CNA4.0x50	2 FM 753 evo	min (81,4; 82,4/k _{mod})	11,5
NPB140540	36 CNA4.0x60	M16 or AT-HP +	min (88,8; 82,4/k _{mod})	12,2
	36 CSA5.0x50	2 LMAS M16	min (97,3 ; 82,4/k _{mod})	13,6


The performance of the anchor has to be checked by the designer considering concrete edge distance and potentially other base material parameters using Anchor Designer software.






HELPFUL TIP

Min. anchor edge distance: for NPB100540: 70 mm for NPB140540: 90 mm





Anchor Plates




On the external face of structures where the CLT panel is connected to the edge of the foundation slab, here the tension plates are replaced with more anchor plates to accommodate uplift and shear forces. A good solution if it is not possible to conceal the connectors on the inner face of the CLT panel.



Items Required

Nail Plate - Uplift and Shear Restraint NPB



Concrete Fasteners
CSA CNA

CSA CNA

CSA CNA

Concrete Fasteners
FM 753 evo Wedge Anchor or AT-HP High Performance Resin + LMAS Threaded Rod

FM 753
evo

AT-HP + LMAS

Anchor Plates



NPB – Anchor Plate

A 3 mm thick plate with a fastener pattern designed to accommodate timber and concrete fixings, the NPB255SO is an excellent method for connecting CLT walls to concrete that meet along the same plane via an 80 mm thick intermediate timber layer, as it can provide high load capacities in terms of shear and uplift forces. The face of the NPB255SO is marked with a guide to ensure fasteners are always installed with a minimum edge distance maintained.

Advantages:

- · High shear and uplift capacity
- Fast and simple connection between CLT and concrete along the same plane






Dimensions

Model No.	ı	Dimensions [mm]	Qty Holes		
	A	В	t	Screws or Nails	Bolts/Anchors	
NPB255S0	294	255	3,0	97 Ø5	6 Ø14	

Characteristic Capacity and Slip Modulus – CLT to Concrete – 1 Anchor Plate


Model No.	Faste	eners	Characteristi		Slip Modulus [kN/mm]	
WIOGEI NO.	Upper Part	Bottom Part	Tensile R _{1,k}	Shear R _{2,k} = R _{3,k}	$ \begin{array}{c c} \textbf{Shear} & \textbf{Tensile} & \textbf{Shear} \\ \textbf{R}_{2,k} = \textbf{R}_{3,k} & \textbf{k}_{\text{ser,1,k}} & \textbf{k}_{\text{ser,2,k}} = \textbf{I} \end{array} $	
NPB255S0	26 CNA4.0x50	2 FM 753 evo M12 or AT-HP +	56,6	21,5	8,4	2,5
NFB25550	26 CSA5.0x50	2 LMAS M12	65,3	24,8	14,1	4,4



The performance of the anchor has to be checked by the designer considering concrete edge distance and potentially other base material parameters using Anchor Designer software.

Anchor Plates take uplift and shear loads at the same time. It means that interaction between both load direction should be considered using this equation:

$$\left(\frac{F_{1,d}}{R_{1,d}}\right)^2 + \left(\frac{F_{2/3,d}}{R_{2/3,d}}\right)^2 \leq 1$$





CLT Wall to CLT Wall Solutions



CLT Wall to CLT Wall (L- and T-Connections)

Structural Angle Brackets

for 90° Corner / T-Connection

see page 75

Product Options:

ABR9020

ABR255 see page 71
AE116 see page 72
AG922 see page 73
ABR100 see page 74

Performance tested structural connectors provide a strong and reliable connection for CLT walls connected at 90° to each other, and can be pre-installed to CLT panels to reduce assembly time on-site.



Structural Fasteners

for 90° Corner / T-Connection and L-Connection

Product Options:

SWW 90° see page 77 SWC 90° see page 80

SWD 45°

Cross Pairs see page 83 Inclined see page 85

Structural screws are an easy and fast way to connect CLT panels together as they require no predrilling. They provide a clean, hidden connection where aesthetic values are paramount.



Structural Fasteners

for Corner Connections Other Than 90°

Product Options:

SWW see page 87 SWC see page 87 For CLT wall junctions with angles other than 90°, structural screw installation inclines can be adapted to the required plane for a secure and discrete connection.




Structural Angle Brackets



Performance tested structural connectors provide a strong and reliable connection for CLT walls connected at 90° to each other, and can be pre-installed to CLT panels to reduce assembly time on-site.





Structural Angle Brackets



ABR255 - Reinforced Angle Bracket

Developed specifically for CLT construction, this reinforced angle bracket delivers high load capacities in all force directions and can be installed in a variety of fastener patterns to meet the required characteristic and slip modulus performance values in CLT to CLT installations.

Advantages:

- High load performance in all force directions
- · Versatile fixing and fastener pattern choices
- Enables the use of fewer connectors per CLT panel






Dimensions

C-CLT-EU-2023 @2023 SIMPSON STRONG-TIE COMPANY INC.

Model No.		Dimensio	ons [mm]		Qty Holes	Flange A	Qty Holes Flange B	
	Α	В	С	t	Screws or Nails	Bolts/ Anchors	Screws or Nails	Bolts
ABR255	120	100	255	3,0	52 Ø5	2 Ø14	41 Ø5	4 Ø14




Model No.		Fasteners		Characteristic V [kN]	Slip Modulus [kN/mm]		
	Flange A CLT	Flange B CLT	Fastening Pattern	Tensile R _{1,k}	Shear $R_{2,k} = R_{3,k}$	Tensile k _{ser,1,k}	$\begin{aligned} & \text{Shear} \\ & \textbf{k}_{\text{ser,2,k}} = \textbf{k}_{\text{ser,3,k}} \end{aligned}$
	17 CNA4.0x50	17 CNA4.0x50	Pattern 1	13,1/k _{mod} 0,4	20,9	6,4	2,9
ABR255	17 CNA4.0x60	17 CNA4.0x60		15/k _{mod} ^{0,4}	22,9	7,4	3,1
	17 CSA5.0x50	17 CSA5.0x50		$\min \left\{ \frac{27,2/k_{mod}^{-0,4}}{26,2/k_{mod}^{-0,4}} \right.$	26,1	13,4	3,6
	2 SSH12.0x80	4 SSH12.0x80	Pattern 2	13,4	18,4	1,8	2,7



Angle brackets take uplift and shear loads at the same time. It means that interaction $\left(\frac{F_{1,d}}{R_{1,d}}\right)^2 + \left(\frac{F_{2/3,d}}{R_{2/3,d}}\right)^2 \leq 1$ between both load direction should be considered using this equation:

Fastening Pattern



A F₂ B F₅ F₁

Note: F_4 and F_5 given in ETA.

Structural Angle Brackets

AE116 - Reinforced Angle Bracket

With a more discrete (48 mm) return, the AE116 form combines good load capacity with a fast and simple installation process – especially paired with SSH connector screws.

Advantages:

- A good balance between connector size and shear load capacity
- · Versatile fixing and fastener pattern choices
- Improved capacity when installed with SSH screws






Dimensions

Model No.		Dimensio	ons [mm]		Qty Holes	Flange A	Qty Holes Flange B	
	А	В	С	t	Screws or Nails	Bolts/ Anchors	Screws or Nails	Bolts
AE116	90	48	116	3,0	18 Ø5	3 Ø13	7 Ø5	3 Ø13

Characteristic Capacity and Slip Modulus – CLT to CLT – Wall Connection – 1 Angle Bracket

Model No.		Fasteners		Characteri [k	stic Values N]	Slip Modulus [kN/mm]	
	Flange A CLT	Flange B CLT	Fastening Pattern	Tensile R _{1,k}	Shear $R_{2,k} = R_{3,k}$	Tensile k _{ser,1,k}	Shear $k_{ser,2,k} = k_{ser,3,k}$
AE116	12 CNA4.0x50	7 CNA4.0x50		3,9	9,9	1,3	1,9
	12 CNA4.0x60	7 CNA4.0x60	Pattern 1	4,9	11,5	1,7	2,2
	12 CSA5.0x50	7 CSA5.0x50		4,9	11,5	1,7	2,2
	3 SSH12.0x80	3 SSH12.0x80	Pattern 2	16,5	14,2	1,8	2,3




C-CLT-EU-2023 @2023 SIMPSON STRONG-TIE COMPANY INC.

Angle brackets take uplift and shear loads at the same time. It means that interaction between both load direction should be considered using this equation:

$$\left(\frac{F_{1,d}}{R_{1,d}}\right)^2 + \left(\frac{F_{2/3,d}}{R_{2/3,d}}\right)^2 \le 1$$

Flange A Wall B Pattern 1 Pattern 2 Red dots indicate holes filled with fasteners.



Note: F₄ and F₅ given in ETA.

SIMPSON


Strong-Tie

AG922 - Reinforced Angle Bracket

Providing good load capacity and stiffness. When used in conjunction with SSH connector screws, the AG922 can deliver equally high tensile and shear loads.

Advantages:

- · High capacity and rigidity
- Versatile fastener and fastener pattern choices
- Flexible choice for CLT to CLT connections





Dimensions


C-CLT-EU-2023 @2023 SIMPSON STRONG-TIE COMPANY INC.


Model No.		Dimensio	ons [mm]		Qty Holes	Flange A	Qty Holes	Flange B
wodel No.	Α	В	С	t	Screws or Nails	Bolts/ Anchors	Screws or Nails	Bolts
AG922	121	79	150	2,5	26 Ø5	2 Ø13	18 Ø5	2 Ø13


Characteristic Capacity and Slip Modulus -CLT to CLT - Wall Connection - 1 Angle Bracket

Flange A CLT	Flange B CLT	Fastening Pattern	[k Tensile R _{1,k}	N] Shear R _{2,k} = R _{3,k}	[kN Tensile k _{ser,1,k}	/mm] Shear $k_{ser,2,k} = k_{ser,3,k}$
CNA4.0x50	13 CNA4.0x50	Dottorn 1	9,2	14,7	2,7	2,0
CSA5.0x40	13 CSA5.0x40	rallelli	9,2	14,7	2,7	2,0
SSH12.0x80	2 SSH12.0x80	Pattern 2	11,5	11,5	1,4	1,5
	CLT CNA4.0x50 CSA5.0x40 CSH12.0x80	CLT CLT CNA4.0x50 13 CNA4.0x50 CSA5.0x40 13 CSA5.0x40 SSH12.0x80 2 SSH12.0x80	CLT CLT Pattern CNA4.0x50 13 CNA4.0x50 Pattern 1 CSA5.0x40 13 CSA5.0x40 Pattern 1 SSH12.0x80 2 SSH12.0x80 Pattern 2	Flange A CLT Flange B CLT Fastening Pattern Tensile R _{1,k} CNA4.0x50 13 CNA4.0x50 Pattern 1 9,2 CSA5.0x40 13 CSA5.0x40 Pattern 2 11,5	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	Flange A CLT Flange B CLT Fastening Pattern Tensile R _{1,k} Shear R _{2,k} = R _{3,k} Tensile k _{ser,1,k} CNA4.0x50 13 CNA4.0x50 Pattern 1 9,2 14,7 2,7 CSA5.0x40 13 CSA5.0x40 9,2 14,7 2,7

Angle brackets take uplift and shear loads at the same time. It means that interaction $\left(\frac{F_{1,d}}{R_{1,d}}\right)^2 + \left(\frac{F_{2/3,d}}{R_{2/3,d}}\right)^2 \le 1$ between both load direction should be considered using this equation:







Structural Angle Brackets



ABR100 - Double Reinforced Angle Bracket

The rolled edge design of the ABR100 gives it impressive strength and stiffness considering its comparatively smaller form. The adapted fastener pattern recommended here is ideally suited to the grain direction of a CLT panel's outer layer.

Advantages:

- High stiffness from a smaller form factor
- · Optimised for high capacity in shear and uplift
- Fastener patterns adapted to CLT grain direction






Dimensions

Madal Na		Dimensio	ons [mm]		Qty	Holes Flang	e A	Qty Holes	Flange B
Model No.	Α	В	С	t	Screws or Nails	Bolts/ Anchors	Obround	Screws or Nails	Bolts
ABR100	103	103	90	2,0	10 Ø5	1 Ø12	1 Ø12x32	14 Ø5	1 Ø12


Characteristic Capacity and Slip Modulus – CLT to CLT – Wall Connection – 1 Angle Bracket

Madal Na	Faste	eners	Characteri [k	stic Values N]		odulus mm]
Model No.	Flange A CLT	Flange B CLT	Tensile R _{1,k}	Shear $R_{2,k} = R_{3,k}$	Tensile k _{ser,1,k}	Shear $k_{ser,2,k} = k_{ser,3,k}$
ABR100	8 CNA4.0x50	11 CNA4.0x50	7,9	8,7	2,6	0,9
ADNIUU	8 CSA5.0x40	11 CSA5.0x40	7,9	8,7	2,6	0,9

Angle brackets take uplift and shear loads at the same time. It means that interaction between both load direction should be considered using this equation: $\left(\frac{F_{1,d}}{R_{1,d}}\right)^2 + \left(\frac{F_{2/3,d}}{R_{2/3,d}}\right)^2 \leq 1$



Fastening Pattern CLT Wall B Wall A Wall A Red dots indicate holes filled with fasteners.



Note: F₄ and F₅ given in ETA.

SIMPSON

Strong-Tie

ABR9020 - Reinforced Angle Bracket

The smallest form factor and the fastest to install due to the reduced fastener count required, the ABR9020 features a large reinforcing rib that significantly improves its capacity and stiffness. The adapted fastener pattern recommended here is ideally suited to the grain direction of a CLT panel's outer layer.

Advantages:

- · Small and versatile
- Good load performance from a small form factor
- Fast installation just 10 fasteners





Dimensions

C-CLT-EU-2023 @2023 SIMPSON STRONG-TIE COMPANY INC.


Model No.		Dimensio	ons [mm]		Qty Holes	Flange A	Qty Holes	Flange B
wodel No.	А	В	С	t	Screws or Nails	Bolts/ Anchors	Screws or Nails	Bolts
ABR9020	88	88	65	2,0	10 Ø5	1 Ø11	10 Ø5	1 Ø13

Characteristic Capacity and Slip Modulus -CLT to CLT - Wall Connection - 1 Angle Bracket


Faste	eners				odulus mm]
Flange A CLT	Flange B CLT	Tensile R _{1,k}	Shear $R_{2,k} = R_{3,k}$	Tensile k _{ser,1,k}	Shear $k_{ser,2,k} = k_{ser,3,k}$
8 CNA4.0x50	10 CNA4.0x60	6,4	5,8	2,5	0,7
8 CNA4.0x60	10 CNA4.0x60	7,4	6,5	2,9	0,8
8 CSA5.0x40	10 CSA5.0x40	7,3	6,1	2,9	0,8
	Flange A CLT 8 CNA4.0x50 8 CNA4.0x60	CLT CLT 8 CNA4.0x50 10 CNA4.0x60 8 CNA4.0x60 10 CNA4.0x60	Flange A CLT	Flange A CLT Flange B CLT Tensile R _{1,k} Shear R _{2,k} = R _{3,k} 8 CNA4.0x50 10 CNA4.0x60 6,4 5,8 8 CNA4.0x60 10 CNA4.0x60 7,4 6,5	Flange A Flange B CLT CLT

Angle brackets take uplift and shear loads at the same time. It means that interaction between both load direction should be considered using this equation:

$$\left(\frac{F_{1,d}}{R_{1,d}}\right)^2 + \left(\frac{F_{2/3,d}}{R_{2/3,d}}\right)^2 \le 1$$



Fastening Pattern




Red dots indicate holes filled with fasteners.



HELPFUL TIP

For a more efficient installation the CSA screws are available in our collated screw system Quik Drive. If you prefer CNA connector nails we have several collated versions suitable for the most common tools.



Note: F₄ and F₅ given in ETA.



Structural screws are an easy and fast way to connect CLT panels together as they require no predrilling. They provide a clean, hidden connection where aesthetic values are paramount.





SIMPSON

Strong-Tie

CLT Wall to CLT Wall (L- and T-Connections)

Structural Fasteners

SWW - Washer-Head Screw

In wall to wall connections the SWW washer-head screw is recommended to use due to the high head-pull through resistance. The washer head also pulls the wall elements together, creating a firm assembly.


Advantages:

- High head-pull through resistance
- Pulls the wood members together
- No pre-drilling required





C-CLT-EU-2023 @2023 SIMPSON STRONG-TIE COMPANY INC.



SWW - Range Overview

Product			Dimensio	ons [mm]		
Reference	d	I	l _g	d _h	d _i	t _{fix}
SWW6.0xℓ	6,0	60 - 300	42 - 70	14	3,9	18 - 230
SWW8.0xl	8,0	80 - 400	50 - 80	22	5,2	30 - 320
SWW10.0xℓ	10,0	100 - 400	50 - 80	25	6,2	50 - 320

CLT to CLT - Wall Connection - SWW Screws at 90°

				ī	Tension	Capa	city R _{as}	s,k Shea	ar Cap	acity R	_{v,k} Dep	ending	on th	e Thicl	kness (of the I	Panel [kN] –	Screw	s at 90	0			
Product Reference										Head s	ide CL	T pane	l thick	ness t _o	_{cLT} [mm]								
	8	0	10	00	12	20	14	10	10	60	18	80	2	00	22	20	24	10	26	60	28	30	30	00
SWW6.0X160	3,16	2,23 2,14	3,16	-	2,32	-	1,24	-	-	-	-	-	_	-	_	-	-	-	_	-	-	-	_	-
SWW6.0X180	3,16	2,23	3,16	2,23 2,14	3,16	-	2,32	-	1,24	-	-	-	_	-	-	-	-	-	-	-	-	-	-	-
SWW6.0X200	3,16	2,23	3,16	2,23	3,16	2,23	3,16	-	2,32	-	1,24	-	_	-	_	-	-	-	_	-	_	-	_	-
SWW6.0X220	3,16	2,23	3,16	2,23	3,16	2,23	3,16	2,23	3,16	-	2,32	-	1,24	-	_	-	_	-	_	-	_	-	-	-
SWW6.0X240	3,16	2,23	3,16	2,23	3,16	2,23	3,16	2,23	3,16	2,23	3,16	-	2,32	-	1,24	-	_	-	_	-	_	-	_	-
SWW6.0X260	3,16	2,23	3,16	2,23	3,16	2,23	3,16	2,23	3,16	2,23	3,16	2,23	3,16	-	2,32	-	1,24	-	_	-	_	-	-	-
SWW6.0X280	3,16	2,23	3,16	2,23	3,16	2,23	3,16	2,23	3,16	2,23	3,16	2,23	3,16	2,23	3,16	-	2,32	-	1,24	-	_	-	_	-
SWW6.0X300	3,16	2,23	3,16	2,23	3,16	2,23	3,16	2,23	3,16	2,23	3,16	2,23	3,16	2,23	3,16	2,23	3,16	-	2,32	-	1,24	-	-	-

Tension capacity $R_{ax,k} \downarrow$ 2,23 With pre-drill Characteristic 3,16 capacities Without pre-drill ↑ Shear capacity R_{v,k} For pre-drilling recommendations, see chapter 10.




Table continues on next page.

SIMPSON

Structural Fasteners



CLT to CLT - Wall Connection - SWW Screws at 90° (cont.)

				T	ensior	Capad	city R _{ax}	shea	ar Cap	acity R	_{v,k} Dep	endin	g on th	e Thicl	kness (of the I	Panel [[kN] —	Screw	s at 90	0			
Product Reference									ı	lead s	de CL	T pane	l thick	ness t _c	_{olt} [mm]								
	80		10	00	12	20	14	10	16	60	18	30	20	00	22	20	24	40	26	60	28	30	30)0
SWW8.0X160		3,51 3,41	4,21	-	2,92	-	1,56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SWW8.0X180	5,08	3,74 3,57	5,08	3,51 3,41	4,21	-	2,92	-	1,56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SWW8.0X200	5 08 -	3,74 3,57	5,08	3,74 3,57	5,08	3,51 3,41	4,21	-	2,92	-	1,56	-	_	-	-	-	-	-	-	-	-	-	-	-
SWW8.0X220		3,74 3,57	5,08	3,74 3,57	5,08	3,74 3,57	5,08	3,51 3,41	4,21	-	2,92	-	1,56	-	-	-	-	-	-	-	-	-	_	-
SWW8.0X240		3,74 3,57	5,08	3,74 3,57	5,08	3,74 3,57	5,08	3,74 3,57	5,08	3,51 3,41	4,21	-	2,92	-	1,56	-	-	-	-	-	-	-	_	-
SWW8.0X260		3,74 3,57	5,08	3,74 3,57	5,08	3,74 3,57	5,08	3,74 3,57	5,08	3,74 3,57	5,08	3,51 3,41	4,21	-	2,92	-	1,56	-	_	-	-	-	-	-
SWW8.0X280	5 08 -	3,74 3,57	5,08	3,74 3,57	5,08	3,74 3,57	5,08	3,74 3,57	5,08	3,74 3,57	5,08	3,74 3,57	5,08	3,51 3,41	4,21	-	2,92	-	1,56	-	-	-	-	-
SWW8.0X300	1 5 N8 I	3,74 3,57	5,08	3,74 3,57	5,08	3,74 3,57	5,08	3,74 3,57	5,08	3,74 3,57	5,08	3,74 3,57	5,08	3,74 3,57	5,08	3,51 3,41	4,21	-	2,92	-	1,56	-	-	-
SWW8.0X320	6 Mg	3,74 3,57	5,08	3,74 3,57	5,08	3,74 3,57	5,08	3,74 3,57	5,08	3,74 3,57	5,08	3,74 3,57	5,08	3,74 3,57	5,08	3,74 3,57	5,08	3,51 3,41	4,21	-	2,92	-	1,56	-
SWW8.0X340	1 5 N8 🗕	3,74 3,57	5,08	3,74 3,57	5,08	3,74 3,57	5,08	3,74 3,57	5,08	3,74 3,57	5,08	3,74 3,57	5,08	3,74 3,57	5,08	3,74 3,57	5,08	3,74 3,57	5,08	3,51 3,41	4,21	-	2,92	-
SWW8.0X360	5 08 -	3,74 3,57	5,08	3,74 3,57	5,08	3,74 3,57	5,08	3,74 3,57	5,08	3,74 3,57	5,08	3,74 3,57	5,08	3,74 3,57	5,08	3,74 3,57	5,08	3,74 3,57	5,08	3,74 3,57	5,08	3,51 3,41	4,21	-
SWW8.0X380	5 08 -	3,74 3,57	5,08	3,74 3,57	5,08	3,74 3,57	5,08	3,74 3,57	5,08	3,74 3,57	5,08	3,74 3,57	5,08	3,74 3,57	5,08	3,74 3,57	5,08	3,74 3,57	5,08	3,74 3,57	5,08	3,74 3,57	5,08	3,51 3,41
SWW8.0X400	I 5 08 ⊢	3,74 3,57	5,08	3,74 3,57	5,08	3,74 3,57	5,08	3,74 3,57	5,08	3,74 3,57	5,08	3,74 3,57	5,08	3,74 3,57	5,08	3,74 3,57	5,08	3,74 3,57	5,08	3,74 3,57	5,08	3,74 3,57	5,08	3,74 3,57

Table continues on next page.


C-CLT-EU-2023 @2023 SIMPSON STRONG-TIE COMPANY INC.

Tension capacity $R_{ax,k} \downarrow$ Characteristic capacities $\begin{array}{c|c} 5,08 & 3,74 & \text{With pre-drill} \\ \hline & 3,57 & \text{Without pre-drill} \\ \hline & \uparrow & \text{Shear capacity } R_{v,k} \\ \end{array}$

For pre-drilling recommendations, see chapter 10.



Use Solid Wood to make your calculations. Go to solidwood.strongtie.eu







CLT to CLT - Wall Connection - SWW Screws at 90° (cont.)


				T	ensior	Capa	city R _{a:}	_{x,k} Shea	ar Cap	acity R	_{v,k} Dep	endinç	g on th	e Thicl	kness (of the I	Panel	[kN] –	Screw	s at 90	0			
Product Reference									ı	Head si	de CL	T pane	l thick	ness t _c	_{LT} [mm]								
	8	0	10	00	12	20	14	40	10	60	18	30	20	00	22	20	24	40	26	60	28	30	30	00
SWW10.0X160	-	-	5,03	-	3,49	-	1,87	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SWW10.0X180	-	-	6,38	4,34 4,20	5,03	-	3,49	-	1,87	-	-	-	-	-	_	-	-	-	-	-	-	-	-	-
SWW10.0X200	-	-	6,38	4,73 4,57	6,38	4,34 4,20	5,03	-	3,49	-	1,87	-	-	-	_	-	-	-	_	-	-	-	-	-
SWW10.0X220	-	-	6,38	5,02 4,78	6,38	4,73 4,57	6,38	4,34 4,20	5,03	-	3,49	-	1,87	-	_	-	-	-	_	-	-	-	-	-
SWW10.0X240	-	-	6,38	5,02 4,78	6,38	5,02 4,78	6,38	4,73 4,57	6,38	4,34 4,20	5,03	-	3,49	-	1,87	-	-	-	-	-	-	-	-	-
SWW10.0X260	-	-	6,38	5,02 4,78	6,38	5,02 4,78	6,38	5,02 4,78	6,38	4,73 4,57	6,38	4,34 4,20	5,03	-	3,49	-	1,87	-	-	-	-	-	-	-
SWW10.0X280	-	-	6,38	5,02 4,78	6,38	5,02 4,78	6,38	5,02 4,78	6,38	5,02 4,78	6,38	4,73 4,57	6,38	4,34 4,20	5,03	-	3,49	-	1,87	-	-	-	-	-
SWW10.0X300	-	-	6,38	5,02 4,78	6,38	5,02 4,78	6,38	5,02 4,78	6,38	5,02 4,78	6,38	5,02 4,78	6,38	4,73 4,57	6,38	4,34 4,20	5,03	-	3,49	-	1,87	-	-	-
SWW10.0X320	-	-	6,38	5,02 4,78	6,38	5,02 4,78	6,38	5,02 4,78	6,38	5,02 4,78	6,38	5,02 4,78	6,38	5,02 4,78	6,38	4,73 4,57	6,38	4,34 4,20	5,03	-	3,49	-	1,87	-
SWW10.0X340	-	-	6,38	5,02	6,38	5,02 4,78	6,38	5,02 4,78	6,38	5,02 4,78	6,38	5,02 4,78	6,38	5,02 4,78	6,38	5,02	6,38	4,73 4,57	6,38	4,34 4,20	5,03	-	3,49	-
SWW10.0X360	-	-	6,38	5,02 4,78	6,38	5,02 4,78	6,38	5,02 4,78	6,38	5,02 4,78	6,38	5,02 4,78	6,38	5,02 4,78	6,38	5,02 4,78	6,38	5,02 4,78	6,38	4,73 4,57	6,38	4,34 4,20	5,03	-
SWW10.0X380	-	-	6,38	5,02 4,78	6,38	5,02 4,78	6,38	5,02 4,78	6,38	5,02 4,78	6,38	5,02 4,78	6,38	5,02 4,78	6,38	5,02	6,38	5,02 4,78	6,38	5,02 4,78	6,38	4,73 4,57	6,38	4,34 4,20
SWW10.0X400	-	-	6,38	5,02 4,78	6,38	5,02 4,78	6,38	5,02 4,78	6,38	5,02 4,78	6,38	5,02 4,78	6,38	5,02 4,78	6,38	5,02 4,78	6,38	5,02 4,78	6,38	5,02 4,78	6,38	5,02 4,78	6,38	4,73 4,57

Characteristic parameters of fasteners and more information are included in chapter 10.

Tension capacity $R_{ax,k} \downarrow$ Characteristic capacities $6.38 \frac{5.02}{4.78}$ With pre-drill \uparrow Shear capacity $R_{v,k}$ For pre-drilling recommendations, see chapter 10.



Use Solid Wood to make your calculations. Go to solidwood.strongtie.eu



SWC - Countersunk Screw

SWC is a countersunk structural wood screw designed to take high loads. The countersunk head gives a flush fitting while allowing the CLT panels to close up firmly.


Advantages:

CLT Wall to CLT Wall (L- and T-Connections)

- Countersunk head creates a flush finish
- Milling thread for reduced drive-in torque
- No pre-drilling required







SWC - Range Overview

Product			Dimensio	ons [mm]		
Reference	d	I	l _g	d _h	d _i	t _{fix}
SWC6.0xℓ	6,0	200-300	70	11,8	3,9	130-230
SWC8.0xℓ	8,0	80-400	50-80	14,6	5,2	30-320
SWC10.0xℓ	10,0	100-400	50-80	17,8	6,2	50-320

CLT to CLT - Wall Connection - SWC Screws at 90°

				Т	ensior	ı Capa	city R _{a:}	_{k,k} Shea	ar Cap	acity R	l _{v,k} Dep	ending	on th	e Thicl	kness	of the	Panel [kN] –	Screw	s at 90	0			
Product Reference										Head s	ide CL	T pane	l thick	ness t _o	_{olt} [mm	1]								
	8	80	10	00	12	20	14	10	10	60	18	30	20	00	22	20	24	10	26	60	28	30	30	00
SWC6.0X180	1,66	1,86 1,77	1,66	1,86 1,77	1,66	-	1,66	-	1,24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SWC6.0X200	1,66	1,86 1,77	1,66	1,86 1,77	1,66	1,86 1,77	1,66	-	1,66	-	1,24	-	-	-	-	-	-	-	_	-	-	-	-	-
SWC6.0X220	1,66	1,86 1,77	1,66	1,86 1,77	1,66	1,86 1,77	1,66	1,86 1,77	1,66	-	1,66	-	1,24	-	-	-	-	-	_	-	_	-	-	-
SWC6.0X240	1,66	1,86 1,77	1,66	1,86	1,66	1,86 1,77	1,66	1,86	1,66	1,86 1,77	1,66	-	1,66	-	1,24	-	-	-	_	-	-	-	-	-
SWC6.0X260	1,66	1,86 1,77	1,66	1,86 1,77	1,66	1,86 1,77	1,66	1,86 1,77	1,66	1,86 1,77	1,66	1,86 1,77	1,66	-	1,66	-	1,24	-	_	-	_	-	-	-
SWC6.0X280	1,66	1,86 1,77	1,66	1,86 1,77	1,66	1,86 1,77	1,66	1,86 1,77	1,66	1,86 1,77	1,66	1,86 1,77	1,66	1,86 1,77	1,66	-	1,66	-	1,24	-	-	-	-	-
SWC6.0X300	1,66	1,86 1,77	1,66	1,86 1,77	1,66	1,86 1,77	1,66	1,86 1,77	1,66	1,86 1,77	1,66	1,86 1,77	1,66	1,86 1,77	1,66	1,86 1,77	1,66	-	1,66	-	1,24	-	-	-

Table continues on next page.

SIMPSON Strong-Tie



CLT to CLT - Wall Connection - SWC Screws at 90° (cont.)

				Т	ensior	Capa	city R _{ax}	_{k,k} Shea	ar Cap	acity R	_{v,k} Dep	endinç	g on th	e Thicl	kness (of the I	Panel [[kN] –	Screw	s at 90	0			
Product Reference									I	lead si	de CL	T pane	l thick	ness t _c	_{ort} [mm]								
	8	0	10	00	120		140		160		180		20	00	22	20	24	10	26	60	28	30	30)0
SWC8.0X160	2,66	2,91 2,80	2,66	-	2,66	-	1,56	-	-	-	-	-	-	-	_	-	-	-	-	-	-	-	-	-
SWC8.0X180	2,66	3,14 2,97	2,66	2,91 2,80	2,66	-	2,66	-	1,56	-	_	-	-	-	_	-	_	-	_	-	-	-	-	-
SWC8.0X200	2,66	3,14 2,97	2,66	3,14 2,97	2,66	2,91 2,80	2,66	-	2,66	-	1,56	-	_	-	_	-	-	-	-	-	-	-	-	-
SWC8.0X220	2,66	3,14	2,66	3,14 2,97	2,66	3,14 2,97	2,66	2,91 2,80	2,66	-	2,66	-	1,56	-	_	-	-	-	-	-	-	-	-	-
SWC8.0X240	2,66	3,14 2,97	2,66	3,14 2,97	2,66	3,14 2,97	2,66	3,14 2,97	2,66	2,91 2,80	2,66	-	2,66	-	1,56	-	-	-	-	-	-	-	-	-
SWC8.0X260	2,66	3,14	2,66	3,14 2,97	2,66	3,14	2,66	3,14 2,97	2,66	3,14 2,97	2,66	2,91 2,80	2,66	-	2,66	-	1,56	-	-	-	-	-	-	-
SWC8.0X280	2,66	3,14 2,97	2,66	3,14	2,66	3,14	2,66	3,14 2,97	2,66	3,14 2,97	2,66	3,14 2,97	2,66	2,91	2,66	-	2,66	-	1,56	-	-	-	-	-
SWC8.0X300	2,66	3,14	2,66	3,14	2,66	3,14	2,66	3,14	2,66	3,14	2,66	3,14	2,66	3,14 2,97	2,66	2,91	2,66	-	2,66	-	1,56	-	-	-
SWC8.0X320	2,66	3,14	2,66	3,14	2,66	3,14	2,66	3,14	2,66	3,14	2,66	3,14	2,66	3,14	2,66	3,14	2,66	2,91 2,80	2,66	-	2,66	-	1,56	-
SWC8.0X340	2,66	3,14	2,66	3,14	2,66	3,14	2,66	3,14	2,66	3,14	2,66	3,14	2,66	3,14	2,66	3,14	2,66	3,14	2,66	2,91	2,66	-	2,66	-
SWC8.0X360	2,66	3,14	2,66	3,14	2,66	3,14	2,66	3,14 2,97	2,66	3,14 2,97	2,66	3,14 2,97	2,66	3,14	2,66	3,14	2,66	3,14	2,66	3,14	2,66	2,91	2,66	-
SWC8.0X380	2,66	3,14	2,66	3,14	2,66	3,14	2,66	3,14	2,66	3,14	2,66	3,14	2,66	3,14	2,66	3,14	2,66	3,14	2,66	3,14	2,66	3,14	2,66	2,91 2,80
SWC8.0X400	2,66	3,14 2,97	2,66	3,14 2,97	2,66	3,14 2,97	2,66	3,14 2,97	2,66	3,14 2,97	2,66	3,14 2,97	2,66	3,14 2,97	2,66	3,14 2,97	2,66	3,14 2,97	2,66	3,14 2,97	2,66	3,14 2,97	2,66	3,14 2,97

Table continues on next page.


Tension capacity $R_{ax,k} \downarrow$ $\begin{array}{c|c} Characteristic \\ capacities \end{array} \begin{array}{c|c} 2,66 \\ \hline 2,97 \end{array} \begin{array}{c|c} With \ pre-drill \\ \hline \end{array}$ $\uparrow \ Shear \ capacity \ R_{v,k}$

For pre-drilling recommendations, see chapter 10.



C-CLT-EU-2023 @2023 SIMPSON STRONG-TIE COMPANY INC.

Use Solid Wood to make your calculations. Go to solidwood.strongtie.eu








CLT to CLT - Wall Connection - SWC Screws at 90° (cont.)


				T	ensior	Capa	city R _{a:}	_{x,k} Shea	ar Cap	acity R	_{v,k} Dep	endinç	g on th	e Thicl	kness (of the I	Panel	[kN] –	Screw	s at 90	0			
Product Reference									ı	Head si	de CL	T pane	l thick	ness t _o	_{CLT} [mm]								
	8	80	10	00	120		140		160		18	30	20	00	22	20	24	40	26	60	28	30	30	00
SWC10.0X160	-	-	3,55	-	3,49	-	1,87	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SWC10.0X180	-	-	3,55	3,63 3,49	3,55	-	3,49	-	1,87	-	-	-	_	-	-	-	-	-	_	-	-	-	-	-
SWC10.0X200	-	-	3,55	4,02	3,55	3,63 3,49	3,55	-	3,49	-	1,87	-	_	-	_	-	-	-	-	-	-	-	-	-
SWC10.0X220	-	-	3,55	4,31	3,55	4,02	3,55	3,63 3,49	3,55	-	3,49	-	1,87	-	_	-	-	-	-	-	-	-	-	-
SWC10.0X240	-	-	3,55	4,31 4,07	3,55	4,31 4,07	3,55	4,02 3,87	3,55	3,63 3,49	3,55	-	3,49	-	1,87	-	-	-	-	-	-	-	-	-
SWC10.0X260	-	-	3,55	4,31 4,07	3,55	4,31 4,07	3,55	4,31 4,07	3,55	4,02 3,87	3,55	3,63 3,49	3,55	-	3,49	-	1,87	-	_	-	-	-	-	-
SWC10.0X280	-	-	3,55	4,31 4,07	3,55	4,31 4,07	3,55	4,31 4,07	3,55	4,31 4,07	3,55	4,02 3,87	3,55	3,63 3,49	3,55	-	3,49	-	1,87	-	-	-	-	-
SWC10.0X300	_	-	3,55	4,31 4,07	3,55	4,31 4,07	3,55	4,31 4,07	3,55	4,31 4,07	3,55	4,31 4,07	3,55	4,02 3,87	3,55	3,63 3,49	3,55	-	3,49	-	1,87	-	-	-
SWC10.0X320	-	-	3,55	4,31 4,07	3,55	4,31 4,07	3,55	4,31 4,07	3,55	4,31 4,07	3,55	4,31 4,07	3,55	4,31 4,07	3,55	4,02 3,87	3,55	3,63 3,49	3,55	-	3,49	-	1,87	-
SWC10.0X340	-	-	3,55	4,31	3,55	4,31	3,55	4,31	3,55	4,31 4,07	3,55	4,31	3,55	4,31	3,55	4,31	3,55	4,02	3,55	3,63 3,49	3,55	-	3,49	-
SWC10.0X360	-	-	3,55	4,31 4,07	3,55	4,31 4,07	3,55	4,31 4,07	3,55	4,31	3,55	4,31 4,07	3,55	4,31 4,07	3,55	4,31 4,07	3,55	4,31	3,55	4,02 3,87	3,55	3,63	3,55	-
SWC10.0X380	-	-	3,55	4,31 4,07	3,55	4,31	3,55	4,31	3,55	4,31	3,55	4,31 4,07	3,55	4,31	3,55	4,31 4,07	3,55	4,31	3,55	4,31 4,07	3,55	4,02	3,55	3,63 3,49
SWC10.0X400	-	-	3,55	4,31	3,55	4,31 4,07	3,55	4,31	3,55	4,31	3,55	4,31 4,07	3,55	4,31	3,55	4,31 4,07	3,55	4,31 4,07	3,55	4,31	3,55	4,31 4,07	3,55	4,02

Characteristic parameters of fasteners and more information are included in chapter 10.





Use Solid Wood to make your calculations. Go to solidwood.strongtie.eu



SIMPSON

Strong-Tie

CLT Wall to CLT Wall (L- and T-Connections)

SWD - Double Threaded Screw

SWD screws can be used to create almost hidden connections due to the small cylinder head. The design of the screw makes it suitable for inclined and angled installations.

Advantages:

- · High load capacity
- Small cylinder head for hidden assemblies
- Can be installed in cross pair to take loads in two directions







SWD - Range Overview


C-CLT-EU-2023 @2023 SIMPSON STRONG-TIE COMPANY INC.

Product			Dimensio	ons [mm]		
Reference	d	I.	I _{g1}	 _{g2}	d _h	d _i
SWD6.5xℓ	6,5	65-220	40-95	33,5-88,5	8	4,0
SWD8.0xℓ	8,0	90-330	40-95	31,5-86,5	10	5,4

CLT to CLT - Wall Connection -SWD Screws 45° Cross Pairs

Product	Minimum thickness		capacity _{air} ; R _{buck,k,pair}) [kN]
Reference	t _{CLT,min}	R _{w,k,pair} [kN]	R _{buck,k,pair}
SWD6.5X90	52	3,9	1,96 + 5,51 /k _{mod}
SWD6.5X130	56	3,9	1,96 + 5,51 /k _{mod}
SWD6.5X160	67	6,9	3,43 + 5,51 /k _{mod}
SWD6.5X190	78	8,6	4,31 + 5,51 /k _{mod}
SWD6.5X220	88	10,1	5,19 + 5,51 /k _{mod}
SWD8.0X90	64	4,4	2,17 + 10,22 /k _{mod}
SWD8.0X130	64	4,4	2,17 + 10,22 /k _{mod}
SWD8.0X160	67	7,8	3,9 + 10,22 /k _{mod}
SWD8.0X190	78	9,9	4,94 + 10,22 /k _{mod}
SWD8.0X220	88	12	5,98 + 10,22 /k _{mod}
SWD8.0X245	97	13,7	6,84 + 10,22 /k _{mod}
SWD8.0X275	108	13,7	6,84 + 10,22 /k _{mod}
SWD8.0X300	117	17,5	8,74 + 10,22 /k _{mod}
SWD8.0X330	127	17,5	8,74 + 10,22 /k _{mod}

Characteristic parameters of fasteners and more information are included in chapter 10.





HELPFUL TIP

The minimum distance between the crossed screws are 1,5xd. Ensure that the screw threads do not touch each other during installation.

Minimum Distances for Screws 90° Angles Between CLT Panels

SWC

Dimensions	a ₁	a _{3.c}	a _{4.c}
SWC6,0	60	36	18
SWC8,0	80	48	24
SWC10,0	100	60	30

SWW

Dimensions	a ₁	a _{3.c}	a _{4.c}
SWW6,0	60	36	18
SWW8,0	80	48	24
SWW10,0	100	60	30

Recommended max. Pre-Drilling Diameter:

Pre-drilling improve resistance but not space and edge distance in CLT.

SWC


Product Reference	Max. Pre-Drill Hole Diameter
SWC6,0	Ø3,5
SWC8,0	Ø5,0
SWC10,0	Ø6,0

SWW

Product Reference	Max. Pre-Drill Hole Diameter
SWW6,0	Ø3,5
SWW8,0	Ø5,0
SWW10,0	Ø6,0

SWD


Product Reference	Max. Pre-Drill Hole Diameter
SWD6,5	Ø3,5
SWD8,0	Ø5,0




Minimum Distances for Screws 90° Angles Between CLT Panels – 45° Cross Pairs

SWD

Dimensions	a ₁	a _{1,red}	a _{2,red}	a _{3,c}	a _{4,c}
SWD6,5	65	10	10	39	20
SWD8,0	80	12	12	48	24





SIMPSON Strong-Tie








CLT to CLT - Wall Connection - SWD Screws inclined 25°

		t _{clt} [mm]																				
Product	W _{CIT min}		80		90		100		120			140			160			180				
Reference	w _{CLT,min} [mm]	ydrive	R _{1,k}	R _{2/3,k}	ydrive	R _{1,k}	R _{2/3,k}	y drive	R _{1,k}	R _{2/3,k}	ydrive	R _{1,k}	R _{2/3,k}	drive	R _{1,k}	R _{2/3,k}	y drive	R _{1,k}	R _{2/3,k}	Vdrive	R _{1,k}	R _{2/3,k}
		λ	> [kN]		kN]		λ°	kN]		λ	[kN]		χ	[kN]		λ°	[kN]		χٌ	[kN]		
SWD6.5x160	100	90	3,31	2,25	90	3,31	2,25	90	3,31	2,25	90	3,31	2,25	90	3,31	2,25	90	3,31	2,25	90	3,31	2,25
SWD6.5x190	110	105	3,82	2,45	95-105	3,82	2,45	90-105	3,82	2,45	90-105	3,82	2,45	90-105	3,82	2,45	90-105	3,82	2,45	90-105	3,82	2,45
SWD6.5x220	120	-	-	-	-	-	-	115-120	4,26	2,59	95-120	4,26	2,59	95-120	4,26	2,59	95-120	4,26	2,59	95-120	4,26	2,59
SWD8.0x220	125	-	-	-	-	-	-	115-120	5,41	3,59	110-120	5,41	3,59	110-120	5,41	3,59	110-120	5,41	3,59	110-120	5,41	3,59
SWD8.0x245	135	-	-	-	-	-	-	-	-	-	120-130	5,88	3,77	110-130	5,88	3,77	110-130	5,88	3,77	110-130	5,88	3,77
SWD8.0x275	150	-	-	-	-	-	-	-	-	-	145-160	5,88	3,77	125-160	5,88	3,77	110-160	5,88	3,77	110-160	5,88	3,77
SWD8.0x300	150	-	-	-	-	-	-	-	-	-	-	-	-	150-155	6,75	4,00	135-155	6,75	4,00	135-155	6,75	4,00
SWD8.0x330	165	-	-	-	-	-	-	-	-	-	-	-	-	175-185	6,75	4,00	155-185	6,75	4,00	135-185	6,75	4,00

										t _{clt} [mm]								
Product	W _{CLT,min}		200		220			240			260			280			300		
Reference	[mm]	ydrive	R _{1,k}	R _{2/3,k}	ydrive	R _{1,k}	R _{2/3,k}	y drive	R _{1,k}	R _{2/3,k}	y drive	R _{1,k}	R _{2/3,k}	y drive	R _{1,k}	R _{2/3,k}	ydrive	R _{1,k}	R _{2/3,k}
			[kN]		> [kN]		y _{dı}		N]	y _{dı}	[kN]		У _{dı}	[kN]		γ	[k	N]	
SWD6.5x160	100	90	3,31	2,25	90	3,31	2,25	90	3,31	2,25	90	3,31	2,25	90	3,31	2,25	90	3,31	2,25
SWD6.5x190	110	90-105	3,82	2,45	90-105	3,82	2,45	90-105	3,82	2,45	90-105	3,82	2,45	90-105	3,82	2,45	90-105	3,82	2,45
SWD6.5x220	120	95-120	4,26	2,59	95-120	4,26	2,59	95-120	4,26	2,59	95-120	4,26	2,59	95-120	4,26	2,59	95-120	4,26	2,59
SWD8.0x220	125	110-120	5,41	3,59	110-120	5,41	3,59	110-120	5,41	3,59	110-120	5,41	3,59	110-120	5,41	3,59	110-120	5,41	3,59
SWD8.0x245	135	110-130	5,88	3,77	110-130	5,88	3,77	110-130	5,88	3,77	110-130	5,88	3,77	110-130	5,88	3,77	110-130	5,88	3,77
SWD8.0x275	150	110-160	5,88	3,77	110-160	5,88	3,77	110-160	5,88	3,77	110-160	5,88	3,77	110-160	5,88	3,77	110-160	5,88	3,77
SWD8.0x300	150	135-155	6,75	4,00	135-155	6,75	4,00	135-155	6,75	4,00	135-155	6,75	4,00	135-155	6,75	4,00	135-155	6,75	4,00
SWD8.0x330	165	135-185	6,75	4,00	135-185	6,75	4,00	135-185	6,75	4,00	135-185	6,75	4,00	135-185	6,75	4,00	135-185	6,75	4,00


Table continues on next page.



C-CLT-EU-2023 @2023 SIMPSON STRONG-TIE COMPANY INC.

SWD – Minimum Spacings and Edge and End Distances

Spacing or Distance [mm]	SWD6,5	SWD8,0
$a_{_1}$	26	32
a _{3,t}	39	48



Note: Other min. spacing and edge distances requirements are fulfilled for the installation characteristics given in the load table. If the grain orientation of the CLT panel is different the spacing defintion may change.





CLT to CLT - Wall Connection - SWD Screws inclined 35°

											1	t _{clt} [m	m]									
Product	W _{CIT min}		80			90			100			120			140		1	60		1	180	
Reference	W _{CLT,min} [mm]	ydrive	R _{1,k}	R _{2/3,k}	ydrive	R _{1,k}	R _{2/3,k}	Vdrive	R _{1,k}	R _{2/3,k}	y drive	R _{1,k}	R _{2/3,k}	y drive	R _{1,k}	R _{2/3,k}	ydrive	R _{1,k}	R _{2/3,k}	drive	R _{1,k}	R _{2/3,k}
		λ ^d	[k	N]	y _d	[k	N]	y _d		N]	y _d		N]	y _d	[k	N]	Уd	[k	N]	У _d		:N]
SWD6.5x190	130	90	3,4	2,45	85-90	3,4	2,45	85-90	3,4	2,45	85-90	3,4	2,45	85-90	3,4	2,45	85-90	3,4	2,45	85-90	3,4	2,45
SWD6.5x220	145	-	-	-	100-105	3,72	2,59	90-105	3,72	2,59	85-105	3,72	2,59	85-105	3,72	2,59	85-105	3,72	2,59	85-105	3,72	2,59
SWD8.0x220	150	-	-	-	105	4,87	3,59	105	4,87	3,59	105	4,87	3,59	105	4,87	3,59	105	4,87	3,59	105	4,87	3,59
SWD8.0x245	165	-	-	-	-	-	-	115	5,23	3,77	105-115	5,23	3,77	105-115	5,23	3,77	105-115	5,23	3,77	105-115	5,23	3,77
SWD8.0x275	180	-	-	-	-	-	-	140	5,23	3,77	120-140	5,23	3,77	105-140	5,23	3,77	105-140	5,23	3,77	105-140	5,23	3,77
SWD8.0x300	190	-	-	-	-	-	-	-	-	-	140	5,84	4,00	120-140	5,84	4,00	120-140	5,84	4,00	120-140	5,84	4,00
SWD8.0x330	205	-	-	-	-	-	-	-	-	-	165	5,84	4,00	145-165	5,84	4,00	125-165	5,84	4,00	120-165	5,84	4,00

										t _{clt} [mm]								
Product	W _{CLT,min}		200			220			240			260			280			300	
Reference	[mm]	y drive	R _{1,k}	R _{2/3,k}	y drive	R _{1,k}	R _{2/3,k}	y drive	R _{1,k}	R _{2/3,k}	ydrive	R _{1,k}	R _{2/3,k}	drive	R _{1,k}	R _{2/3,k}	drive	R _{1,k}	R _{2/3,k}
		y _{dı}	[k		y _{dı}		N]	, V _{d₁}	[k	N]	γ	[k		y _{dı}	[k		y _{dı}	[kl	
SWD6.5x190	130	85-90	3,4	2,45	85-90	3,4	2,45	85-90	3,4	2,45	85-90	3,4	2,45	85-90	3,4	2,45	85-90	3,4	2,45
SWD6.5x220	145	85-105	3,72	2,59	85-105	3,72	2,59	85-105	3,72	2,59	85-105	3,72	2,59	85-105	3,72	2,59	85-105	3,72	2,59
SWD8.0x220	150	105	4,87	3,59	105	4,87	3,59	105	4,87	3,59	105	4,87	3,59	105	4,87	3,59	105	4,87	3,59
SWD8.0x245	165	105-115	5,23	3,77	105-115	5,23	3,77	105-115	5,23	3,77	105-115	5,23	3,77	105-115	5,23	3,77	105-115	5,23	3,77
SWD8.0x275	180	105-140	5,23	3,77	105-140	5,23	3,77	105-140	5,23	3,77	105-140	5,23	3,77	105-140	5,23	3,77	105-140	5,23	3,77
SWD8.0x300	190	120-140	5,84	4,00	120-140	5,84	4,00	120-140	5,84	4,00	120-140	5,84	4,00	120-140	5,84	4,00	120-140	5,84	4,00
SWD8.0x330	205	120-165	5,84	4,00	120-165	5,84	4,00	120-165	5,84	4,00	120-165	5,84	4,00	120-165	5,84	4,00	120-165	5,84	4,00

CLT to CLT - Wall Connection - SWD Screws inclined 45°

											t _{cl}	T [mm]									
Product	W _{CLT.min}		80			90			100			120			140			160			180	
Reference	[mm]	ydrive		R _{2/3,k}	y _{drive}		R _{2/3,k}	y _{drive}		R _{2/3,k}	ydrive	R _{1,k}	R _{2/3,k}	y drive		R _{2/3,k}	y drive		R _{2/3,k}	y _{drive}		R _{2/3,k}
SWD6.5x220	165	85-90	3,3	2,59	85-90	3,3	2,59	85-90	3,3	2,59	85-90	3,3	2,59	85-90	3,3	2,59	85-90	3,3	2,59	85-90	3,3	2,59
SWD8.0x245	190	-	-	-	100	4,71	3,77	100	4,71	3,77	100	4,71	3,77	100	4,71	3,77	100	4,71	3,77	100	4,71	3,77
SWD8.0x275	210	-	-	-	115-120	4,71	3,77	105-120	4,71	3,77	100-120	4,71	3,77	100-120	4,71	3,77	100-120	4,71	3,77	100-120	4,71	3,77
SWD8.0x300	225	-	-	-	-	-	-	-	-	-	105-120	5,15	4,00	100-120	5,15	4,00	100-120	5,15	4,00	100-120	5,15	4,00
SWD8.0x330	245	-	-	-	-	-	-	-	-	-	125-140	5,15	4,00	105-140	5,15	4,00	100-140	5,15	4,00	100-140	5,15	4,00


										t _{clt} [[mm]								
Product	W _{CLT.min}		200			220			240			260			280			300	
Reference	[mm]	V _{drive}	R _{1,k}	R _{2/3,k}	Varive	R _{1,k}	R _{2/3,k}												
		λ	[k	:N]	λ	[k	N]	γ	[k	N]	λ	[k	N]	γ	[k	N]	λ	[k	N]
SWD6.5x220	165	85-90	3,3	2,59	85-90	3,3	2,59	85-90	3,3	2,59	85-90	3,3	2,59	85-90	3,3	2,59	85-90	3,3	2,59
SWD8.0x245	190	100	4,71	3,77	100	4,71	3,77	100	4,71	3,77	100	4,71	3,77	100	4,71	3,77	100	4,71	3,77
SWD8.0x275	210	100-120	4,71	3,77	100-120	4,71	3,77	100-120	4,71	3,77	100-120	4,71	3,77	100-120	4,71	3,77	100-120	4,71	3,77
SWD8.0x300	225	100-120	5,15	4,00	100-120	5,15	4,00	100-120	5,15	4,00	100-120	5,15	4,00	100-120	5,15	4	100-120	5,15	4,00
SWD8.0x330	245	100-140	5,15	4,00	100-140	5,15	4,00	100-140	5,15	4,00	100-140	5,15	4,00	100-140	5,15	4	100-140	5,15	4,00

Characteristic parameters of fasteners and more information are included in chapter 10.

CLT Wall to CLT Wall (L- and T-Connections)

Structural Fasteners

For CLT wall junctions with angles less or greater than 90°, structural screw installation inclines can be adapted to the required plane for a secure and discrete connection.








C-CLT-EU-2023 @2023 SIMPSON STRONG-TIE COMPANY INC.


Roof to Wall Connection Using SWC Structural Screws



C-CLT-EU-2023 @2023 SIMPSON STRONG-TIE COMPANY INC.

SIMPSON Strong-Tie

Corner Connection Using SWC Structural Screws



Solid Wood Fastener Dimensioning Software

In just four simple steps, Solid Wood helps you calculate and select fastening solutions suitable for the specific wood structure at hand, according to Eurocode 5 and our ETA.



- Time saving Quicker and easier than manual calculations
- Safety Removes any doubt in the precision of your manual calculations
- Product guide Helps you find the correct product for your application

The software generates a PDF-report that can be used as documentation for the project.



Calculation in four simple steps.

In just four simple steps, Solid Wood guides you through the calculation and selection of fastening solutions suitable for the specific wood structure at hand, all according to Eurocode 5 and our ETA.

Try Solid Wood today.

Go to solidwood.strongtie.eu





Structural Angle Brackets

Product Options:

ABR255 see page 93 AE116 see page 94 AG922 see page 95 **ABR100** see page 96 ABR9020 see page 97

Angle brackets are an optimal solution for resisting shear and uplift loads. With varying options based on load capacity and access requirements, this range is the most flexible.



Enhanced Structural Angle Bracket

Product Options:

AB255SSH see page 99 AB255HD see page 100 With a low height profile, the AB255 series connector can be concealed within the floor elements such as insulation. concrete and tiling. A better option for extracting the maximum capacity from a discrete connection.



Structural Fasteners

Product Options:

SWD Cross Pair see page 102 SWD Inclined see page 103 ESCRFTZ Cross Pair see page 105

Structural screws are an easy and fast way to connect CLT panels together as they require no pre-drilling. They provide a clean, hidden connection where aesthetic values are paramount.



Concealed Connection

Product Options:

BTALU see page 108

The BTALU concealed connector is installed within pre-cut sections of the vertical CLT panel, resulting in an invisible connection capable of impressive characteristic capacities.

Angle brackets and fasteners adapted for use with acoustic



Acoustic Solutions

Product Options:

SIT. SITW. SITW-H see page 111 SWW + SIT see page 112 **ABAI** see page 114 ABR255 + SIT see page 116

absorbent material help to provide superior resistance to sound transfer through CLT wall

and floor junctions.




C-CLT-EU-2023 @2023 SIMPSON STRONG-TIE COMPANY INC.

Structural Angle Brackets



Angle brackets are an optimal solution for resisting shear and uplift loads. With varying options based on load capacity and access requirements, this range is the most flexible.






ABR255 - Reinforced Angle Bracket

Developed specifically for CLT construction, this reinforced angle bracket delivers high load capacities in all force directions and can be installed in a variety of fastener patterns to meet the required characteristic and slip modulus performance values in CLT to CLT installations.

Advantages:

- High load performance in all force directions
- · Versatile fixing and fastener pattern choices
- Enables the use of fewer connectors per CLT panel






Dimensions

C-CLT-EU-2023 @2023 SIMPSON STRONG-TIE COMPANY INC.

			Dimensio	ons [mm]		Qty Holes	Flange A	Qty Holes	Flange B
ľ	Model No.	Α	В	С	t	Screws or Nails	Bolts/ Anchors	Screws or Nails	Bolts
	ABR255	120	100	255	3,0	52 Ø5	2 Ø14	41 Ø5	4 Ø14




021 110							
		Fasteners		Characteri [k			Modulus I/mm]
Model No.	Flange A CLT	Flange B CLT	Fastening Pattern	Tensile R _{1,k}	Shear $R_{2,k} = R_{3,k}$	Tensile k _{ser,R1,k}	Shear $k_{ser,R2,k} = k_{ser,R3,k}$
	24 CNA4.0x50	21 CNA4.0x50		15,6/k _{mod} 0,4	28,6	7,7	3,9
ABR255	24 CNA4.0x60	21 CNA4.0x60	Pattern 1	18,1/k _{mod} ^{0,4}	31,4	8,9	4,3
ADNZOO	24 CSA5.0x50	21 CSA5.0x50		18,1/k _{mod} ^{0,4}	31,4	8,9	4,3
	2 SSH12.0x80	4 SSH12.0x80	Pattern 2	13,4	18,4	1,8	2,6




Angle brackets take uplift and shear loads at the same time. It means that interaction between both load direction should be considered using this equation: $\left(\frac{F_{\perp}}{R_{\perp}}\right)$

$$\left(\frac{F_{1,d}}{R_{1,d}}\right)^2 + \left(\frac{F_{2/3,d}}{R_{2/3,d}}\right)^2 \le 1$$

Fastening Pattern





Structural Angle Brackets

AE116 - Reinforced Angle Bracket

With a more discrete (48mm) return, the AE116 form combines good load capacity with a fast and simple installation process - especially paired with SSH connector screws.

Advantages:

- A good balance between connector size and shear load capacity
- Versatile fixing and fastener pattern choices
- Improved capacity when installed with SSH screws






Dimensions

CLT Wall to CLT Floor

MadalNa		Dimensio	ons [mm]		Qty Holes	Flange A	Qty Holes	Flange B
Model No.	Α	В	С	t	Screws or Nails	Bolts/ Anchors	Screws or Nails	Bolts
AE116	90	48	116	3,0	18 Ø5	3 Ø13	7 Ø5	3 Ø13

Characteristic Capacity and Slip Modulus -CLT Wall to CLT Floor / Ceiling Connection – 1 Angle Bracket


MadalNa		Fasteners			stic Values N]		Modulus N/mm]
Model No.	Flange A CLT	Flange B CLT	Fastening Pattern	Tensile R _{1,k}	Shear $R_{2,k} = R_{3,k}$	Tensile k _{ser,R1,k}	Shear $k_{ser,R2,k} = k_{ser,R3,k}$
	12 CNA4.0x60	7 CNA4.0x60	Pattern 1	4,9	11,5	1,7	2,2
AE116	12 CSA5.0x50	7 CSA5.0x50	Pallemi	4,9	11,5	1,7	2,2
	3 SSH12.0x80	3 SSH12.0x80	Pattern 2	16,5	14,7	1,8	2,3



Angle brackets take uplift and shear loads at the same time. It means that interaction between both load direction should be considered using this equation:

$$\left(\frac{F_{1,d}}{R_{1,d}}\right)^2 + \left(\frac{F_{2/3,d}}{R_{2/3,d}}\right)^2 \le 1$$

Fastening Pattern Flange A CLT Wall Flange A CLT Wall 0 CLT Floor / Ceiling CLT Floor / Ceiling Flange B 0 0 0 Pattern 1 Pattern 2 Red dots indicate holes filled with fasteners.



SIMPSON Strong-Tie

AG922 - Reinforced Angle Bracket

Providing good load capacity and stiffness. When used in conjunction with SSH connector screws, the AG922 can deliver equally high tensile and shear loads.

Advantages:

- · High capacity and rigidity
- · Versatile fixing and fastener pattern choices
- Flexible choice for CLT to CLT connections






Dimensions

C-CLT-EU-2023 @2023 SIMPSON STRONG-TIE COMPANY INC.

MadalNa		Dimensio	ons [mm]		Qty Holes	Flange A	Qty Holes	Flange B
Model No.	А	В	С	t	Screws or Nails	Bolts/ Anchors	Screws or Nails	Bolts
AG922	121	79	150	2,5	26 Ø5	2 Ø13	18 Ø5	2 Ø13



MadalNa		Fasteners			stic Values N]		Modulus N/mm]
Model No.	Flange A CLT	Flange B CLT	Fastening Pattern	Tensile R _{1,k}	Shear $R_{2,k} = R_{3,k}$	Tensile k _{ser,R1,k}	Shear $k_{ser,R2,k} = k_{ser,R3,k}$
	12 CNA4.0x50	13 CNA4.0x50	Pattern 1	9,7	-	1,5	-
AG922	12 CSA5.0x40	13 CSA5.0x40	ratterii i	9,7	-	1,5	-
	2 SSH12.0x80	2 SSH12.0x80	Pattern 2	11,5	11,5	1,4	1,5




Angle brackets take uplift and shear loads at the same time. It means that interaction between both load direction should be considered using this equation:

$$\left(\frac{F_{1,d}}{R_{1,d}}\right)^2 + \left(\frac{F_{2/3,d}}{R_{2/3,d}}\right)^2 \le 1$$

Flange A CLT Floor / Ceiling Pattern 1 Fastening Pattern CLT Floor / Ceiling Pattern 2

Red dots indicate holes filled with fasteners.



Structural Angle Brackets



ABR100 - Double Reinforced Angle Bracket

The rolled edge design of the ABR100 gives it impressive strength and stiffness considering its comparatively smaller form. The adapted fastener pattern recommended here is ideally suited to the grain direction of a CLT panel's outer layer.

Advantages:

- · High stiffness from a smaller form factor
- Optimised for high capacity in shear and uplift
- Fastener patterns adapted to CLT grain direction






Dimensions


Madal No		Dimensio	ons [mm]		Qty	/ Holes Flang	e A	Qty Holes	Flange B
Model No.	Α	В	С	t	Screws or Nails	Bolts/ Anchors	Obround	Screws or Nails	Bolts
ABR100	103	103	90	2,0	10 Ø5	1 Ø12	1 Ø12x32	14 Ø5	1 Ø12




Madal Na	Faste	eners Flange B	Characteri [k		Slip Modulus [kN/mm]			
Model No.	Model No. Flange A CLT		Tensile R _{1,k}	Shear $R_{2,k} = R_{3,k}$	Tensile k _{ser,R1,k}	Shear $k_{ser,R2,k} = k_{ser,R3,k}$		
ABR100	8 CNA4.0x50	11 CNA4.0x50	7,9	8,7	2,6	0,9		
ADNIUU	8 CSA5.0x40	11 CSA5.0x40	7,9	8,7	2,6	0,9		

Angle brackets take uplift and shear loads at the same time. It means that interaction between both load direction should be considered using this equation: $\left(\frac{F_{1,d}}{R_{1,d}}\right)^2 + \left(\frac{F_{2/3,d}}{R_{2/3,d}}\right)^2 \leq 1$







SIMPSON Strong-Tie

ABR9020 - Reinforced Angle Bracket

The smallest form factor and the fastest to install due to the reduced fastener count required, the ABR9020 features a large reinforcing rib that significantly improves its capacity and stiffness. The adapted fastener pattern recommended here is ideally suited to the grain direction of a CLT panel's outer layer.

Advantages:

- Small and versatile
- Good load performance from a small form factor
- Fast installation just 10 fasteners





Dimensions


C-CLT-EU-2023 @2023 SIMPSON STRONG-TIE COMPANY INC.


Model No.		Dimensio	ons [mm]		Qty Holes	Flange A	Qty Holes Flange B			
Model No.	Α	В	С	t	Screws or Nails	Bolts/ Anchors	Screws or Nails	Bolts		
ABR9020	88	88	65	2,0	10 Ø5	1 Ø11	10 Ø5	1 Ø13		




Madal No	Faste	eners	Characteristic Values [kN]						
Model No.	Flange A CLT	Flange B CLT	Tensile R _{1,k}	Shear $R_{2,k} = R_{3,k}$					
ABR9020	4 CNA4.0x60	6 CNA4.0x60	4,9	3,4					
ADDISUZU	4 CSA5.0x40	6 CSA5.0x40	5,9	3,5					
			_	_					

Angle brackets take uplift and shear loads at the same time. It means that interaction $\left(\frac{F_{1,d}}{R_{1,d}}\right)^2 + \left(\frac{F_{2/3,d}}{R_{2/3,d}}\right)^2 \leq 1$ between both load direction should be considered using this equation:








Enhanced Structural Angle Bracket



With a low height profile, the AB255 series connector can be concealed within the floor elements such as insulation, concrete and tiling. A better option for extracting the maximum capacity from a discrete connection.





AB255SSH - Heavy Duty Angle Bracket

Developed specifically for use with SSH connector screws, this CLT-CLT connection delivers extreme tensile and shear load capacities, yet has a profile low enough for flooring elements to be placed over it.

Advantages:

- Faster installation due to comparatively low fastener count
- Can be hidden within the thickness of floor elements such as insulation, concrete or tiling.
- Range of characteristic values based on SSH screw length






Dimensions


C-CLT-EU-2023 @2023 SIMPSON STRONG-TIE COMPANY INC.


Model No.		Dimensio	ons [mm]		Qty Holes Flange A	Qty Holes Flange B				
Model No.	Α	В	С	t	Screws	Screws	Bolts			
AB255SSH	123	100	255	3,0	7 Ø11	9 Ø11	2 Ø14			




Faste	eners	Characteristic Values [kN]					
Flange A CLT	Flange B CLT	Tensile R _{1,k}	Shear $R_{2,k} = R_{3,k}$				
7 SSH10.0x100	9 SSH10.0x100	26,3/k _{mod} 0,09	35,0				
7 SSH10.0x120	9 SSH10.0x120	42,6	42,6				
7 SSH10.0x160	9 SSH10.0x160	56,2	48,5				
	Flange A CLT 7 SSH10.0x100 7 SSH10.0x120	CLT CLT 7 SSH10.0x100 9 SSH10.0x100 7 SSH10.0x120 9 SSH10.0x120	Flange A CLT Flange B Tensile R _{1,k} 7 SSH10.0x100 9 SSH10.0x100 26,3/k _{mod} .0.09 7 SSH10.0x120 9 SSH10.0x120 42,6				









Enhanced Structural Angle Bracket

AB255HD - Heavy Duty Angle Bracket

This CLT-CLT connection delivers extreme tensile and shear load capacities, yet has a profile low enough for flooring elements to be placed over it. Can be installed in a variety of fastener patterns to meet the required characteristic and slip modulus performance values in CLT to CLT installations.

Advantages:

- Extreme load capacities
- Can be hidden within the thickness of floor elements such as insulation. concrete or tiling.
- · Versatile fixing and fastener pattern choices







Dimensions


Madel No		Dimensio	ons [mm]		Qty Holes	Flange A	Qty Holes Flange B				
Model No.	Α	В	С	t	Screws or Nails	Bolts	Screws or Nails	Bolts			
AB255HD	123	100	255	3,0	56 Ø5	2 Ø14	41 Ø5 + 5 Ø9	4 Ø14			




			·							
Model No.	Fa	steners	Characteristi [kN]		Slip Modulus [kN/mm]					
Model No.	Flange A CLT			Shear $R_{2,k} = R_{3,k}$	Tensile k _{ser,R1,k}	Shear $k_{ser,R2,k} = k_{ser,R3,k}$				
	26 CNA4.0x50	13 CNA4.0x50 + 5 ESCRFTC8.0x200	min (57,6 ; 56/k _{mod})	42,9	12,2	16,0				
AB255HD	26 CNA4.0x60	13 CNA4.0x60 + 5 ESCRFTC8.0x200	min (61,4 ; 56/k _{mod})	45,7	12,2	16,0				
	26 CSA5.0x50	13 CSA5.0x50 + 5 ESCRFTC8.0x200	min (63,9 ; 56/k _{mod})	46,0	12,2	16,0				









C-CLT-EU-2023 @2023 SIMPSON STRONG-TIE COMPANY INC.



Structural screws are an easy and fast way to connect CLT panels together as they require no predrilling. They provide a clean, hidden connection where aesthetic values are paramount.





SIMPSON Strong-Tie

SWD - Double Threaded Screw

SWD is a double threaded structural screw designed to connect CLT and mass timber wood members. The screws are suitable for inclined installations and can be installed as a cross pair to take loads in several directions.

Advantages:

- Double threaded, pulls the two wood members together
- Small cylinder head for allowing hidden assemblies
- Can be installed in cross pair to take loads in two directions
- No pre-drilling required





CLT Wall to CLT Floor




SWD - Range Overview


Product	Dimensions [mm]												
Reference	d	I.	I _{g1}	l _{g2}	d _h	d _i							
SWD6.5xℓ	6,5	65-220	40-95	33,5-88,5	8	4,0							
SWD8.0xl	8,0	90-330	40-95	31,5-86,5	10	5,4							

CLT Wall to CLT Floor / Ceiling Connection – SWD 45° Cross Pairs

Product	Minimum thickness	Shear o	capacity ir; R _{buck,k,pair}) [kN]
Reference	t _{CLT,min}	$R_{w,k,pair}$	R _{buck,k,pair}
SWD6.5X90	52	3,9	1,96 + 5,51 /k _{mod}
SWD6.5X130	56	3,9	1,96 + 5,51 /k _{mod}
SWD6.5X160	67	6,9	3,43 + 5,51 /k _{mod}
SWD6.5X190	78	8,6	4,31 + 5,51 /k _{mod}
SWD6.5X220	88	10,4	5,19 + 5,51 /k _{mod}
SWD8.0X90	64	4,4	2,17 + 10,22 /k _{mod}
SWD8.0X130	64	4,4	2,17 + 10,22 /k _{mod}
SWD8.0X160	67	7,8	3,9 + 10,22 /k _{mod}
SWD8.0X190	78	9,9	4,94 + 10,22 /k _{mod}
SWD8.0X220	88	12,0	5,98 + 10,22 /k _{mod}
SWD8.0X245	97	13,7	6,84 + 10,22 /k _{mod}
SWD8.0X275	108	13,7	6,84 + 10,22 /k _{mod}
SWD8.0X300	117	17,5	8,74 + 10,22 /k _{mod}
SWD8.0X330	127	17,5	8,74 + 10,22 /k _{mod}

Characteristic parameters of fasteners and more information are included in chapter 10.














CLT Wall to CLT Floor / Ceiling Connection – SWD 25° Inclined Installation


			t _{cut} [mm]																			
Product	W _{CLT,min}		80			90			100			120			140		1	60		1	180	
Reference	[mm]	ydrive	R _{1,k}	R _{2/3,k}	ydrive	R _{1,k}	R _{2/3,k}	ydrive	R _{1,k}	R _{2/3,k}	Ydrive	$R_{1,k}$	R _{2/3,k}	y drive	R _{1,k}	R _{2/3,k}	ydrive	R _{1,k}	R _{2/3,k}	Vdrive	R _{1,k}	R _{2/3,k}
		λ	[k	:N]	γ	[k	N]	χ	[k	N]	λ	[k	N]	χ	[k	N]	λ	[k	N]	γ̈́	[k	(N)
SWD6.5x160	100	90	3,31	2,25	90	3,31	2,25	90	3,31	2,25	90	3,31	2,25	90	3,31	2,25	90	3,31	2,25	90	3,31	2,25
SWD6.5x190	110	105	3,82	2,45	95-105	3,82	2,45	90-105	3,82	2,45	90-105	3,82	2,45	90-105	3,82	2,45	90-105	3,82	2,45	90-105	3,82	2,45
SWD6.5x220	120	-	-	-	-	-	-	115-120	4,26	2,59	95-120	4,26	2,59	95-120	4,26	2,59	95-120	4,26	2,59	95-120	4,26	2,59
SWD8.0x220	125	-	-	-	-	-	-	115-120	5,41	3,59	110-120	5,41	3,59	110-120	5,41	3,59	110-120	5,41	3,59	110-120	5,41	3,59
SWD8.0x245	135	-	-	-	-	-	-	-	-	-	120-130	5,88	3,77	110-130	5,88	3,77	110-130	5,88	3,77	110-130	5,88	3,77
SWD8.0x275	150	-	-	-	-	-	-	-	-	-	145-160	5,88	3,77	125-160	5,88	3,77	110-160	5,88	3,77	110-160	5,88	3,77
SWD8.0x300	150	-	-	-	-	-	-	-	-	-	-	-	-	150-155	6,75	4,00	135-155	6,75	4,00	135-155	6,75	4,00
SWD8.0x330	165	-	-	-	-	-	-	-	-	-	-	-	-	175-185	6,75	4,00	155-185	6,75	4,00	135-185	6,75	4,00

			t _{ctr} [mm]																
Product	W _{CLT,min}		200			220			240			260		280				300	
Reference	[mm]	ydrive	R _{1,k}	R _{2/3,k}	ydrive	R _{1,k}	R _{2/3,k}	y drive	R _{1,k}	R _{2/3,k}	drive	R _{1,k}	R _{2/3,k}	y drive	R _{1,k}	R _{2/3,k}	ydrive	R _{1,k}	R _{2/3,k}
		γ		N]	γ		N]	λď		N]	Уd	[k	N]	У _d	[k		γ		N]
SWD6.5x160	100	90	3,31	2,25	90	3,31	2,25	90	3,31	2,25	90	3,31	2,25	90	3,31	2,25	90	3,31	2,25
SWD6.5x190	110	90-105	3,82	2,45	90-105	3,82	2,45	90-105	3,82	2,45	90-105	3,82	2,45	90-105	3,82	2,45	90-105	3,82	2,45
SWD6.5x220	120	95-120	4,26	2,59	95-120	4,26	2,59	95-120	4,26	2,59	95-120	4,26	2,59	95-120	4,26	2,59	95-120	4,26	2,59
SWD8.0x220	125	110-120	5,41	3,59	110-120	5,41	3,59	110-120	5,41	3,59	110-120	5,41	3,59	110-120	5,41	3,59	110-120	5,41	3,59
SWD8.0x245	135	110-130	5,88	3,77	110-130	5,88	3,77	110-130	5,88	3,77	110-130	5,88	3,77	110-130	5,88	3,77	110-130	5,88	3,77
SWD8.0x275	150	110-160	5,88	3,77	110-160	5,88	3,77	110-160	5,88	3,77	110-160	5,88	3,77	110-160	5,88	3,77	110-160	5,88	3,77
SWD8.0x300	150	135-155	6,75	4,00	135-155	6,75	4,00	135-155	6,75	4,00	135-155	6,75	4,00	135-155	6,75	4,00	135-155	6,75	4,00
SWD8.0x330	165	135-185	6,75	4,00	135-185	6,75	4,00	135-185	6,75	4,00	135-185	6,75	4,00	135-185	6,75	4,00	135-185	6,75	4,00

Table continues on next page.



C-CLT-EU-2023 @2023 SIMPSON STRONG-TIE COMPANY INC.



SWD

	Ø6,5	Ø8,0
a_2	17	20
a _{4,t}	39	48

Note: Other min. spacing and edge distances requirements are fulfilled for the installation characteristics given in the load table. If the grain orientation of the CLT panel is different the spacing defintion may change.





CLT Wall to CLT Floor / Ceiling Connection – SWD 35° Inclined Installation

		t _{cl.T} [mm]																				
Product	W _{CLT,min}		80		90		100		120		140			1	60		180					
Reference	[mm]	ydrive		R _{2/3,k} N]	Ydrive	R _{1,k}	R _{2/3,k} N]	Ydrive		R _{2/3,k} N]	ydrive		R _{2/3,k}	y _{drive}	R _{1,k}	R _{2/3,k} N]	Ydrive	R _{1,k}	R _{2/3,k} N]	Ydrive		R _{2/3,k}
SWD6.5x190	130	90	3,4	2,45	85-90	3,4	2,45	85-90	3,4	2,45	85-90	3,4	2,45	85-90	3,4	2,45	85-90	3,4	2,45	85-90	3,4	2,45
SWD6.5x220	145	-	-	-	100-105	3,72	2,59	90-105	3,72	2,59	85-105	3,72	2,59	85-105	3,72	2,59	85-105	3,72	2,59	85-105	3,72	2,59
SWD8.0x220	150	-	-	-	105	4,87	3,59	105	4,87	3,59	105	4,87	3,59	105	4,87	3,59	105	4,87	3,59	105	4,87	3,59
SWD8.0x245	165	-	-	-	-	-	-	115	5,23	3,77	105-115	5,23	3,77	105-115	5,23	3,77	105-115	5,23	3,77	105-115	5,23	3,77
SWD8.0x275	180	-	-	-	-	-	-	140	5,23	3,77	120-140	5,23	3,77	105-140	5,23	3,77	105-140	5,23	3,77	105-140	5,23	3,77
SWD8.0x300	190	-	-	-	-	-	-	-	-	-	140	5,84	4,00	120-140	5,84	4,00	120-140	5,84	4,00	120-140	5,84	4,00
SWD8.0x330	205	-	-	-	-	-	-	-	-	-	165	5,84	4,00	145-165	5,84	4,00	125-165	5,84	4,00	120-165	5,84	4,00

										t _{clt} [mm]								
Product	W _{CLT,min}		200		220		240				260			280		300			
Reference	[mm]	Ydrive		R _{2/3,k} N]	Ydrive	R _{1,k}	R _{2/3,k} N]	Ydrive		R _{2/3,k} N]	Ydrive		R _{2/3,k} N]	Vdrive		R _{2/3,k} N]	Ydrive		R _{2/3,k}
SWD6.5x190	130	85-90	3,4	2,45	85-90	3,4	2,45	85-90	3,4	2,45	85-90	3,4	2,45	85-90	3,4	2,45	85-90	3,4	2,45
SWD6.5x220	145	85-105	3,72	2,59	85-105	3,72	2,59	85-105	3,72	2,59	85-105	3,72	2,59	85-105	3,72	2,59	85-105	3,72	2,59
SWD8.0x220	150	105	4,87	3,59	105	4,87	3,59	105	4,87	3,59	105	4,87	3,59	105	4,87	3,59	105	4,87	3,59
SWD8.0x245	165	105-115	5,23	3,77	105-115	5,23	3,77	105-115	5,23	3,77	105-115	5,23	3,77	105-115	5,23	3,77	105-115	5,23	3,77
SWD8.0x275	180	105-140	5,23	3,77	105-140	5,23	3,77	105-140	5,23	3,77	105-140	5,23	3,77	105-140	5,23	3,77	105-140	5,23	3,77
SWD8.0x300	190	120-140	5,84	4,00	120-140	5,84	4,00	120-140	5,84	4,00	120-140	5,84	4,00	120-140	5,84	4,00	120-140	5,84	4,00
SWD8.0x330	205	120-165	5,84	4,00	120-165	5,84	4,00	120-165	5,84	4,00	120-165	5,84	4,00	120-165	5,84	4,00	120-165	5,84	4,00

CLT Wall to CLT Floor / Ceiling Connection – SWD 45° Inclined Installation

		t _{cut} [mm]																				
Product W _{CLT,min}		80		90		100		120		140		160			180							
Reference	[mm]	Vdrive	R _{1,k}	R _{2/3,k}	Vdrive	R _{1,k}	R _{2/3,k}	y drive	R _{1,k}	R _{2/3,k}	drive	R _{1,k}	R _{2/3,k}	Vdrive	R _{1,k}	R _{2/3,k}	y drive	R _{1,k}	R _{2/3,k}	drive	R _{1,k}	R _{2/3,k}
		λ	[k	N]	λ	[k	N]	λ	[k	N]	λ	[k	N]	λ	[k	N]	λ	[k	N]	λ	[k	N]
SWD6.5x220	165	85-90	3,3	2,59	85-90	3,3	2,59	85-90	3,3	2,59	85-90	3,3	2,59	85-90	3,3	2,59	85-90	3,3	2,59	85-90	3,3	2,59
SWD8.0x245	190	-	-	-	100	4,71	3,77	100	4,71	3,77	100	4,71	3,77	100	4,71	3,77	100	4,71	3,77	100	4,71	3,77
SWD8.0x275	210	-	-	-	115-120	4,71	3,77	105-120	4,71	3,77	100-120	4,71	3,77	100-120	4,71	3,77	100-120	4,71	3,77	100-120	4,71	3,77
SWD8.0x300	225	-	-	-	-	-	-	-	-	-	105-120	5,15	4,00	100-120	5,15	4,00	100-120	5,15	4,00	100-120	5,15	4,00
SWD8.0x330	245	-	-	-	-	-	-	-	-	-	125-140	5,15	4,00	105-140	5,15	4,00	100-140	5,15	4,00	100-140	5,15	4,00

										t _{clt} [mm]								
	W _{CLT,min}		200		220		240			260			280			300			
	[mm]	Ydrive	R _{1,k}	R _{2/3,k}															
SWD6.5x220	165	85-90	3,3	2,59	85-90	3,3	2,59	85-90	3,3	2,59	85-90	3,3	2,59	85-90	3,3	2,59	85-90	3,3	2,59
SWD8.0x245	190	100	4,71	3,77	100	4,71	3,77	100	4,71	3,77	100	4,71	3,77	100	4,71	3,77	100	4,71	3,77
SWD8.0x275	210	100-120	4,71	3,77	100-120	4,71	3,77	100-120	4,71	3,77	100-120	4,71	3,77	100-120	4,71	3,77	100-120	4,71	3,77
SWD8.0x300	225	100-120	5,15	4,00	100-120	5,15	4,00	100-120	5,15	4,00	100-120	5,15	4,00	100-120	5,15	4	100-120	5,15	4,00
SWD8.0x330	245	100-140	5,15	4,00	100-140	5,15	4,00	100-140	5,15	4,00	100-140	5,15	4,00	100-140	5,15	4	100-140	5,15	4,00

Characteristic parameters of fasteners and more information are included in chapter 10.

ESCRFTZ – Fully Threaded Cylinder-Head Screw

The fully threaded ESCRFTZ screws are designed for CLT and glulam constructions. The screw is approved to be used for beam reinforcement applications and is suitable for inclined installations. By installing a cross pair the connection can take loads in several directions.


Advantages:

- Fully threaded
- Small cylinder head for hidden assemblies
- No pre-drilling required





C-CLT-EU-2023 @2023 SIMPSON STRONG-TIE COMPANY INC.




ESCRFTZ - Range Overview


Product		Dimensions [mm]												
Reference	d	1	l _g	d _h	d _i									
ESCRFTZ8.0xl	8,0	120 - 400	110 - 390	10,2	5,2									

CLT Wall to CLT Floor / Ceiling Connection – ESCRFTZ 45° Cross Pairs

Product Reference	Minimum thickness	Shear of $R_{v,k} = \min (R_{w,k,p;i})$	capacity _{air} ; R _{buck,k,pair}) [kN]
Hererence	t _{CLT,min}	$R_{w,k,pair}$	R _{buck,k,pair}
ESCRFTZ8.0X120	64	6,2	3,11 + 9,23 /k _{mod}
ESCRFTZ8.0X140	64	7,6	3,8 + 9,23 /k _{mod}
ESCRFTZ8.0X160	67	9,0	4,49 + 9,23 /k _{mod}
ESCRFTZ8.0X180	74	10,4	5,18 + 9,23 /k _{mod}
ESCRFTZ8.0X200	81	11,8	5,87 + 9,23 /k _{mod}
ESCRFTZ8.0X220	88	13,1	6,56 + 9,23 /k _{mod}
ESCRFTZ8.0X240	95	14,5	7,25 + 9,23 /k _{mod}
ESCRFTZ8.0X260	102	15,9	7,95 + 9,23 /k _{mod}
ESCRFTZ8.0X280	109	17,3	8,64 + 9,23 /k _{mod}
ESCRFTZ8.0X300	117	18,7	9,33 + 9,23 /k _{mod}
ESCRFTZ8.0X350	134	22,1	11,06 + 9,23 /k _{mod}
ESCRFTZ8.0X400	152	25,6	12,79 + 9,23 /k _{mod}








C-CLT-EU-2023 @2023 SIMPSON STRONG-TIE COMPANY INC.

Structural Fasteners

SIMPSON Strong-Tie


Minimum Distances CLT Wall to CLT Floor / Ceiling Connection – Screws 45° Cross Pairs

Dimensions	a ₁	a _{1,red}	a _{2,red}	a _{3,c}	a _{4,c}
SWD6.5	65	10	10	39	20
SWD8.0	80	12	12	48	24
ESCRFTZ6.5	80	12	12	48	24



Recommended max. Pre-Drilling Diameter:

Product Reference	Max. Pre-Drill Hole Diameter [mm]
SWD6,5	Ø3,5
SWD8,0	Ø5,0
ESCRFTZ8,0	Ø5,0





HELPFUL TIP

When to choose fully threaded screws or double threaded screws?



Fully threaded screws can take higher loads, if well placed. They can be used for reinforcement of beams.

OR




Double threaded screws have the advantage of partial threaded screws and fully threaded screws:

- Take higher loads than partially threaded screws
- Can pull two wood members together creating a clamp effect



The BTALU concealed connector is installed within pre-cut sections of the vertical CLT panel, resulting in an invisible connection capable of impressive characteristic capacities.



Items Required


C-CLT-EU-2023 @2023 SIMPSON STRONG-TIE COMPANY INC.

Concealed Connector – Uplift and Shear Restraint BTALU



BTALU

Timber Fasteners
CSA Connector Screw,
CNA Connector Nails,
STD Dowels for Concealed Connectors



STD

Concealed Connection



BTALU – Concealed Connector

A wall-to-floor connection solution when both faces of the CLT panel are to be visisble is the BTALU connector – as it is completely concealed once installed. Dowels can be chosen to fit into the CLT panel, with plugs that can be added to achieve a perfect cosmetic result. This method also helps to achieve good fire performance.

Advantages:


- Concealed connection
- Adjustable length to fit all configuration
- Good fire performance





Dimensions

MadalNa		Dimensio	ons [mm]		Qty Holes
Model No.	А	В	С	t	Screws or Nails
BTALU90	90	103	62	6,0	16 Ø5
BTALU120	120	103	62	6,0	22 Ø5
BTALU160	160	103	62	6,0	30 Ø5
BTALU200	200	103	62	6,0	38 Ø5
BTALU240	240	103	62	6,0	46 Ø5
BTALU1200	1200	103	62	6,0	240 Ø5
BTALU3000	3000	103	62	6,0	600 Ø5



Characteristic Capacity -

CLT Wall to CLT Floor / Ceiling Connection – 1 Concealed Connector


	Faste	eners		CI	naracteristi	c Values [k	N]	
Model No.	Flange A CLT Floor / Ceiling	Flange B CLT Wall			Tension (R _{4,k}) All			
	Cenning		80	100	120	140	160	lengths
BTALU120	20 CNA4.0x50	3 STD12	18,2	19,4	20,7	22,3	23,9	9,8
BTALU160	28 CNA4.0x50	4 STD12	29,5	31,2	33,3	35,7	38,2	13,7
BTALU200	36 CNA4.0x50	5 STD12	41,9	44,3	47,2	50,4	53,9	17,6
BTALU240	44 CNA4.0x50	6 STD12	54,9	57,9	61,7	65,9	70,3	21,5
BTALU280	52 CNA4.0x50	7 STD12	68,0	71,7	76,4	81,7	87,2	25,5
BTALU320	60 CNA4.0x50	8 STD12	81,0	85,5	91,2	97,5	104,1	29,4
BTALU360	68 CNA4.0x50	9 STD12	93,8	99,0	105,8	113,3	121,1	33,3
BTALU400	76 CNA4.0x50	10 STD12	106,1	112,3	120,2	129,0	137,9	37,2
BTALU440	84 CNA4.0x50	11 STD12	118,0	125,2	134,4	144,4	154,7	41,2
BTALU480	92 CNA4.0x50	12 STD12	129,3	137,7	148,2	159,7	171,3	45,1
BTALU520	100 CNA4.0x50	12 STD12	129,3	138,4	150,5	163,1	175,8	49,0
BTALU560	108 CNA4.0x50	12 STD12	129,3	138,4	150,7	164,9	179,1	52,9
BTALU600	116 CNA4.0x50	12 STD12	129,3	138,4	150,7	164,9	180,4	56,8




Characteristic Capacity –

CLT Wall to CLT Floor / Ceiling Connection – 1 Concealed Connector

	Faste	eners		CI	haracteristi	c Values [k	N]				
Model No.	Flange A CLT Floor / Ceiling	Flange B CLT Wall		Shear $(R_{1,k} = R_{2,k})$ Length of the dowels [mm]							
	Ceiling		80	100	120	140	160	lengths			
BTALU120	20 CSA5.0x50	3 STD12	32,2	34,6	37,6	41,1	45,1	18,4			
BTALU160	24 CSA5.0x50	4 STD12	43,0	46,1	50,1	54,9	60,0	24,5			
BTALU200	28 CSA5.0x50	5 STD12	53,8	57,6	62,7	68,6	75,1	30,6			
BTALU240	32 CSA5.0x50	6 STD12	64,6	69,2	75,3	82,4	90,1	36,7			
BTALU280	36 CSA5.0x50	7 STD12	75,4	80,7	87,9	96,1	105,2	42,8			
BTALU320	40 CSA5.0x50	8 STD12	86,2	92,2	100,4	109,9	120,3	49,0			
BTALU360	44 CSA5.0x50	9 STD12	97,0	103,8	113,0	123,6	135,3	55,1			
BTALU400	48 CSA5.0x50	10 STD12	107,8	115,3	125,5	137,4	145,0	61,2			
BTALU440	52 CSA5.0x50	11 STD12	118,5	126,9	138,1	145,4	147,7	67,3			
BTALU480	56 CSA5.0x50	12 STD12	129,3	138,4	145,5	148,0	149,5	73,4			
BTALU520	56 CSA5.0x50	12 STD12	129,3	138,4	145,5	148,0	149,5	79,6			
BTALU560	56 CSA5.0x50	12 STD12	129,3	138,4	145,5	148,0	149,5	85,7			
BTALU600	56 CSA5.0x50	12 STD12	129,3	138,4	145,5	148,0	149,5	91,8			




C-CLT-EU-2023 @2023 SIMPSON STRONG-TIE COMPANY INC.







Angle brackets and fasteners adapted for use with acoustic absorbent material help to provide superior resistance to sound transfer through CLT wall and floor junctions.










SIMPSON Strong-Tie

SIT SITW SITW-H – Acoustic Isolating Washers

SITW washers are combined with SIT isolating strips to create a highperformance system in CLT buildings that are required to deliver superior acoustic performance. The isolating washer is fitted between a metal washer and the CLT when assembling with screws, which prevents vibration being transmitted through the connection.

Advantages:


- Reduced sound transfer between structural components
- Improved draught sealing





Dimensions

C-CLT-EU-2023 @2023 SIMPSON STRONG-TIE COMPANY INC.

Madal Na		Dimensions [mm]		Static load [N/mm²]				
Model No.	Width	Length	Thickness	Min.	Max.			
SIT75				0,05	0,075			
SIT150				0,10	0,15			
SIT350	On demand	On demand	6 or 12,5	0,23	0,35			
SIT750				0,50	0,75			
SIT1500				1,00	1,50			







The SIT material is chosen depending of the load applied on the panel, the width of the panel and the expected performances. Contact us for more information.

Model No.	Compatible	Dimensions [mm]							
model No.	fasteners	А	В	t					
SITW-M0608	Ø6 or 8	Ø8,5	Ø34	6					
SITW-M1012	Ø10 or 12	Ø12,5	Ø49	6					






SWW + SIT - Washer-Head Screw with Acoustic Isolating Washers

In wall-to-wall connections the SWW washer-head screw is recommended due to the high head pull-through resistance it provides. The washer head also pulls the wall elements together, creating a firm assembly. By adding an acoustic washer the transfer of sound is decreased.


Advantages:

- High head pull-through resistance
- Pull the wood members together
- No pre-drilling required





CLT Wall to CLT Floor



SWW - Range Overview

Product	Dimensions [mm]										
Reference	d	I	l _g	d _h	d _i	t _{fix}					
SWW6.0xl	6,0	60 - 300	42 - 70	14	3,9	18 - 230					
SWW8.0xl	8,0	80 - 400	50 - 80	22	5,2	30 - 320					
SWW10.0xℓ	10,0	100 - 400	50 - 80	25	6,2	50 - 320					

CLT Wall to CLT Floor / Ceiling Connection - SWW + SIT 90° Installation

											t _{clt} [mm]									
Product W _{CLT,min}	W _{CLT min}	8	0	10	00	12	20	14	10	16	60	18	30	20	00	22	20	24	10	26	60
Reference	[mm]	$R_{ax,k}$	$R_{v,k}$	R _{ax,k}	$R_{v,k}$	$R_{ax,k}$	$R_{v,k}$	$R_{ax,k}$	$R_{v,k}$	R _{ax,k}	$R_{v,k}$	$R_{ax,k}$	$R_{v,k}$	R _{ax,k}	$R_{v,k}$	R _{ax,k}	R _{v,k}	$R_{ax,k}$	$R_{v,k}$	R _{ax,k}	R _{v,k}
		[k	N]	[k	N]	[k	N]	[k	N]	[k	N]	[k	N]	[k	N]	[k	N]	[k	N]	[k	N]
SWW6x160 + SIT	60	3,16	0,75	2,91	0,75	1,87	0,6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SWW6x180 + SIT	60	3,16	0,75	3,16	0,75	2,91	0,75	1,87	0,6	-	-	-	-	-	-	-	-	-	-	-	-
SWW6x200 + SIT	60	3,16	0,75	3,16	0,75	3,16	0,75	2,91	0,75	1,87	0,6	-	-	-	-	-	-	-	-	-	-
SWW6x220 + SIT	60	3,16	0,75	3,16	0,75	3,16	0,75	3,16	0,75	2,91	0,75	1,87	0,6	-	-	-	-	-	-	-	-
SWW6x240 + SIT	60	3,16	0,75	3,16	0,75	3,16	0,75	3,16	0,75	3,16	0,75	2,91	0,75	1,87	0,6	-	-	-	-	-	-
SWW6x260 + SIT	60	3,16	0,75	3,16	0,75	3,16	0,75	3,16	0,75	3,16	0,75	3,16	0,75	2,91	0,75	1,87	0,6	-	-	-	-
SWW6x280 + SIT	60	3,16	0,75	3,16	0,75	3,16	0,75	3,16	0,75	3,16	0,75	3,16	0,75	3,16	0,75	2,91	0,75	1,87	0,6	-	-
SWW6x300 + SIT	60	3,16	0,75	3,16	0,75	3,16	0,75	3,16	0,75	3,16	0,75	3,16	0,75	3,16	0,75	3,16	0,75	2,91	0,75	1,87	0,6

Table continues on next page.



HELPFUL TIP

Head side element must be predrilled to avoid sound transmission between the smooth shank part of the screw and the timber.


C-CLT-EU-2023 @2023 SIMPSON STRONG-TIE COMPANY INC.






CLT Wall to CLT Floor / Ceiling Connection – SWW + SIT 90° Installation (cont.)

												t _{clt} [mm]										
Product	W _{CLT,min}	10	00	12	20	14	10	10	60	18	30		00	22	20	24	40	26	60	28	80	30)0
Reference	[mm]	R _{ax,k}	R _{v,k}	R _{ax,k}	$R_{v,k}$	R _{ax,k}	$R_{v,k}$	R _{ax,k}	R _{v,k}	R _{ax,k}	$R_{v,k}$	R _{ax,k}	$R_{v,k}$	R _{ax,k}	$R_{v,k}$	R _{ax,k}	R _{v,k}	R _{ax,k}	$R_{v,k}$	R _{ax,k}	R _{v,k}	R _{ax,k}	R _{v,k}
			N]	[k	N]	[k	N]		N]		N]	[k		[k		[k		[k			N]	[k	N]
SWW8x160 + SIT	80	3,67	1,18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SWW8x180 + SIT	80	4,92	1,39	3,67	1,18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SWW8x200 + SIT	80	5,08	1,39	4,92	1,39	3,67	1,18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SWW8x220 + SIT	80	5,08	1,39	5,08	1,39	4,92	1,39	3,67	1,18	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SWW8x240 + SIT	80	5,08	1,39	5,08	1,39	5,08	1,39	4,92	1,39	3,67	1,18	-	-	-	-	-	-	-	-	-	-	-	-
SWW8x260 + SIT	80	5,08	1,39	5,08	1,39	5,08	1,39	5,08	1,39	4,92	1,39	3,67	1,18	-	-	-	-	-	-	-	-	-	-
SWW8x280 + SIT	80	5,08	1,39	5,08	1,39	5,08	1,39	5,08	1,39	5,08	1,39	4,92	1,39	3,67	1,18	-	-	-	-	-	-	-	-
SWW8x300 + SIT	80	5,08	1,39	5,08	1,39	5,08	1,39	5,08	1,39	5,08	1,39	5,08	1,39	4,92	1,39	3,67	1,18	-	-	-	-	-	-
SWW8x320 + SIT	80	5,08	1,39	5,08	1,39	5,08	1,39	5,08	1,39	5,08	1,39	5,08	1,39	5,08	1,39	4,92	1,39	3,67	1,18	-	-	-	-
SWW8x340 + SIT	80	5,08	1,39	5,08	1,39	5,08	1,39	5,08	1,39	5,08	1,39	5,08	1,39	5,08	1,39	5,08	1,39	4,92	1,39	3,67	1,18	-	-
SWW8x360 + SIT	80	5,08	1,39	5,08	1,39	5,08	1,39	5,08	1,39	5,08	1,39	5,08	1,39	5,08	1,39	5,08	1,39	5,08	1,39	4,92	1,39	3,67	1,18
SWW8x380 + SIT	80	5,08	1,39	5,08	1,39	5,08	1,39	5,08	1,39	5,08	1,39	5,08	1,39	5,08	1,39	5,08	1,39	5,08	1,39	5,08	1,39	4,92	1,39
SWW8x400 + SIT	80	5,08	1,39	5,08	1,39	5,08	1,39	5,08	1,39	5,08	1,39	5,08	1,39	5,08	1,39	5,08	1,39	5,08	1,39	5,08	1,39	5,08	1,39
SWW10x180 + SIT	100	-	-	4,38	1,52	-	- 1	- 1	-	-	-	-	-	-	- 1	-	-	-	1	-	-	-	-
SWW10x200 + SIT	100	-	-	5,89	1,79	4,38	1,52	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SWW10x220 + SIT	100	-	-	6,38	1,99	5,89	1,79	4,38	1,52	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SWW10x240 + SIT	100	-	-	6,38	1,99	6,38	1,99	5,89	1,79	4,38	1,52	-	-	-	-	-	-	-	-	-	-	-	-
SWW10x260 + SIT	100	-	-	6,38	1,99	6,38	1,99	6,38	1,99	5,89	1,79	4,38	1,52	-	-	-	-	-	-	-	-	-	-
SWW10x280 + SIT	100	-	-	6,38	1,99	6,38	1,99	6,38	1,99	6,38	1,99	5,89	1,79	4,38	1,52	-	-	-	-	-	-	-	-
SWW10x300 + SIT	100	-	-	6,38	1,99	6,38	1,99	6,38	1,99	6,38	1,99	6,38	1,99	5,89	1,79	4,38	1,52	-	-	-	-	-	-
SWW10x320 + SIT	100	-	-	6,38	1,99	6,38	1,99	6,38	1,99	6,38	1,99	6,38	1,99	6,38	1,99	5,89	1,79	4,38	1,52	-	-	-	-
SWW10x340 + SIT	100	-	-	6,38	1,99	6,38	1,99	6,38	1,99	6,38	1,99	6,38	1,99	6,38	1,99	6,38	1,99	5,89	1,79	4,38	1,52	-	-
SWW10x360 + SIT	100	-	-	6,38	1,99	6,38	1,99	6,38	1,99	6,38	1,99	6,38	1,99	6,38	1,99	6,38	1,99	6,38	1,99	5,89	1,79	4,38	1,52
SWW10x380 + SIT	100	-	-	6,38	1,99	6,38	1,99	6,38	1,99	6,38	1,99	6,38	1,99	6,38	1,99	6,38	1,99	6,38	1,99	6,38	1,99	5,89	1,79
SWW10x400 + SIT	100	-	-	6,38	1,99	6,38	1,99	6,38	1,99	6,38	1,99	6,38	1,99	6,38	1,99	6,38	1,99	6,38	1,99	6,38	1,99	6,38	1,99





ABAI – Acoustic Isolating Angle Bracket

Developed specifically to provide exceptional acoustic performance, ABAI features two intermediate layers of sound isolation material to be fully integrated into the CLT wall-to-floor connection, preventing the transmission of vibration through the angle bracket and fasteners.

Advantages:

- Good balance between mechanical and acoustic performances
- Reduced build time and cost as addition sound insulation is not required
- Dedicated CLT-CLT fastener pattern






Dimensions

CLT Wall to CLT Floor

Madal No			Dimensio	ons [mm]	Qty Flan	Qty Holes Flange B			
Model No.	Α	В	С	D	Е	t	Screws or Nails	Bolts/ Anchors	Screws
ABAI105	113	103	90	106	18	3,0	8 Ø5	3 Ø11	3 Ø7

Characteristic Capacity and Slip Modulus -CLT Wall to CLT Floor / Ceiling Connection - 1 Angle Bracket

Model No.	Flange A	Fasteners Flange A Flange B CLT CLT		stic Values N] Shear R _{2,k} = R _{3,k}	[kN/ Tensile	odulus mm] Shear
ADAMOE	8 CNA4.0x60	3 SDS25600	2,0/k _{mod}	2,0/k _{mod}	0,8	$\mathbf{k}_{\text{ser,R2,k}} = \mathbf{k}_{\text{ser,R3,k}}$ $0,6$
ABAI105	8 CSA5.0x50	3 SDS25600	2,0/k _{mod}	2,0/k _{mod}	0,8	0,6





Ultimate Limit State Capacity (Limit Deformation) and Slip Modulus -CLT Wall to CLT Floor / Ceiling Connection – 1 Angle Bracket

MadalNa	Faste	eners		stic Values N]		odulus 'mm]
Model No.	Flange A CLT	Flange B CLT	Tensile R _{1,u}	Shear $R_{2,u} = R_{3,u}$	Tensile k _{ser,R1,k}	Shear $k_{ser,R2,k} = k_{ser,R3,k}$
ABAI105	8 CNA4.0x60	3 SDS25600	7,9/k _{mod}	5,9/k _{mod}	0,8	0,6
ADAITUS	8 CSA5.0x50	3 SDS25600	7,9/k _{mod}	5,9/k _{mod}	0,8	0,6

Angle brackets take uplift and shear loads at the same time. It means that interaction between both load direction should be considered using this equation:

$$\left(\frac{F_{1,d}}{R_{1,d}}\right)^2 + \left(\frac{F_{2/3,d}}{R_{2/3,d}}\right)^2 \le 1$$








Acoustic Performance of ABAI105 with Sound Insulation Tile (SIT) at CLT Wall to CLT Floor Connection


Vibration Reduction Indices



K12: Lower wall - floor

C-CLT-EU-2023 @2023 SIMPSON STRONG-TIE COMPANY INC.

■ K14: Lower wall – floor – upper wall



Calculated Gains Compared to a Typical Angle Bracket without an Isolating Strip

	K12 [dB]	Gain12 [dB]	K14 [dB]	Gain14 [dB]
BF	12,7	0,9	18,3	4,7
MF	15,8	1,3	21,8	2,1
HF	31,4	9,4	40,5	1,6

In terms of sound transmission between the wall and floor, very high gains are achieved in the high frequency band. When it comes to transmission between levels, there is a significant increase in hearing perception for the low-frequency band compared to an typical angle bracket without an isolating strip.

Bass Frequencies

Fr [Hz]	K12 [dB]	K14 [dB]
40	16,6	25,1
50	12,4	16,3
63	14,1	19,9
80	9,7	18,1
100	12,0	11,9
125	7,6	15,6
160	16,2	20,7

Midrange Frequencies

Fr [Hz]	K12 [dB]	K14 [dB]
200	14,3	26,9
250	12,8	16,6
315	11,9	12,8
400	11,2	14,6
500	12,6	17,3
630	16,9	19,8
800	22,6	30,7
1000	23,4	35,5

High Frequencies

Fr [Hz]	K12 [dB]	K14 [dB]					
1.250	23,2	37,4					
1.600	23,7	41,0					
2.000	35,1	49,4					
2.500	31,9	42,2					
3.150	34,6	49,1					
4.000	34,1	38,0					
5.000	33,7	33,1					
6.300	34,7	33,6					

SIMPSON

Strong-Tie

Acoustic Solutions

ABR255 + SIT - Reinforced Angle Bracket with Acoustic Isolation

Combined with SIT, the ABR255 provides high performances with improved acoustic performances.

Advantages:

- High performance adapted to CLT buildings
- Very versatile thanks to its various nail pattern and fixing possibilities
- Load capacities in all directions





Dimensions

CLT Wall to CLT Floor


	Dimensions [mm]			Qty Holes	Flange A	Qty Holes Flange B		
Model No.	А	В	С	t	Screws or Nails	Bolts/ Anchors	Screws or Nails	Bolts
ABR255	120	100	255	3,0	52 Ø5	2 Ø14	41 Ø5	4 Ø14
SITW100/265	100	265	-	6,0	-	-	-	-




Model No.	Fasteners Flange A Flange B CLT CLT				$\begin{tabular}{lll} Slip Modulus & & & & & & & \\ \hline (kN/mm) & & & & & & & \\ Tensile & & & & & & & \\ $k_{ser,R1,k}$ & & & & & & & \\ $k_{ser,R2,k}$ = & & & & & & \\ $k_{ser,R3,k}$ & & & & & & \\ \hline \end{tabular}$	
	24 CNA4.0x50	21 CNA4.0x50	15,6/k _{mod} 0,4	28,6	7,7	3,9
ABR255	24 CNA4.0x60	21 CNA4.0x60	18,1/k _{mod} 0,4	31,4	8,9	4,3
	24 CSA5.0x50	21 CSA5.0x50	18,1/k _{mod} ^{0,4}	31,4	8,9	4,3

 $\left(\frac{F_{1,d}}{R_{1,d}}\right)^2 + \left(\frac{F_{2/3,d}}{R_{2/3,d}}\right)^2 \leq 1$ Angle brackets take uplift and shear loads at the same time. It means that interaction between both load direction should be considered using this equation:










Acoustic Performance of ABAI105 with Sound Insulation Tile (SIT) at CLT Wall to CLT Floor / Ceiling Connection


Vibration Reduction Indices



■ K12: Lower wall – floor

C-CLT-EU-2023 @2023 SIMPSON STRONG-TIE COMPANY INC.

■ K14: Lower wall – floor – upper wall



Calculated Gains Compared to a Typical Angle Bracket without an Isolating Strip

	K12 [dB]	Gain12 [dB]	K14 [dB]	Gain14 [dB]
BF	13,5	1,7	15,0	1,4
MF	14,0	-0,5	20,5	0,8
HF	29,4	7,4	39,8	0,9

In terms of sound transmission between the wall and floor, very high gains are achieved in the high frequency band. When it comes to transmission between levels, there is a significant increase in hearing perception for the low-frequency band compared to an typical angle bracket without an isolating strip.

Bass Frequencies

K12 [dB]	K14 [dB]					
12,3	23,2					
14,5	17,2					
14,4	15,1					
12,0	11,5					
13,9	10,4					
12,6	12,4					
14,4	14,9					
	12,3 14,5 14,4 12,0 13,9 12,6					

Midrange Frequencies

Fr [Hz]	K12 [dB]	K14 [dB]
200	13,8	21,9
250	11,5	10,0
315	3,9	13,4
400	12,2	13,2
500	11,3	19,1
630	16,7	22,7
800	20,4	27,8
1000	22,1	35,9

High Frequencies

<u> </u>							
Fr [Hz]	K12 [dB]	K14 [dB]					
1.250	22,2	34,1					
1.600	24,0	38,7					
2.000	35,0	41,7					
2.500	23,0	34,6					
3.150	31,6	47,0					
4.000	33,4	43,2					
5.000	33,5	41,0					
6.300	32,3	37,5					



CLT Floor to CLT Floor Solutions



Timber Spline Connection

Product Options:

TTUFS see page 121 WSV see page 123 A common method for linking CLT floor panels, timber splines can be installed via routing a groove and fastening the spline across the gap.



Steel Spline Connection

Product Options:

NP see page 125 CSA see page 126 Similar to using a timber spline, with the benefits of a higher performance and a more cost-efficient solution as no routing of the panel is required.




Half-Lap Joint

Product Options:

C-CLT-EU-2023 @2023 SIMPSON STRONG-TIE COMPANY INC.

SWD see page 129
ESCRFTZ see page 130
TTUFS see page 131
SWC see page 132
SWW see page 134

Overlapping panels like this allows one panel to support the other during installation. Load capacity can be increased through the use of fully threaded screws where the timber splits.



Butt-Joint

Product Options:

SWD see page 138 ESCRFTZ see page 140 Butt-joints are often employed as this form of CLT panel requires a simpler manufacturing process. The panels are pulled together using fully or double threaded structural screws which can also be installed in cross pairs for even greater load capacities.



Timber Spline Connection




A common method for linking CLT floor panels, timber splines can be installed via routing a groove and fastening the spline across the gap.



Items Required Timber Fasteners TILIES Countersunk So

TTUFS Countersunk Screw, WSV Quik Drive® Collated Screw





Timber Spline Connection



TTUFS - Countersunk Screw


The Solid-Drive TTUFS countersunk screws are available in a variety of dimensions, the deep 6-lobe recess provides a good control during installation and the countersunk head allows a flush finish after installation suitable for spline applications.

Advantages:

- · Countersunk head sinks into the wood allowing a flush finish
- Milling thread to reduce the drive-in torque
- ETA approved








TTUFS - Range Overview

Product	Product Dimensions [mm]					
Reference	d	1	l _g	d _h	d _i	t _{fix}
TTUFS4.5xℓ	4,5	25 - 80	20 - 50	8,4	2,8	5 - 5
TTUFS5.0xℓ	5,0	30 - 120	25 - 60	9,5	3,1	5 - 60
TTUFS6.0xℓ	6,0	40 - 180	34 - 70	11,6	3,7	6 - 110

TTUFS – CLT Spline Connection Plywood Board $\rho_{\rm k}$ = 490 kg/m³ to CLT $\rho_{\rm k}$ = 350 kg/m³

Product	Chracteristic Shear $(R_{v,x,k}$ or $R_{v,y,k})$ Capacity for Plywood $(\rho_k \ge 490 \text{ kg/m}^3)$ to CLT $(\rho_k \ge 350 \text{kg/m}^3)$ Connection Depending of the Thickness of the Panel t_p						
Reference	15	18	22	25	30		
	R _{v,90,k,15}	R _{v,90,k,18}	R _{v,90,k,22}	R _{v,90,k,25}	R _{v,90,k,30}		
TTUFS4.5X40	0,97	_	_	_	_		
TTUFS4.5X45	1,01	1,07	_	-	_		
TTUFS4.5X50	1,01	1,08	1,41	1,37	_		
TTUFS4.5X60	1,01	1,08	1,44	1,44	1,44		
TTUFS4.5X70	1,01	1,08	1,44	1,46	1,46		
TTUFS4.5X80	1,01	1,08	1,44	1,51	1,51		
TTUFS5.0X40	1,08	_	_	_	_		
TTUFS5.0X50	1,20	1,28	1,59	1,56	_		
TTUFS5.0X60	1,20	1,28	1,69	1,78	1,74		
TTUFS5.0X70	1,20	1,28	1,69	1,78	1,93		
TTUFS5.0X80	1,20	1,28	1,69	1,78	1,93		
TTUFS5.0X90	1,20	1,28	1,69	1,78	1,95		
TTUFS5.0X100	1,20	1,28	1,69	1,78	1,95		
TTUFS5.0X120	1,20	1,28	1,69	1,78	1,95		








Timber Spline Connection



TTUFS – CLT Spline Connection Plywood Board $\rho_{\rm k}$ = 490 kg/m³ to CLT $\rho_{\rm k}$ = 350 kg/m³ (cont)

Product	$\label{eq:charge_constraints} \begin{array}{c} \text{Chracteristic Shear } (R_{\nu,X,k} \text{ or } R_{\nu,Y,k}) \\ \text{Capacity for Plywood } (\rho_k \geq 490 \text{ kg/m}^3) \text{ to CLT } (\rho_k \geq 350 \text{kg/m}^3) \\ \text{Connection Depending of the Thickness of the Panel } t_p \end{array}$						
Reference	15	18	22	25	30		
	R _{v,90,k,15}	R _{v,90,k,18}	R _{v,90,k,22}	R _{v,90,k,25}	R _{v,90,k,30}		
TTUFS6.0X40	1,31	-	-	-	-		
TTUFS6.0X50	1,53	1,56	1,74	1,71	-		
TTUFS6.0X60	1,53	1,61	2,05	2,11	2,01		
TTUFS6.0X70	1,53	1,61	2,15	2,25	2,43		
TTUFS6.0X80	1,53	1,61	2,15	2,25	2,43		
TTUFS6.0X90	1,53	1,61	2,17	2,27	2,45		
TTUFS6.0X100	1,53	1,61	2,17	2,27	2,45		
TTUFS6.0X120	1,53	1,61	2,17	2,27	2,45		
TTUFS6.0X140	1,53	1,61	2,17	2,27	2,45		
TTUFS6.0X160	1,53	1,61	2,17	2,27	2,45		
TTUFS6.0X180	1,53	1,61	2,17	2,27	2,45		







Characteristic parameters of fasteners and more information are included in chapter 10.

Minimum Distances for Screws CLT Spline Connection

TTUFS

	Angle Between the Load and the Grain 0°				
Dimension	a ₁	a ₂	a _{3,c}	a _{3,cp}	
4.5xl	18	18	28	14	
5.0xℓ	20	20	30	15	
6.0xl	24	24	36	18	





C-CLT-EU-2023 @2023 SIMPSON STRONG-TIE COMPANY INC.

Timber Spline Connection



WSV - Quik Drive® Collated Screw


The collated WSV wood screws are installed by uisng the Quik Drive auto-feed screw driving system. By adding the extension on the tool you can install the screws in a standing position with a high speed and good ergonomics.

Advantages:

- Available in Quik Drive (Collated screw)
- Ribbed head design countersinks easily and creates a flush end result
- Deep 6-lobe recess








WSV - Range Overview

Product	Dimensions [mm]					
Product Reference	d	I	l _g	d _h	d _i	
WSV4.6xℓ	4,6	44 - 76	31 - 55	8,5	3,1	

WSV – CLT Spline Connection Plywood Board $\rho_{\rm k}$ = 490 kg/m³ to CLT $\rho_{\rm k}$ = 350 kg/m³

Product	Plyw	$_{v,Y,k}$) Capacity T $(\rho_k \ge 350 \text{ kg})$ kness of the F	pacity for 350 kg/m³) of the Panel t _p		
Reference	15	18	22	25	30
	R _{v,90,k,15}	R _{v,90,k,18}	R _{v,90,k,22}	R _{v,90,k,25}	R _{v,90,k,30}
WSV44E (4.6x44)	0,78	0,82	0,75	0,69	-
WSV51E (4.6x51)	0,78	0,87	0,89	0,83	0,73
WSV64E (4.6x64)	1,20	1,20	1,00	1,10	1,00
WSV76E (4.6x76)	1,23	1,23	1,23	1,23	1,23





Characteristic parameters of fasteners and more information are included in chapter 10.

Minimum Distances for Screws CLT Spline Connection

WSV

		Angle Between the Load and the Grain 0°			
	Dimension	a ₁	$\mathbf{a}_{_{2}}$	a _{3,c}	a _{3,cp}
ĺ	4.6xℓ	18	18	28	14






Steel Spline Connection



Similar to using a timber spline, with the benefits of a higher performance and a more cost-efficient solution as no routing of the panel is required.





Steel Spline Connection

NP - Nail Plate

NP nail plates for CLT floor panel connections are a cost-efficient and stronger alternative to using timber splines. They don't require any routing or timber preparation – simply place over the panel joints and fasten according to the pattern described below.

Advantages:

- Fast and simple no timber routing required
- Better performance characteristics than using timber splines
- Available in three configurations based on 2 m lengths







Dimensions


C-CLT-EU-2023 @2023 SIMPSON STRONG-TIE COMPANY INC.

Model No.		Qty Holes		
Model No.	A A	В	t	Screws or Nails
NP20/140/1200	140	1200	2,0	390 Ø5
NP20/160/1200	160	1200	2,0	450 Ø5
NP20/200/1200	200	1200	2,0	510 Ø5

For other dimensions or load capacities, please contact Simpson Strong-Tie.







C-CLT-EU-2023 @2023 SIMPSON STRONG-TIE COMPANY INC.

Steel Spline Connection

CSA - Connector Screw


CSA screws are developed for a maximum fit in the steel connector. CSA screws can be installed with the Quik Drive system for a fast and easy installation, the automated system is preffered when you need many screws such as steel spline applications.

Advantages:

- Conical shape under the head for maximum fit in the connector holes
- ETA approved
- Available in Quik Drive








CSA - Range Overview

Product	Dimensions [mm]						
Reference	d	I	l _g	d _h	d _i		
CSA5.0xℓ	4,85	25 - 80	19 - 74	8,3	3,15		

CSA Electroplated - Characteristic Capacity 1,0-4,0 mm Steel to Timber C24, CLT $\rho_{\rm k}$ = 350 kg/m $^{\rm 3}$

Product Reference	Tension Capacity – C24 – R _{ax,k} [kN]	Shear Capacity Parallel and Perpendiular to the Grain – C24 – R _{v,k} = R _{v,0,k} [kN]
CSA5.0X35	2,11	1,99
CSA5.0X40	2,47	2,25
CSA5.0X50	3,20	2,63
CSA5.0X80	5,38	3,50



Steel Spline Connection



CSA – Minimum Distances for Screws in Shear or Combined Loads¹⁾ Steel to CLT C24

Outer Thread		Angle Between Load Direction and Screw = 0°			
Diameter d [mm]	Pre-drill	a,	a ₂	$\mathbf{a}_{\scriptscriptstyle 3,\mathrm{c}}$	
F.0	With pre-drill	18	11	35	
5.0	Without pre-drill	42	18	50	

¹⁾ Minimum distances comply with EN 1995-1-1 (Eurocode 5) and ETA-04/0013

CSA – Minimum Distances in the Steel Plate


Outer Thread Diameter d [mm]	a,*	a ₂ *	e,*	e ₂ *
5.0	11	12	6	6

^{*}According to EN 1993-1-8 §3.5

Once you have the spacing and edge distance in steel and timber, you pick the maximum for each dimension between steel and timber.


See explanation of α in chapter 10.

Top View



 $a_1 = min screw spacing parallell to the grain$

 $a_2^{'}$ = min screw spacing perpendicular to the grain




²⁾ Values given in the table is based on the $\rho_k \le 350 \text{ kg/m}^3$

³⁾ Minimum distances from the unloaded edge perpendicular to the grain may be reduced to

 $a_{4c} = 3 \times d$ if the spacing parallel to the grain (a_1) and the end distance (a_{3t}) is at least $25 \times d$.



Overlapping panels like this allows one panel to support the other during installation. Load capacity can be increased through the use of fully threaded screws where the timber splits.







SWD - Double Threaded Screw

The double threaded SWD screw has a small cylinder head that almost creates an hidden assembly after installation. By installing the screw in cross pairs the load capacity can be increased and at the same time take loads in several directions.

Advantages:

- Pulls the two wood members together
- Small cylinder head for almost hidden assemblies
- No pre-drilling required









SWD - Range Overview

Product	Dimensions [mm]					
Reference	d	I	I _{g1}	l _{g2}	d _h	d _i
SWD6.5xℓ	6,5	65-220	40-95	33,5-88,5	8	4,0
SWD8.0xl	8,0	90-330	40-95	31,5-86,5	10	5,4

SWD – Half-Lap Connection – Per Pair R $_{_{\text{V,X,k}}}$ [kN] = min (R $_{_{\text{w,k,pair}}}$; R $_{_{\text{buck,k,pair}}}$) – 45° Cross Pairs CLT to CLT $\rho_{_{k}}$ = 350 kg/m 3

Product Reference	Minimum Thickness of the Panel		stic Capacity per Pair s Pairs of Screws
Holoronoo	t _{CLT,min}	$R_{w,k,pair}$	R _{buck,k,pair}
SWD6.5X65	51	3,5	14,59 + 13,99 /k _{mod}
SWD6.5X90	69	5,0	14,59 + 13,99 /k _{mod}
SWD6.5X130	97	5,0	14,59 + 13,99 /k _{mod}
SWD6.5X160	118	8,2	14,59 + 13,99 /k _{mod}
SWD6.5X190	139	10,1	14,59 + 13,99 /k _{mod}
SWD6.5X220	161	12,0	14,59 + 13,99 /k _{mod}
SWD8.0X90	69	5,9	14,59 + 13,99 /k _{mod}
SWD8.0X130	97	5,9	14,59 + 13,99 /k _{mod}
SWD8.0X160	118	9,6	14,59 + 13,99 /k _{mod}
SWD8.0X190	139	11,9	14,59 + 13,99 /k _{mod}
SWD8.0X220	161	14,1	14,59 + 13,99 /k _{mod}
SWD8.0X245	178	15,9	14,59 + 13,99 /k _{mod}
SWD8.0X275	199	15,9	14,59 + 13,99 /k _{mod}
SWD8.0X300	217	20,0	14,59 + 13,99 /k _{mod}
SWD8.0X330	238	20,0	14,59 + 13,99 /k _{mod}








ESCRFTZ – Fully Threaded Cylinder-Head Screw

The fully threaded ESRFTZ screw has a small cylinder head that almost creates a hidden assembly after installation. By installing the screw in cross pairs the load capacity can be increased and at the same time take loads in several directions.


Advantages:

- Fully threaded
- Small cylinder head for hidden assemblies
- No pre-drilling required





CLT Floor to CLT Floor (in plane connection)




ESCRFTZ - Range Overview

Product		Dimensions [mm]				
Reference	d	I	l _g	d _h	d _i	
ESCRFTZ8.0xℓ	8,0	120 - 400	110 - 390	10,2	5,2	

 $\begin{array}{l} \text{ESCRFTZ} - \text{Half-Lap Connection} - \\ \text{Per Pair R}_{_{\text{V,X,k}}}\left[\text{kN}\right] = \text{min }\left(\text{R}_{_{\text{w,k,pair}}}; \, \text{R}_{_{\text{buck,k,pair}}}\right) - \\ \text{45° Cross Pairs CLT to CLT } \rho_{_{k}} = 350 \text{ kg/m}^3 \end{array}$

Product Reference	Minimum Thickness of the Panel		stic Capacity per Pair s Pairs of Screws
Holoronoo	t _{CLT,min}	$R_{w,k,pair}$	R _{buck,k,pair}
ESCRFTZ8.0X120	90	7,4	14,59 + 13,99 /k _{mod}
ESCRFTZ8.0X140	104	8,9	14,59 + 13,99 /k _{mod}
ESCRFTZ8.0X160	118	10,4	14,59 + 13,99 /k _{mod}
ESCRFTZ8.0X180	132	11,9	14,59 + 13,99 /k _{mod}
ESCRFTZ8.0X200	146	13,3	14,59 + 13,99 /k _{mod}
ESCRFTZ8.0X220	161	14,8	14,59 + 13,99 /k _{mod}
ESCRFTZ8.0X240	175	16,3	14,59 + 13,99 /k _{mod}
ESCRFTZ8.0X260	189	17,8	14,59 + 13,99 /k _{mod}
ESCRFTZ8.0X280	203	19,3	14,59 + 13,99 /k _{mod}
ESCRFTZ8.0X300	217	20,7	14,59 + 13,99 /k _{mod}
ESCRFTZ8.0X350	252	24,5	14,59 + 13,99 /k _{mod}
ESCRFTZ8.0X400	288	28,2	14,59 + 13,99 /k _{mod}






TTUFS - Countersunk Screw


TTUFS is a countersunk structural wood screw with a partial thread. The screw can be installed without any pre-drilling. If higher load capacity or longer screws are needed, see the SWC product family.

Advantages:

- Countersunk head creates a flush finish
- Milling thread for reduced drive-in torque
- No pre-drilling required







TTUFS - Range Overview

Product	Dimensions [mm]					
Reference	d	I	l _g	d _h	d _i	t _{fix}
TTUFS 6.0xl	6,0	40-180	34-70	11,6	3,7	6-110

TTUFS – Half-Lap Connection – Screws at 90° CLT to CLT $\rho_{\rm k}$ = 350 kg/m³

Product Reference	Predrilling	Minimum Thickness of the Panel t _{CLT,min}	Shear Capacity $R_{_{v,k}} = R_{_{v,X,k}} = R_{_{v,Y,k}}$ [kN] – Screws at 90°
TTUFS4.5X70	With predrill	80	1,5
110F34.3X70	Without predrill	80	1,3
TTUFS4.5X80	With predrill	100	1,5
110134.3700	Without predrill	100	1,3
TTUFS5.0X70	With predrill	80	1,9
11055.0870	Without predrill	80	1,6
TTUESE OVOO	With predrill	90	1,9
TTUFS5.0X80	Without predrill	90	1,6
TTUFS5.0X90	With predrill	100	1,9
11055.0890	Without predrill	100	1,6
TTUECE OVIO	With predrill	120	1,9
TTUFS5.0X100	Without predrill	120	1,6
TTUFS5.0X120	With predrill	130	1,9
11050.00120	Without predrill	130	1,6

F _{v,X}

Product Reference	Predrilling	Minimum Thickness of the Panel t _{CLT,min}	Shear Capacity $R_{_{v,k}} = R_{_{v,X,k}} = R_{_{v,Y,k}}$ [kN] – Screws at 90°
TTUFS6.0X70	With predrill	80	2,6
110130.0770	Without predrill	80	2,0
TTUFS6.0X80	With predrill	90	2,6
110130.0000	Without predrill	90	2,1
TTUFS6.0X90	With predrill	100	2,6
110130.0890	Without predrill	100	2,1
TTUFS6.0X100	With predrill	120	2,6
110FS6.0X100	Without predrill	120	2,1
TTUFS6.0X120	With predrill	140	2,6
110F30.0X120	Without predrill	140	2,1
TTUFS6.0X140	With predrill	150	2,6
110130.08140	Without predrill	150	2,1
TTUFS6.0X160	With predrill	170	2,6
110130.00100	Without predrill	170	2,1
TTUFS6.0X180	With predrill	190	2,6
110130.00100	Without predrill	190	2,1






SWC – Countersunk Screw

SWC is a countersunk structural wood screw designed to take high loads. The countersunk head gives a flush fitting while allowing the CLT panels to close up firmly.


Advantages:

- Countersunk head creates a flush finish
- Milling thread for reduced drive-in torque
- No pre-drilling required





CLT Floor to CLT Floor (in plane connection)




SWC - Range Overview

Product	Dimensions [mm]					
Reference	d	I	l _g	d _h	d _i	t _{fix}
SWC6.0xℓ	6,0	200 - 300	70	11,8	3,9	130 - 230
SWC8.0xℓ	8,0	80 - 400	50 - 80	14,6	5,2	30 - 320
SWC10.0xℓ	10,0	100 - 400	50 - 80	17,8	6,2	50 - 320

SWC – Half-Lap Connection – Screws at 90° CLT to CLT $\rho_{\rm k}$ = 350 kg/m³

Product Reference	Predrilling	Minimum Thickness of the Panel t _{CLT,min}	Shear Capacity $R_{v,k} = R_{v,X,k} = R_{v,Y,k}$ [kN] – Screws at 90°
SWC6.0X200	With predrill	210	2,5
3WC0.0X200	Without predrill	210	2,1
SWC6.0X220	With predrill	230	2,5
3WU0.UXZZU	Without predrill	230	2,1
SWC6.0X240	With predrill	250	2,5
3WU0.UX24U	Without predrill	250	2,1
SWC6.0X260	With predrill	270	2,5
3WU0.UX20U	Without predrill	270	2,1
CMC6 0A300	With predrill	290	2,5
SWC6.0X280	Without predrill	290	2,1
SWC6.0X300	With predrill	310	2,5
30000.08300	Without predrill	310	2,1










SWC – Half-Lap Connection – Screws at 90° CLT to CLT $\rho_{\rm k}$ = 350 kg/m³ (cont.)

Product Reference	Predrilling	Minimum Thickness of the Panel t _{CLT,min}	Shear Capacity $R_{v,k} = R_{v,X,k} = R_{v,Y,k}$ [kN] – Screws at 90°
0,000,000	With predrill	100	4,0
SWC8.0X80	Without predrill	100	2,7
CWC0 OVO0	With predrill	100	4,5
SWC8.0X90	Without predrill	100	3,0
CWC0 0V100	With predrill	110	4,5
SWC8.0X100	Without predrill	110	3,2
CWC0 0V100	With predrill	160	4,5
SWC8.0X120	Without predrill	160	3,2
CWC0 0V140	With predrill	160	4,5
SWC8.0X140	Without predrill	160	3,6
0000000100	With predrill	170	4,5
SWC8.0X160	Without predrill	170	3,6
0000000100	With predrill	190	4,5
SWC8.0X180	Without predrill	190	3,6
0,4,0,0,0,0,0	With predrill	210	4,5
SWC8.0X200	Without predrill	210	3,6
0,4,00,0,000	With predrill	230	4,5
SWC8.0X220	Without predrill	230	3,6
014100 01/040	With predrill	250	4,5
SWC8.0X240	Without predrill	250	3,6
014/00 01/000	With predrill	270	4,5
SWC8.0X260	Without predrill	270	3,6
014100 01/000	With predrill	290	4,5
SWC8.0X280	Without predrill	290	3,6
014100 01/000	With predrill	330	4,5
SWC8.0X320	Without predrill	330	3,6
0,000,000,40	With predrill	350	4,5
SWC8.0X340	Without predrill	350	3,6
OWOO OVOCO	With predrill	370	4,5
SWC8.0X360	Without predrill	370	3,6
0.000 0.000	With predrill	390	4,5
SWC8.0X380	Without predrill	390	3,6
0,4,00,00,400	With predrill	410	4,5
SWC8.0X400	Without predrill	410	3,6

Product Reference	Predrilling	Minimum Thickness of the Panel t _{CLT,min}	Shear Capacity $R_{_{V,k}} = R_{_{V,X,k}} = R_{_{V,Y,k}}$ [kN] – Screws at 90°
CWC10 0V100	With predrill	110	6,2
SWC10.0X100	Without predrill	110	3,9
CWC10 0V100	With predrill	130	6,4
SWC10.0X120	Without predrill	130	4,5
CWC10 0V140	With predrill	160	6,4
SWC10.0X140	Without predrill	160	4,7
0111040 01/400	With predrill	170	6,4
SWC10.0X160	Without predrill	170	5,0
0111040 01/400	With predrill	190	6,4
SWC10.0X180	Without predrill	190	5,0
0111010 011000	With predrill	210	6,4
SWC10.0X200	Without predrill	210	5,0
0111040 01/000	With predrill	230	6,4
SWC10.0X220	Without predrill	230	5,0
0111010 011010	With predrill	250	6,4
SWC10.0X240	Without predrill	250	5,0
	With predrill	270	6,4
SWC10.0X260	Without predrill	270	5,0
0111040 01/000	With predrill	290	6,4
SWC10.0X280	Without predrill	290	5,0
0111040 01/000	With predrill	310	6,4
SWC10.0X300	Without predrill	310	5,0
0111040 01/000	With predrill	330	6,4
SWC10.0X320	Without predrill	330	5,0
CWC10 0V040	With predrill	350	6,4
SWC10.0X340	Without predrill	350	5,0
CWC10 0V200	With predrill	370	6,4
SWC10.0X360	Without predrill	370	5,0
CWC10 0V000	With predrill	390	6,4
SWC10.0X380	Without predrill	390	5,0
CWC10 0V400	With predrill	410	6,4
SWC10.0X400	Without predrill	410	5,0






SIMPSON Strong-Tie

SWW - Washer-Head Screw

The SWW washer head screw can be used when high head-pull thorugh resistance is needed. The washer head pulls the wood members together and creates a firm assembly.

Advantages:

- High head-pull through resistance
- Pulls the wood members together
- No pre-drilling required





CLT Floor to CLT Floor (in plane connection)



SWW - Range Overview

	Dimensions [mm]					
Product Reference	d	I	l _g	d _h	d _i	t _{fix}
SWW6.0xl	6,0	60 - 300	42 - 70	14	3,9	18 - 230
SWW8.0xl	8,0	80 - 400	50 - 80	22	5,2	30 - 320
SWW10.0xℓ	10,0	100 - 400	50 - 80	25	6,2	50 - 320

SWW – Half-Lap Connection – Screws at 90° CLT to CLT $\rho_{\rm k}$ = 350 kg/m³

Product Reference	Predrilling	Minimum Thickness of the Panel t _{CLT,min}	Shear Capacity $R_{v,k} = R_{v,X,k} = R_{v,Y,k} \text{ [kN]} \\ - \text{Screws at } 90^{\circ}$
SWW6.0X80	With predrill	100	2,9
30000.0000	Without predrill	100	2,3
SWW6.0X90	With predrill	100	2,9
3WW0.0X90	Without predrill	100	2,5
SWW6.0X100	With predrill	110	2,9
30000.00100	Without predrill	110	2,5
SWW6.0X120	With predrill	130	2,9
5W WO.UX12U	Without predrill	130	2,5
SWW6.0X140	With predrill	150	2,9
5WW6.0X140	Without predrill	150	2,5
SWW6.0X160	With predrill	170	2,9
300 000.000	Without predrill	170	2,5

Product Reference	Predrilling	Minimum Thickness of the Panel t _{CLT,min}	Shear Capacity $R_{v,k} = R_{v,X,k} = R_{v,Y,k} \text{ [kN]}$ - Screws at 90°
SWW6.0X180	With predrill	190	2,9
3W WO.UX100	Without predrill	190	2,5
SWW6.0X200	With predrill	210	2,9
3WW0.0X200	Without predrill	210	2,5
SWW6.0X220	With predrill	230	2,9
3WW0.0X220	Without predrill	230	2,5
SWW6.0X240	With predrill	250	2,9
3WW0.0X240	Without predrill	250	2,5
SWW6.0X260	With predrill	270	2,9
3WW0.0X200	Without predrill	270	2,5
SWW6.0X280	With predrill	290	2,9
300 000.00200	Without predrill	290	2,5
SWW6.0X300	With predrill	310	2,9
300000.0000	Without predrill	310	2,5

Table continues on next page.


C-CLT-EU-2023 @2023 SIMPSON STRONG-TIE COMPANY INC.



SWW – Half-Lap Connection – Screws at 90° CLT to CLT $\rho_{\rm k}$ = 350 kg/m³ (cont.)

Product Reference	Predrilling	Minimum Thickness of the Panel t _{CLT,min}	Shear Capacity $R_{v,k} = R_{v,X,k} = R_{v,Y,k} \text{ [kN]} \\ - \text{Screws at } 90^{\circ}$
	With predrill	100	4,6
SWW8.0X80	Without predrill	100	3,3
014/14/0 01/00	With predrill	100	5,1
SWW8.0X90	Without predrill	100	3,6
0M/M0 0V400	With predrill	110	5,1
SWW8.0X100	Without predrill	110	3,8
0.0000000000000000000000000000000000000	With predrill	160	5,1
SWW8.0X120	Without predrill	160	3,8
CW/WO OV4 40	With predrill	160	5,1
SWW8.0X140	Without predrill	160	4,2
01411410 01/400	With predrill	170	5,1
SWW8.0X160	Without predrill	170	4,2
014/14/0 01/400	With predrill	190	5,1
SWW8.0X180	Without predrill	190	4,2
014/14/0 01/000	With predrill	210	5,1
SWW8.0X200	Without predrill	210	4,2
014/14/0 01/000	With predrill	230	5,1
SWW8.0X220	Without predrill	230	4,2
014/14/0 01/040	With predrill	250	5,1
SWW8.0X240	Without predrill	250	4,2
014/14/0 01/000	With predrill	270	5,1
SWW8.0X260	Without predrill	270	4,2
014/14/0 01/000	With predrill	290	5,1
SWW8.0X280	Without predrill	290	4,2
014/14/0 01/000	With predrill	310	5,1
SWW8.0X300	Without predrill	310	4,2
014/14/0 01/000	With predrill	330	5,1
SWW8.0X320	Without predrill	330	4,2
014/14/0 01/0 40	With predrill	350	5,1
SWW8.0X340	Without predrill	350	4,2
01411410 01/005	With predrill	370	5,1
SWW8.0X360	Without predrill	370	4,2
014/14/0	With predrill	390	5,1
SWW8.0X380	Without predrill	390	4,2
01411410 01/105	With predrill	410	5,1
SWW8.0X400	Without predrill	410	4,2

Product Reference	Predrilling	Minimum Thickness of the Panel t _{CLT,min}	Shear Capacity $R_{v,k} = R_{v,X,k} = R_{v,Y,k} \text{ [kN]} \\ - \text{Screws at } 90^{\circ}$
CW/W10 0V100	With predrill	110	6,9
SWW10.0X100	Without predrill	110	4,6
CMM40 0V400	With predrill	130	7,0
SWW10.0X120	Without predrill	130	5,1
01411410 01/140	With predrill	160	7,1
SWW10.0X140	Without predrill	160	5,5
01411440 014400	With predrill	170	7,1
SWW10.0X160	Without predrill	170	5,7
01111110 011100	With predrill	190	7,1
SWW10.0X180	Without predrill	190	5,7
01111110 011000	With predrill	210	7,1
SWW10.0X200	Without predrill	210	5,7
01411440 014000	With predrill	230	7,1
SWW10.0X220	Without predrill	230	5,7
01111110 011010	With predrill	250	7,1
SWW10.0X240	Without predrill	250	5,7
01111110 011000	With predrill	270	7,1
SWW10.0X260	Without predrill	270	5,7
014114140 01/000	With predrill	290	7,1
SWW10.0X280	Without predrill	290	5,7
01411440 014000	With predrill	310	7,1
SWW10.0X300	Without predrill	310	5,7
01411440 014000	With predrill	330	7,1
SWW10.0X320	Without predrill	330	5,7
014114140 01/040	With predrill	350	7,1
SWW10.0X340	Without predrill	350	5,7
0/4//4/4 0//000	With predrill	370	7,1
SWW10.0X360	Without predrill	370	5,7
0/4//40 0/000	With predrill	390	7,1
SWW10.0X380	Without predrill	390	5,7
CWWHO OVAGO	With predrill	410	7,1
SWW10.0X400	Without predrill	410	5,7





Minimum Distances for Screws CLT Half-Lap Connection

TTUFS

Dimensions	a _{3,c}
4.5xℓ	27
5.0xℓ	30
6.0xℓ	36


Valid for both pre-drilled and non pre-drilled

SWW

Dimensions	$\mathbf{a}_{\scriptscriptstyle 3,c}$
6.0xl	36
8.0xl	48
10.0xℓ	60

SWC

Dimensions	a _{3,c}
6.0xl	36
8.0xl	48
10.0xl	60



Recommended max. Pre-Drill Hole Diameter Wood

Factorian	Fastener diameter d								
Fastener	Ø4,5	Ø5,0	Ø6,0	Ø6,5	Ø8,0	Ø10,0	Ø12,0		
TTUFS	Ø2,5	Ø3,0	Ø3,5	-	-	-	-		
SWW	-	-	Ø3,5	-	Ø5,0	Ø6,0	-		
SWC	-	-	Ø3,5	-	Ø5,0	Ø6,0	-		
SWD	-	-	-	Ø3,5	Ø5,0	-	-		
ESCRFTZ	-	-	Ø3,5	-	Ø5,0	Ø6,0	Ø6,5		


Minimum Distances for Screws Half-Lap Connection – 45° Cross Pairs

SWD

Product Reference	a _{1,red}	a _{3,c}
6.5xl	10	39
8.0xl	12	48


ESCRFTZ


Product Reference	a _{1,red}	a _{3,c}
8.0xl	12	48
10.0xℓ	15	60



SIMPSON Strong-Tie

Butt-joints are often employed as this form of CLT panel requires a simpler manufacturing process. The panels are pulled together using fully or double threaded structural screws which can also be installed in cross pairs for even greater load capacities.





t_{clt}


SIMPSON Strong-Tie

SWD - Double Threaded Screw

SWD is a double threaded structural screw designed to connect CLT and mass timber wood members. The screws are suitable for inclined installations and can be installed as a cross pair to take loads in two directions.

Advantages:

- Double threaded, pulls the two wood members together
- Small cylinder head for allowing hidden assemblies
- Can be installed in cross pair to take loads in two directions
- No pre-drilling required





CLT Floor to CLT Floor (in plane connection)




SWD - Range Overview

Product	Dimensions [mm]					
Reference	d	I.	I _{g1}	l _{g2}	d _h	d _i
SWD6.5xℓ	6,5	65-220	40-95	33,5-88,5	8	4,0
SWD8.0xℓ	8,0	90-330	40-95	31,5-86,5	10	5,4

SWD - Butt-Joint Connection -

Per Pair $R_{_{v,X,k}}$ [kN] = min (R_{_{w,k,pair}} ; R_buck,k,pair) – 45° Cross Pair CLT to CLT ρ_k = 350 kg/m³

Product Reference	Minimum Thickness of the Panel t _{CLT,min}	Insertion distance m _i	$ \begin{array}{c c} \textbf{Shear Characteristic Capacity per Pair} \\ R_{v,k} \ [kN] - \textbf{Cross Pairs of Screws} \\ R_{v,k,pair} \ [kN] = \min \left(R_{w,k,pair} \; ; \; R_{buck,k} \right) \\ R_{w,k,pair} \ \; R_{buck,k,pair} \ \; (Compression) \\ \end{array} $		
SWD6.5X90	69	32	2,8	1,39 + 5,51 /k _{mod}	
SWD6.5X130	97	46	2,8	1,39 + 5,51 /k _{mod}	
SWD6.5X160	118	57	4,9	2,43 + 5,51 /k _{mod}	
SWD6.5X190	139	67	6,1	3,05 + 5,51 /k _{mod}	
SWD6.5X220	161	78	7,4	3,67 + 5,51 /k _{mod}	
SWD8.0X90	69	32	3,1	1,54 + 10,22 /k _{mod}	
SWD8.0X130	97	46	3,1	1,54 + 10,22 /k _{mod}	
SWD8.0X160	118	57	5,5	2,76 + 10,22 /k _{mod}	
SWD8.0X190	139	67	7,0	3,49 + 10,22 /k _{mod}	
SWD8.0X220	161	78	8,5	4,22 + 10,22 /k _{mod}	
SWD8.0X245	178	87	9,7	4,84 + 10,22 /k _{mod}	
SWD8.0X275	199	97	9,7	4,84 + 10,22 /k _{mod}	
SWD8.0X300	217	106	12,4	6,18 + 10,22 /k _{mod}	
SWD8.0X330	238	117	12,4	6,18 + 10,22 /k _{mod}	





SIMPSON Strong-Tie

SWD – Butt-Joint Connection with Angled 2x45° Cross Pairs – Per Pair R $_{_{v,X,k}}$ [kN] = min (R $_{_{w,k,pair}}$; R $_{_{buck,k,pair}}$) CLT to CLT ρ_k = 350 kg/m 3

Product Reference	Minimum Thickness of the Panel t _{CLT,min}	Insertion distance m _i	$ \begin{array}{c c} Characteristic Capacity \\ (R_{v,X,k} = R_{v,Z,k} = R_{ax,k}) - CLT \\ R_{v,k,pair} [kN] = min \ (R_{w,k,pair} \ ; \ R_{buck,k}) \\ R_{w,k,pair} & R_{buck,k,pair} \\ (Tension) & (Compression) \end{array} $		
SWD6.5x90	104	32	3,94	1,96 + 5,51 /k _{mod}	
SWD6.5x130	104	46	3,94	1,96 + 5,51 /k _{mod}	
SWD6.5x160	126	57	6,87	3,43 + 5,51 /k _{mod}	
SWD6.5x190	147	67	8,64	4,31 + 5,51 /k _{mod}	
SWD6.5x220	168	78	10,40	5,19 + 5,51 /k _{mod}	
SWD8x90	128	32	4,36	2,17 + 10,22 /k _{mod}	
SWD8x130	128	46	4,36	2,17 + 10,22 /k _{mod}	
SWD8x160	128	57	7,81	3,9 + 10,22 /k _{mod}	
SWD8x190	147	67	9,89	4,94 + 10,22 /k _{mod}	
SWD8x220	168	78	11,96	5,98 + 10,22 /k _{mod}	
SWD8x245	186	87	13,69	6,84 + 10,22 /k _{mod}	
SWD8x275	207	97	13,69	6,84 + 10,22 /k _{mod}	
SWD8x300	225	106	17,49	8,74 + 10,22 /k _{mod}	
SWD8x330	246	117	17,49	8,74 + 10,22 /k _{mod}	

Characteristic parameters of fasteners and more information are included in chapter 10.








C-CLT-EU-2023 @2023 SIMPSON STRONG-TIE COMPANY INC.

The structural guide
GSCREW4560 can be used
to ensure the correct angle
during installation



C-CLT-EU-2023 @2023 SIMPSON STRONG-TIE COMPANY INC.

Butt-Joint




ESCRFTZ – Fully Threaded Cylinder-Head Screw


The fully threaded ESCRFTZ screws are designed for CLT and glulam constructions, the screw is approved to be used for reinforcement applications and are suitable for inclined installations. By installing a cross pair the connection can take loads in several directions.

Advantages:

- Fully threaded
- Small cylinder head for hidden assemblies
- No pre-drilling required









ESCRFTZ - Range Overview

Product	Product Dimensions [mm]				
Reference	d	I	l _g	d _h	d _i
ESCRFTZ8.0xl	8,0	120 - 400	110 - 390	10,2	5,2

 $\begin{array}{l} \text{ESCRFTZ} - \text{Butt-Joint Connection} - \\ \text{Per Pair R}_{_{\text{V,X,k}}}\left[\text{kN}\right] = \text{min } \left(\text{R}_{_{\text{W,k,pair}}}; \, \text{R}_{_{\text{buck,k,pair}}}\right) - \\ \text{45° Cross Pair CLT to CLT } \rho_{_{k}} = 350 \text{ kg/m}^3 \end{array}$

Product Reference	Minimum Thickness of the Panel	Insertion distance	Shear Characteristic Capacity per $P_{v,k}$ [kN] – Cross Pairs of Screws $P_{v,k,pair}$ [kN] = min $(P_{v,k,pair}; P_{buck,k})$	
	t _{CLT,min}	m _i	R _{w,k,pair} (Tension)	R _{buck,k,pair} (Compression)
ESCRFTZ8.0X120	90	42	4,4	$2,2 + 9,23 / k_{mod}$
ESCRFTZ8.0X140	104	49	5,4	$2,68 + 9,23 / k_{mod}$
ESCRFTZ8.0X160	118	57	6,4	3,17 + 9,23 /k _{mod}
ESCRFTZ8.0X180	132	64	7,3	3,66 + 9,23 /k _{mod}
ESCRFTZ8.0X200	146	71	8,3	4,15 + 9,23 /k _{mod}
ESCRFTZ8.0X220	161	78	9,3	4,64 + 9,23 /k _{mod}
ESCRFTZ8.0X240	175	85	10,3	5,13 + 9,23 /k _{mod}
ESCRFTZ8.0X260	189	92	11,2	5,62 + 9,23 /k _{mod}
ESCRFTZ8.0X280	203	99	12,2	6,11 + 9,23 /k _{mod}
ESCRFTZ8.0X300	217	106	13,2	6,6 + 9,23 /k _{mod}
ESCRFTZ8.0X350	252	124	15,6	$7,82 + 9,23 / k_{mod}$
ESCRFTZ8.0X400	288	141	18,1	9,04 + 9,23 /k _{mod}







Butt-Joint





 $\begin{array}{l} \text{ESCRFTZ} - \text{Butt-Joint Connection} \\ \text{with Angled 2x45° Cross Pairs} - \\ \text{Per Pair R}_{_{\text{V,X,k}}}\left[\text{kN}\right] = \text{min (R}_{_{\text{W,k,pair}}}; \, \text{R}_{_{\text{buck,k,pair}}} \\ \text{CLT to CLT } \rho_{_{k}} = 350 \text{ kg/m}^{_{3}} \end{array}$

Product Reference	Minimum Thickness of the Panel t _{CLT,min}	Insertion distance m _i	$ \begin{array}{c c} \text{Characteristic Capacity} \\ (R_{_{v,X,k}} = R_{_{v,Z,k}} = R_{_{ax,k}}) - \text{CLT} \\ \\ R_{_{v,k,pair}} \left[\text{[kN]} = \min \left(R_{_{w,k,pair}} ; R_{_{buck,k,pair}} \right. \right. \\ R_{_{w,k,pair}} \left(\text{Tension} \right) \end{array} $	
ESCRFTZ8.0X120	128	30	6,22	3,11 + 9,23 /k _{mod}
ESCRFTZ8.0X140	128	35	7,61	3,8 + 9,23 /k _{mod}
ESCRFTZ8.0X160	128	40	8,99	4,49 + 9,23 /k _{mod}
ESCRFTZ8.0X180	140	45	10,37	5,18 + 9,23 /k _{mod}
ESCRFTZ8.0X200	154	50	11,75	$5,87 + 9,23 / k_{mod}$
ESCRFTZ8.0X220	168	55	13,14	$6,56 + 9,23 / k_{mod}$
ESCRFTZ8.0X240	182	60	14,52	$7,25 + 9,23 / k_{mod}$
ESCRFTZ8.0X260	196	65	15,90	7,95 + 9,23 /k _{mod}
ESCRFTZ8.0X280	210	70	17,29	$8,64 + 9,23 / k_{mod}$
ESCRFTZ8.0X300	225	75	18,67	9,33 + 9,23 /k _{mod}
ESCRFTZ8.0X350	260	88	22,13	11,06 + 9,23 /k _{mod}
ESCRFTZ8.0X400	295	100	25,58	12,79 + 9,23 /k _{mod}













CLT Wall to CLT Wall (in plane connection) Solutions




Tension Plates and Anchor Plates

(direct wall panel contact)

Product Options:

NPB60400 see page 145 NPB100540 see page 145 NPB140540 see page 145 NPB255 see page 146 Where a CLT panel is connected to the edge of another vertically adjoining panel, this combination sees the tension plate providing uplift resistance, while the anchor plates handle shear forces.




Anchor Plates

(direct wall panel contact)

Product Options:

NPB255 see page 148

Here the tension plates are replaced with more anchor plates to accommodate uplift and shear forces placed on vertically adjoining CLT panels.




Tension Plates and Anchor Plates

(with intermediate horizontal layer)

Product Options:

NPB255SO see page 150 NPB100540 see page 151 NPB140540 see page 151 Where two vertical CLT panels are connected via an intermediate CLT floor panels' flush edge, this combination sees the tension plate providing uplift resistance, while the anchor plates handle shear forces.




Anchor Plates

(with intermediate horizontal layer)

Product Options:

NPB255SO see page 153

Where two vertical CLT panels are connected via an intermediate CLT floor panels' flush edge, the tension plates are replaced with more anchor plates to accommodate uplift and shear forces.



Hold Downs

(with intermediate horizontal layer)

Product Options:

HTT

see page 155

Where two vertical CLT panels are intersected by a horizontal floor layer, the use of hold downs installed in pairs with a single rod connecting through the floor panel provides excellent performance characteristics.



CLT Wall to CLT Wall (in plane connection)


Tension Plates and Anchor Plates




Where a CLT panel is connected to the edge of another vertically adjoining panel, this combination sees the tension plate providing uplift resistance, while the anchor plates handle shear forces.



Items Required





Timber Fasteners

Tension Plates and Anchor Plates



NPB - Tension Plate

A 3 mm thick plate with various fastener pattern options, the NPB is an excellent method for connecting CLT walls to CLT walls that meet along the same plane, including across intermediate timber layers. This variant of the NPB is able to resist very high uplift forces.

Advantages:

- · Very high uplift capacity
- Fast and simple connection between CLT and concrete along the same plane
- Variety of fixing and fastening options to suit the required balance of installation time and load capacity







Dimensions


Model No.	1	Dimensions [mm]	Qty Holes		
Model No.	A	В	t	Screws or Nails	Bolts/Anchors	
NPB60400	60	400	2,0	49 Ø5	1 Ø13	
NPB100540	100	540	3,0	54 Ø5	2 Ø14 + 2 Ø17	
NPB140540	140	540	3,0	72 Ø5	4 Ø17	

Characteristic Capacity and Slip Modulus – CLT to CLT – 1 Tension Plate

Model No.	Fasteners		Characteristic Values [kN]	Slip Modulus [kN/mm]
woder No.	Upper Part	Bottom Part	Tensile R _{1,k}	Tensile k _{ser,R1,k}
	20 CNA4.0x50	19 CNA4.0x50	min (44,0 ; 26,7/k _{mod})	3,5
NPB60400	20 CNA4.0x60	19 CNA4.0x60	min (48,0 ; 26,7/k _{mod})	3,5
	20 CSA5.0x50	19 CSA5.0x50	min (52,6; 26,7/k _{mod})	7,6
	26 CNA4.0x50	28 CNA4.0x50	min (57,2 ; 71,3/k _{mod})	6,0
NPB100540	26 CNA4.0x60	28 CNA4.0x60	min (62,4 ; 71,3/k _{mod})	6,4
	26 CSA5.0x50	28 CSA5.0x50	min (68,3; 71,3/k _{mod})	15,6
	37 CNA4.0x50	36 CNA4.0x50	min (81,4; 102,5/k _{mod})	8,3
NPB140540	37 CNA4.0x60	36 CNA4.0x60	min (88,8 ; 102,5/k _{mod})	8,9
	37 CSA5.0x50	367 CSA5.0x50	min (97,3 ; 102,5/k _{mod})	9,9







CLT Wall to CLT Wall (in plane connection)

Tension Plates and Anchor Plates




NPB - Anchor Plate

A 3 mm thick plate with various fastener pattern options, the NPB255 is an excellent method for connecting CLT walls to CLT walls that meet along the same plane, as it can provide high load capacities in terms of shear and uplift forces.

Advantages:

- High shear and uplift capacity
- Fast and simple connection between CLT and concrete along the same plane







Dimensions


Model No	Model No.]	Qty Holes	
WIOGET NO.	А	В	t	Screws or Nails	Bolts/Anchors
NPB255	214	255	3,0	93 Ø5	6 Ø14



Madal Na	Faste	eners	Characteristic Values [kN]	Slip Modulus [kN/mm]			
Model No.	Upper Part	Bottom Part Shear R _{2,k}		Shear k _{ser,R2,k}			
	30 CNA4.0x50	31 CNA4.0x50	33,9	2,4			
NPB255	30 CNA4.0x60	31 CNA4.0x60	36,1	2,6			
	30 CSA5.0x50	31 CSA5.0x50	40,2	2,9			










Here the tension plates are replaced with more anchor plates to accommodate uplift and shear forces placed on vertically adjoining CLT panels.




Items Required

Anchor Plate - Shear and Uplift Restraint NPB



NPB255





CLT Wall to CLT Wall (in plane connection)

Anchor Plates


SIMPSON Strong-Tie

NPB – Anchor Plate

A 3 mm thick plate with various fastener pattern options, the NPB255 is an excellent method for connecting CLT walls to CLT walls that meet along the same plane, as it can provide high load capacities in terms of shear and uplift forces.

Advantages:

- High shear and uplift capacity
- Fast and simple connection between CLT and concrete along the same plane





Dimensions

CLT Wall to CLT Wall (in plane connection)


Model No.		Dimensions [mm]	Qty Holes	
WOOD INO.	А	В	t	Screws or Nails	Bolts/Anchors
NPB255	214	255	3,0	93 Ø5	6 Ø14


Characteristic Capacity and Slip Modulus -CLT to CLT - 1 Anchor Plate

Model No.	Faste	eners	Characteristi	c Values [kN]	Slip Modulus [kN/mm]	
	Upper Part	Bottom Part	Tensile R _{1,k}	Shear R _{2,k}	Tensile k _{ser,R1,k}	Shear k _{ser,R2,k}
NPB255	30 CNA4.0x50	31 CNA4.0x50	66,6	33,9	7,0	2,4
	30 CNA4.0x60	31 CNA4.0x60	70,8	36,1	7,4	2,6
	30 CSA5.0x50	31 CSA5.0x50	78,9	40,2	8,2	2,9

Angle brackets take uplift and shear loads at the same time. It means that interaction between both load direction should be considered using this equation:

$$\left(\frac{F_{1,d}}{R_{1,d}}\right)^2 + \left(\frac{F_{2/3,d}}{R_{2/3,d}}\right)^2 \le 1$$







Tension Plates and Anchor Plates




Where two vertical CLT panels are connected via an intermediate CLT floor panels' flush edge, this combination sees the tension plate providing uplift resistance, while the anchor plates handle shear forces.









Tension Plates and Anchor Plates




NPB – Anchor Plate

A 3 mm thick plate with various fastener pattern options, the NPB255SO is an excellent method for connecting CLT walls to CLR walls that meet along the same plane via an 80 mm thick intermediate timber layer, as it can provide high load capacities in terms of shear and uplift forces. The face of the NPB255SO is marked with a guide to ensure fasteners are always installed with a minimum edge distance maintained.

Advantages:

- · High shear and uplift capacity
- Fast and simple connection between CLT and concrete along the same plane







Dimensions


Model No	Model No.]	Qty Holes	
Model No.	A	В	t	Screws or Nails	Bolts/Anchors
NPB255S0	294	255	3,0	97 Ø5	6 Ø14

Characteristic Capacity and Slip Modulus – CLT to CLT – 1 Anchor Plate

Fasteners Model No. Upper Part Bottom Pa	Faste	eners	Characteristic Values [kN]	Slip Modulus [kN/mm]			
	Bottom Part	Shear R _{2,k}	Shear k _{ser,R2,k}				
	30 CNA4.0x50	31 CNA4.0x50	25,0	2,3			
NPB255S0	30 CNA4.0x60	31 CNA4.0x60	26,6	2,4			
	30 CSA5.0x50	31 CSA5.0x50	29,7	5,9			







CLT Wall to CLT Wall (in plane connection)

SIMPSON Strong-Tie

NPB - Tension Plate

A 3 mm thick plate with various fastener pattern options, the NPB is an excellent method for connecting CLT walls to CLT walls that meet along the same plane, including across intermediate timber layers. This variant of the NPB is able to resist very high uplift forces.

Advantages:

- · Very high uplift capacity
- Fast and simple connection between CLT and concrete along the same plane
- Variety of fixing and fastening options to suit the required balance of installation time and load capacity







Dimensions


Model No.	Dimensions [mm]			Qty Holes		
	А	В	t	Screws or Nails	Bolts/Anchors	
NPB100540	100	540	3,0	54 Ø5	2 Ø14 + 2 Ø17	
NPB140540	140	540	3,0	72 Ø5	4 Ø17	



MadalNa	Faste	eners	Characteristic Values [kN]	Slip Modulus [kN/mm]
Model No. Upper Part Bottom Part		Tensile R _{1,k} *)	Tensile k _{ser,R1,k}	
	26 CNA4.0x50	28 CNA4.0x50	min (57,2; 71,3/k _{mod})	6,0
NPB100540	26 CNA4.0x60	28 CNA4.0x60	min (62,4 ; 71,3/k _{mod})	6,4
	26 CSA5.0x50	28 CSA5.0x50	min (68,3; 71,3/k _{mod})	15,6
	37 CNA4.0x50	36 CNA4.0x50	min (81,4; 102,5/k _{mod})	8,3
NPB140540	37 CNA4.0x60	36 CNA4.0x60	min (88,8 ; 102,5/k _{mod})	8,9
	37 CSA5.0x50	367 CSA5.0x50	min (97,3; 102,5/k _{mod})	9,9











C-CLT-EU-2023 @2023 SIMPSON STRONG-TIE COMPANY INC.


Where two vertical CLT panels are connected via an intermediate CLT floor panels' flush edge, the tension plates are replaced with more anchor plates to accommodate uplift and shear forces.



Items Required









CLT Wall to CLT Wall (in plane connection)

Anchor Plates




NPB – Anchor Plate

A 3 mm thick plate with various fastener pattern options, the NPB255SO is an excellent method for connecting CLT walls to CLR walls that meet along the same plane via an 80 mm thick intermediate timber layer, as it can provide high load capacities in terms of shear and uplift forces. The face of the NPB255SO is marked with a guide to ensure fasteners are always installed with a minimum edge distance maintained.

Advantages:

- · High shear and uplift capacity
- Fast and simple connection between CLT and concrete along the same plane






Dimensions


C-CLT-EU-2023 @2023 SIMPSON STRONG-TIE COMPANY INC.


Model No.	Dimensions [mm]	Qty Holes		
WOOD INO.	A	В	t	Screws or Nails	Bolts/Anchors
NPB255S0	294	255	3,0	97 Ø5	6 Ø14

Characteristic Capacity and Slip Modulus – CLT to CLT – 1 Anchor Plate

Model No.	Fasteners		Characteristic Values [kN]		Slip Modulus [kN/mm]		
	Upper Part	Bottom Part	Tensile R _{1,k}	Shear R _{2,k}	Tensile k _{ser,R1,k}	Shear k _{ser,R2,k}	
NPB255S0	30 CNA4.0x50	31 CNA4.0x50	66,6	25,0	7,0	2,3	
	30 CNA4.0x60	31 CNA4.0x60	70,8	26,6	7,4	2,4	
	30 CSA5.0x50	31 CSA5.0x50	78,9	29,7	18,0	5,9	








Hold Downs




C-CLT-EU-2023 @2023 SIMPSON STRONG-TIE COMPANY INC.

Where two vertical CLT panels are intersected by a horizontal floor layer, the use of hold downs installed in pairs with a single rod connecting through the floor panel provides excellent performance characteristics.







SIMPSON Strong-Tie

HTT - Heavy Duty Hold Down

In situations where upper and lower storey walls require a connection that can cross a vertical floor panel, the HTT hold down can be used in opposing pairs, with a threaded rod connecting them via the floor. This configuration can support extremely high uplift loads.

Advantages:

- · Very high uplift capacity
- · Can be installed via a CLT floor
- Choice of three HTT configurations to achieve the optimal balance of installation time and load capacity






Dimensions


C-CLT-EU-2023 @2023 SIMPSON STRONG-TIE COMPANY INC.


Medal No		Dimensio	ons [mm]		Qty Holes Flange A Screws or Nails Bolts/Anchors 26 Ø4.7 - 31 Ø5 3 Ø21 41 Ø5 6 Ø21		Qty Holes Flange B
Model No.	А	В	С	t	Screws or Nails	Bolts/Anchors	Bolts
HTT5	404	62	90	2,8	26 Ø4.7	-	1 Ø17.5
HTT22E	558	60	63	3,0	31 Ø5	3 Ø21	1 Ø18
HTT31	785	60	90	3,0	41 Ø5	6 Ø21	1 Ø26

Characteristic Capacity and Slip Modulus – CLT to CLT – 1 Hold Down

MadalNa	Fasteners		Characteristic Values [kN]	Slip Modulus [kN/mm]
Model No.	Flange A CLT	Flange B CLT	Tensile R _{1,k}	Tensile k _{ser,1,k}
HTT5	26 CNA4.0x50	1 Ø16	24,7	2,2
ппо	26 CNA4.0x60	1 Ø16	31,0	2,6
	29 CNA4.0x50 + 5 CSA5.0x50	1 Ø16	min (67,1; 57,5/k _{mod})	6,1
HTT22F	29 CNA4.0x60 + 5 CSA5.0x50	1 Ø16	min (73,2; 57,5/k _{mod})	6,8
HIIZZE	34 CSA5.0x50	1 Ø16	min (80,2; 57,5/k _{mod})	8,3
	34 CSA5.0x80	1 Ø16	min (106,7; 57,5/k _{mod})	8,4
	41 CNA4.0x50 + 4 CSA5.0x50	1 Ø24	min (85,7; 85,1/k _{mod})	-
HTT31	41 CNA4.0x60 + 4 CSA5.0x50	1 Ø24	min (85,7; 85,1/k _{mod})	-
111131	45 CSA5.0x50	1 Ø24	min (85,7; 85,1/k _{mod})	24,3
	45 CSA5.0x50	1 Ø24	min (85,7; 85,1/k _{mod})	24,3









C-CLT-EU-2023 @2023 SIMPSON STRONG-TIE COMPANY INC.

CLT Floor to CLT Wall Solutions




Structural Screws -

Timber Wall Plate

Product Options:

TTUFS see page 159
SWW see page 161
SWC see page 164
SWD see page 167
ESCRFTZ see page 168

By fastening a timber wall plate to the vertical panel, the floor can be suspended temporarily, allowing work to continue. This solution also provides good fire resistance properties.



Structural Screws -

Steel Wall Profile

Product Options:

SSH see page 171 SWC see page 175 Similar to a timber wall plate, steel wall profiles also allow the floor to be suspended while work continues, with the additional benefit of a higher load capacity once fully installed.




Structural Screws -

Direct Panel Connection

Product Options:


SWD see page 180

For areas such as ceilings and corners where additional timber plates are not desired, structural screws can be used to fasten the wall panel directly into the suspended floor.





By fastening a timber wall plate to the vertical panel, the floor can be suspended temporarily, allowing work to continue. This solution also provides good fire resistance properties.





C-CLT-EU-2023 @2023 SIMPSON STRONG-TIE COMPANY INC.

Structural Screws - Timber Wall Plate



TTUFS - Countersunk Screw


TTUFS is a countersunk wood screw available in a variety of dimensions, the deep 6-lobe recess provides a good control during installation. The countersunk head allows a flush finish after installation and are suitable for thinner timber wall plates.

Advantages:

- Countersunk head allowing a flush finish
- Milling thread to reduce the drive-in torque
- No pre-drilling required








TTUFS - Range Overview


	,					
Product			Dimensio	ons [mm]		
Reference	d	I	l _g	d _h	d _i	t _{fix}
TTUFS 6.0xℓ	6,0	40-180	34-70	11,6	3,7	6-110

Solid-Timber (C24) Wall-Plate to CLT Panel - TTUFS Screws at 90°

Product Reference	Thread Length	Max Advised Wood		Tensio	n Capa	icity R _a	_{x,k} Shea	ar Capa					hickne:		e Wall-	-Plate [kN] – S	Screws	at 90°	
	L _g [mm]	Thickness t _{wp} [mm]		6	4	5	5	0	6	0	6	3	7	0	7	5	8	0	10	00
TTUFS5.0X80	40	40	1,54	1,94 1,64	1,54	1,94 1,64	-	-	-	-	-	-	_	-	-	-	-	-	-	-
TTUFS5.0X90	45	45	1,54	1,94 1,64	1,54	1,94 1,64	1,54	1,94 1,64	-	-	-	-	_	-	-	-	-	-	-	-
TTUFS5.0X100	60	40	1,54	1,94 1,64	1,54	1,94 1,64	-	-	-	-	-	-	_	-	-	-	-	-	-	-
TTUFS5.0X120	60	60	1,54	1,94 1,64	1,54	1,94 1,64	1,54	1,94 1,64	1,54	1,94 1,64	1,54	1,94 1,64	-	-	-	-	-	-	-	-

Table continues on next page.










Solid-Timber (C24) Wall-Plate to CLT Panel – TTUFS Screws at 90° (cont.)

	Thread	Max Advised		Tensio	n Capa	city R _a	_{x,k} Shea	ır Capa	city R _{v,}	_k Deper	nding o	n the T	hickne	ss of th	e Wall-	-Plate [kN] – S	crews	at 90°	
Product Reference	Length	Wood							V	Vall-Pla	te Thic	kness	t _{wp} [mn	1]						
	L _g [mm]	Thickness t _{wp} [mm]	3	6	4	5	5	0	6	60	6	3	7	0	7	5	8	0	10	00
TTUFS6.0X80	40	40	2,23	2,58 2.09	2,23	2,58 2,06	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TTUFS6.0X90	45	45	2,23	2,58	2,23	2,58	2,23	2,58	_	-	_	-	_	-	_	-	_	-	_	-
TTUFS6.0X100	60	40	2,23	2,09	2,23	2,15 2,58	_	2,15	_	-	_	-	_	-	_	-	_	-	_	-
TTUFS6.0X120	70	50	2,23	2,09 2,58	2,23	2,15 2,58	2,23	2,58		-	_	-	_	-	_	-	_	-	_	-
				2,09	<u> </u>	2,15 2,58		2,15 2,58	0.00	- 2,58	0.00	- 2,58	0.00	- 2,58	0.00	2,58		-		-
TTUFS6.0X140	70	70	2,23	2,09	2,23	2,15	2,23	2,15	2,23	2,15	2,23	2,15	2,23	2,15	2,23	2,15	-	-	-	-
TTUFS6.0X160	70	90	2,23	2,58 2,09	2,23	2,58 2,15	2,23	2,58 2,15	2,23	2,58 2,15	2,23	2,58 2,15	2,23	2,58 2,15	2,23	2,58 2,15	2,23	2,58 2,15	1	-
TTUFS6.0X180	70	110	2,23	2,58 2,09	2,23	2,58 2,15	2,23	2,58 2,15	2,23	2,58 2,15	2,23	2,58 2,15	2,23	2,58 2,15	2,23	2,58 2,15	2,23	2,58 2,15	2,23	2,58 2,15

Characteristic parameters of fasteners and more information are included in chapter 10.







SWW - Washer-Head Screw


For connecting timber wall plate to a CLT wall the SWW screw can be used, the washer head increase the head-pull through resistance and pulls the two wood members together and creates a firm assembly.

Advantages:

- High head-pull through resistance
- Pulls the wood members together
- No pre-drilling required







SWW - Range Overview

Product			Dimensio	ons [mm]		
Reference	d	1	l _g	d _h	d _i	t _{fix}
SWW6.0xl	6,0	60 - 300	42 - 70	14	3,9	18 - 230
SWW8.0xl	8,0	80 - 400	50 - 80	22	5,2	30 - 320
SWW10.0xℓ	10,0	100 - 400	50 - 80	25	6,2	50 - 320

Solid-Timber (C24) Wall-Plate to CLT Panel – SWW Screws at 90°

Duaduak	Thread	Max Advised		Tensio	n Capa	acity R _a	_{x,k} Shea	ar Capa	city R _{v,}	_k Deper	nding o	n the T	hickne	ss of th	e Wall	-Plate [kN] – 9	Screws	at 90°	
Product Reference	Length	Wood Thickness							V	Vall-Pla	te Thic	kness	t _{wp} [mn	n]						
	L _g [mm]	t _{wp} [mm]	3	6	4	15	5	0	6	0	6	3	7	' 0	7	'5	8	0	10	00
SWW6.0X100	50	50	3,16	2,91 2,35	3,16	2,91 2,46	3,16	2,91 2,46	-	-	_	-	-	-	-	-	-	-	-	-
SWW6.0X120	50	70	3,16	2,91 2,35	3,16	2,91 2,46	3,16	2,91 2,46	3,16	2,91 2,46	3,16	2,91 2,46	3,16	2,91 2,46	3,16	2,91 2,46	_	-	-	-
SWW6.0X140	70	70	3,16	2,91 2,35	3,16	2,91 2,46	3,16	2,91 2,46	3,16	2,91 2.46	3,16	2,91 2,46	3,16	2,91 2,46	3,16	2,91 2,46	-	-	-	-
SWW6.0X160	70	90	3,16	2,91 2,35	3,16	2,91 2,46	3,16	2,91 2,46	3,16	2,91 2,46	3,16	2,91 2,46	3,16	2,91 2,46	3,16	2,91 2,46	3,16	2,91 2,46	_	-
SWW6.0X180	70	110	3,16	2,91 2,35	3,16	2,91 2,46	3,16	2,91 2,46	3,16	2,91 2,46	3,16	2,91 2,46	3,16	2,91 2,46	3,16	2,91 2,46	3,16	2,91 2,46	3,16	2,91 2,46
SWW6.0X200	70	130	3,16	2,91 2,35	3,16	2,91 2,46	3,16	2,91 2,46	3,16	2,91 2,46	3,16	2,91 2,46	3,16	2,91 2,46	3,16	2,91 2,46	3,16	2,91 2,46	3,16	2,91 2,46
SWW6.0X220	70	150	3,16	2,91 2,35	3,16	2,91 2,46	3,16	2,91 2,46	3,16	2,91 2,46	3,16	2,91 2,46	3,16	2,91 2,46	3,16	2,91 2,46	3,16	2,91 2,46	3,16	2,91 2,46
SWW6.0X240	70	170	3,16	2,91 2,35	3,16	2,91 2,46	3,16	2,91 2,46	3,16	2,91 2,46	3,16	2,91 2,46	3,16	2,91 2,46	3,16	2,91 2,46	3,16	2,91 2,46	3,16	2,91 2,46
SWW6.0X260	70	190	3,16	2,91 2,35	3,16	2,91 2,46	3,16	2,91 2,46	3,16	2,91 2,46	3,16	2,91 2,46	3,16	2,91 2,46	3,16	2,91 2,46	3,16	2,91 2,46	3,16	2,91 2,46
SWW6.0X280	70	210	3,16	2,91 2,35	3,16	2,91 2,46	3,16	2,91 2,46	3,16	2,91	3,16	2,91 2,46	3,16	2,91 2,46	3,16	2,91	3,16	2,91 2,46	3,16	2,91 2,46
SWW6.0X300	70	230	3,16	2,91 2,35	3,16	2,91 2,46	3,16	2,91 2,46	3,16	2,91 2,46	3,16	2,91 2,46	3,16	2,91 2,46	3,16	2,91	3,16	2,91 2,46	3,16	2,91

Table continues on next page.

CLT Floor to CLT Wall


SIMPSON Strong-Tie


Structural Screws - Timber Wall Plate

Solid-Timber (C24) Wall-Plate to CLT Panel – SWW Screws at 90° (cont.)

Product	Thread	Max Advised		Tensio	n Capa	acity R _a	_{x,k} Shea	ar Capa	city R _{v,}	_k Deper	nding o	n the T	hickne	ss of th	e Wall	-Plate [[kN] – S	Screws	at 90°	
Reference	Length	Wood							V	Vall-Pla	te Thic	kness	t _{wp} [mn	n]						
	L _g [mm]	Thickness t _{wp} [mm]	3	6	4	15	5	50	6	60	6	3	7	' 0	7	' 5	8	0	10	00
SWW8.0X100	50	50	5,04	4,63 3,49	5,04	5,06 3,76	5,04	5,06 3,81	-	-	-	-	-	-	-	-	_	-	-	-
SWW8.0X120	80	40	5,08	4,64 3,50	5,08	5,07 3,77	_	-	-	-	-	-	-	-	-	-	_	-	-	-
SWW8.0X140	80	60	5,08	4,64 3,50	5,08	5,07 3,77	5,08	5,07 3,94	5,08	5,07 4,17	5,08	5,07 4,17	-	-	-	-	_	-	-	-
SWW8.0X160	80	80	5,08	4,64 3,50	5,08	5,07 3,77	5,08	5,07 3,94	5,08	5,07 4,17	5,08	5,07 4,17	5,08	5,07 4,17	5,08	5,07 4,17	5,08	5,07 4,17	_	-
SWW8.0X180	80	100	5,08	4,64 3,50	5,08	5,07 3,77	5,08	5,07 3,94	5,08	5,07 4,17	5,08	5,07 4,17	5,08	5,07 4,17	5,08	5,07 4,17	5,08	5,07 4,17	5,08	5,07 4,17
SWW8.0X200	80	120	5,08	4,64 3,50	5,08	5,07 3,77	5,08	5,07 3,94	5,08	5,07 4,17	5,08	5,07 4,17	5,08	5,07 4,17	5,08	5,07 4,17	5,08	5,07 4,17	5,08	5,07 4,17
SWW8.0X220	80	140	5,08	4,64 3,50	5,08	5,07 3,77	5,08	5,07 3,94	5,08	5,07 4,17	5,08	5,07 4,17	5,08	5,07 4,17	5,08	5,07 4,17	5,08	5,07 4,17	5,08	5,07 4,17
SWW8.0X240	80	160	5,08	4,64 3,50	5,08	5,07 3,77	5,08	5,07 3,94	5,08	5,07 4,17	5,08	5,07 4,17	5,08	5,07 4,17	5,08	5,07 4,17	5,08	5,07 4,17	5,08	5,07 4,17
SWW8.0X260	80	180	5,08	4,64 3,50	5,08	5,07 3,77	5,08	5,07 3,94	5,08	5,07 4,17	5,08	5,07 4,17	5,08	5,07 4,17	5,08	5,07 4,17	5,08	5,07 4,17	5,08	5,0° 4,1°
SWW8.0X280	80	200	5,08	4,64 3,50	5,08	5,07 3,77	5,08	5,07 3,94	5,08	5,07 4,17	5,08	5,07 4,17	5,08	5,07 4,17	5,08	5,07 4,17	5,08	5,07 4,17	5,08	5,0° 4,1°
SWW8.0X300	80	220	5,08	4,64 3,50	5,08	5,07 3,77	5,08	5,07 3,94	5,08	5,07 4,17	5,08	5,07 4,17	5,08	5,07 4,17	5,08	5,07 4,17	5,08	5,07 4,17	5,08	5,07 4,17
SWW8.0X320	80	240	5,08	4,64 3,50	5,08	5,07 3,77	5,08	5,07 3,94	5,08	5,07 4,17	5,08	5,07 4,17	5,08	5,07 4,17	5,08	5,07 4,17	5,08	5,07 4,17	5,08	5,07 4,17
SWW8.0X340	80	260	5,08	4,64 3,50	5,08	5,07 3,77	5,08	5,07 3,94	5,08	5,07 4,17	5,08	5,07 4,17	5,08	5,07 4,17	5,08	5,07 4,17	5,08	5,07 4,17	5,08	5,07
SWW8.0X360	80	280	5,08	4,64 3,50	5,08	5,07 3,77	5,08	5,07 3,94	5,08	5,07 4,17	5,08	5,07 4,17	5,08	5,07 4,17	5,08	5,07 4,17	5,08	5,07 4,17	5,08	5,07 4,17
SWW8.0X380	80	300	5,08	4,64 3,50	5,08	5,07 3,77	5,08	5,07 3,94	5,08	5,07 4,17	5,08	5,07 4,17	5,08	5,07 4,17	5,08	5,07 4,17	5,08	5,07 4,17	5,08	5,07
SWW8.0X400	80	320	5,08	4,64 3.50	5,08	5,07	5,08	5,07	5,08	5,07 4.17	5,08	5,07 4,17	5,08	5,07 4.17	5,08	5,07 4.17	5,08	5,07 4.17	5,08	5,07

Table continues on next page.









Solid-Timber (C24) Wall-Plate to CLT Panel – SWW Screws at 90° (cont.)

	Thread	Max Advised		Tensio	n Capa	acity R _a	_{x,k} Shea	ar Capa	city R _{v,}	Deper	nding o	n the T	hickne	ss of th	ie Wall	-Plate [kN] – S	Screws	at 90°	
Product Reference	Length	Wood							V	/all-Pla	ite Thic	kness	t _{wp} [mn	n]						
	L _g [mm]	Thickness t _{wp} [mm]	3	6	4	5	5	50	6	0	6	3	7	0	7	'5	8	0	1	00
SWW10.0X100	50	50	-	-	6,10	6,56 4,53	6,10	6,87 4,50	-	-	-	-	-	-	-	-	-	-	-	-
SWW10.0X120	50	70	-	-	6,10	6,56 4,72	6,10	6,92 4,89	6,10	6,99 5,10	6,10	6,99 5,11	6,10	6,92 4,89	5,49	6,56 4,72	-	-	-	-
SWW10.0X140	80	60	-	-	6,38	6,62 4,78	6,38	6,99 4,96	6,38	7,06 5,34	6,38	7,06 5,46	_	-	-	-	_	-	-	-
SWW10.0X160	80	80	-	-	6,38	6,62 4,78	6,38	6,99 4,96	6,38	7,06 5,34	6,38	7,06 5,46	6,38	7,06 5,67	6,38	7,06 5,67	6,38	7,06 5,67	-	-
SWW10.0X180	80	100	-	-	6,38	6,62 4,78	6,38	6,99 4,96	6,38	7,06 5,34	6,38	7,06 5,46	6,38	7,06 5,67	6,38	7,06 5,67	6,38	7,06 5,67	6,38	7,06 5,67
SWW10.0X200	80	120	-	-	6,38	6,62 4,78	6,38	6,99 4,96	6,38	7,06 5,34	6,38	7,06 5,46	6,38	7,06 5,67	6,38	7,06 5,67	6,38	7,06 5,67	6,38	7,06 5,67
SWW10.0X220	80	140	-	-	6,38	6,62 4,78	6,38	6,99 4,96	6,38	7,06 5,34	6,38	7,06 5,46	6,38	7,06 5,67	6,38	7,06 5,67	6,38	7,06 5,67	6,38	7,06 5,67
SWW10.0X240	80	160	_	-	6,38	6,62 4,78	6,38	6,99 4,96	6,38	7,06 5,34	6,38	7,06 5,46	6,38	7,06 5,67	6,38	7,06 5,67	6,38	7,06 5,67	6,38	7,06 5,67
SWW10.0X260	80	180	-	-	6,38	6,62 4,78	6,38	6,99	6,38	7,06 5,34	6,38	7,06 5,46	6,38	7,06 5,67	6,38	7,06 5,67	6,38	7,06 5,67	6,38	7,06 5,67
SWW10.0X280	80	200	_	-	6,38	6,62	6,38	6,99 4,96	6,38	7,06 5,34	6,38	7,06 5,46	6,38	7,06 5,67	6,38	7,06 5,67	6,38	7,06 5,67	6,38	7,06 5,67
SWW10.0X300	80	220	-	-	6,38	6,62	6,38	6,99 4,96	6,38	7,06 5,34	6,38	7,06 5,46	6,38	7,06 5,67	6,38	7,06 5,67	6,38	7,06 5,67	6,38	7,06 5,67
SWW10.0X320	80	240	-	-	6,38	6,62 4,78	6,38	6,99 4,96	6,38	7,06 5,34	6,38	7,06 5,46	6,38	7,06 5,67	6,38	7,06 5,67	6,38	7,06 5,67	6,38	7,06 5,67
SWW10.0X340	80	260	-	-	6,38	6,62 4,78	6,38	6,99 4,96	6,38	7,06 5,34	6,38	7,06 5,46	6,38	7,06 5,67	6,38	7,06 5,67	6,38	7,06 5,67	6,38	7,06 5,67
SWW10.0X360	80	280	-	-	6,38	6,62 4,78	6,38	6,99 4,96	6,38	7,06 5,34	6,38	7,06 5,46	6,38	7,06 5,67	6,38	7,06 5,67	6,38	7,06 5,67	6,38	7,06
SWW10.0X380	80	300	_	-	6,38	6,62	6,38	6,99	6,38	7,06 5,34	6,38	7,06 5,46	6,38	7,06 5,67	6,38	7,06 5,67	6,38	7,06	6,38	5,67 7,06
SWW10.0X400	80	320	_	-	6,38	4,78 6,62 4,78	6,38	4,96 6,99 4,96	6,38	5,34 7,06 5,34	6,38	7,06 5,46	6,38	5,67 7,06 5,67	6,38	5,67 7,06 5,67	6,38	5,67 7,06 5,67	6,38	5,67 7,06 5,67

Characteristic parameters of fasteners and more information are included in chapter 10.





SIMPSON

Strong-Tie

Structural Screws - Timber Wall Plate

SWC - Countersunk Screw


SWC is a countersunk structural wood screw designed to take high loads. The countersink head gives a flush fitting while allowing the wall plate and the CLT panel to close up firmly.

Advantages:

- Countersunk head creates a flush finish
- Milling thread for reduced drive-in torque
- No pre-drilling required







SWC - Range Overview

	0						
	Product			Dimensio	ons [mm]		
	Reference	d	I	l _g	d _h	d _i	t _{fix}
ſ	SWC6.0xl	6,0	200 - 300	70	11,8	3,9	130 - 230
	SWC8.0xl	8,0	80 - 400	50 - 80	14,6	5,2	30 - 320
	SWC10.0xl	10,0	100 - 400	50 - 80	17,8	6,2	50 - 320

Solid-Timber (C24) Wall-Plate to CLT Panel – SWC Screws at 90°


Product	Thread Length	Max Advised Wood		Tensio	n Capa	acity R _a	_{x,k} Shea	ar Capa	•,	•					ie Wall	-Plate [kN] – S	Screws	at 90°	
Reference	L _g [mm]	Thickness t _{wp} [mm]	3	6	4	5	5	0		0		kness 3		0	7	5	8	0	10	00
SWC6.0X200	70	130	1,66	2,53 1,97	1,66	2,53 2,09	1,66	2,53 2,09	1,66	2,53 2,09	1,66	2,53 2,09	1,66	2,53 2,09	1,66	2,53 2,09	1,66	2,53 2,09	1,66	2,53 2,09
SWC6.0X220	70	150	1,66	2,53 1,97	1,66	2,53 2,09	1,66	2,53 2,09	1,66	2,53 2,09	1,66	2,53 2,09	1,66	2,53 2,09	1,66	2,53 2,09	1,66	2,53 2,09	1,66	2,53 2,09
SWC6.0X240	70	170	1,66	2,53 1,97	1,66	2,53 2,09	1,66	2,53 2,09	1,66	2,53 2,09	1,66	2,53 2,09	1,66	2,53 2,09	1,66	2,53 2,09	1,66	2,53 2,09	1,66	2,53 2,09
SWC6.0X260	70	190	1,66	2,53 1,97	1,66	2,53 2,09	1,66	2,53 2,09	1,66	2,53 2,09	1,66	2,53 2,09	1,66	2,53 2,09	1,66	2,53 2,09	1,66	2,53 2,09	1,66	2,53 2,09
SWC6.0X280	70	210	1,66	2,53 1,97	1,66	2,53 2,09	1,66	2,53 2,09	1,66	2,53 2,09	1,66	2,53 2,09	1,66	2,53 2,09	1,66	2,53 2,09	1,66	2,53 2,09	1,66	2,53 2,09
SWC6.0X300	70	230	1,66	2,53 1,97	1,66	2,53 2,09	1,66	2,53 2,09	1,66	2,53 2,09	1,66	2,53 2,09	1,66	2,53 2,09	1,66	2,53 2,09	1,66	2,53 2,09	1,66	2,53 2,09


Table continues on next page.

Solid-Timber (C24) Wall-Plate to CLT Panel – SWC Screws at 90°

Product	Thread	Max Advised		Tensio	n Capa	acity R _a	shea	ar Capa	city R _{v,}	Deper	nding o	n the T	hickne	ss of th	e Wall	-Plate [kN] – S	Screws	at 90°	
Reference	Length	Wood							V	/all-Pla	ite Thic	kness	t _{wp} [mn	1]						
	L _g [mm]	Thickness t _{wp} [mm]	3	6	4	5	5	0	6	0	6	3	7	0	7	' 5	8	0	10	00
SWC8.0X100	50	50	2,66	4,04 2,90	2,66	4,47 3,17	2,66	4,47 3,21	_	-	_	-	-	-	-	-	_	-	_	-
SWC8.0X120	80	40	2,66	4,04 2,90	2,66	4,47 3,17	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SWC8.0X140	80	60	2,66	4,04	2,66	4,47 3.17	2,66	4,47 3,33	2,66	4,47 3,57	2,66	4,47 3,57	-	-	-	-	-	-	-	-
SWC8.0X160	80	80	2,66	4,04 2.90	2,66	4,47 3,17	2,66	4,47 3,33	2,66	4,47 3,57	2,66	4,47 3.57	2,66	4,47 3.57	2,66	4,47 3,57	2,66	4,47 3,57	-	-
SWC8.0X180	80	100	2,66	4,04	2,66	4,47 3.17	2,66	4,47	2,66	4,47 3.57	2,66	4,47 3.57	2,66	4,47 3.57	2,66	4,47 3.57	2,66	4,47 3.57	2,66	4,47 3.57
SWC8.0X200	80	120	2,66	4,04	2,66	4,47 3,17	2,66	4,47	2,66	4,47 3,57	2,66	4,47 3,57	2,66	4,47 3,57	2,66	4,47 3,57	2,66	4,47 3,57	2,66	4,47 3,57
SWC8.0X220	80	140	2,66	4,04	2,66	4,47 3,17	2,66	4,47	2,66	4,47 3,57	2,66	4,47 3,57	2,66	4,47 3,57	2,66	4,47 3,57	2,66	4,47 3,57	2,66	4,47 3,57
SWC8.0X240	80	160	2,66	4,04	2,66	4,47 3,17	2,66	4,47	2,66	4,47 3,57	2,66	4,47 3,57	2,66	4,47 3,57	2,66	4,47	2,66	4,47 3,57	2,66	4,47 3,57
SWC8.0X260	80	180	2,66	4,04	2,66	4,47	2,66	4,47	2,66	4,47	2,66	4,47 3,57	2,66	4,47 3,57	2,66	4,47 3,57	2,66	4,47 3,57	2,66	4,47 3,57
SWC8.0X280	80	200	2,66	4,04	2,66	4,47 3.17	2,66	4,47	2,66	4,47 3,57	2,66	4,47 3,57	2,66	4,47 3,57	2,66	4,47 3,57	2,66	4,47 3,57	2,66	4,47 3,57
SWC8.0X300	80	220	2,66	4,04	2,66	4,47 3.17	2,66	4,47	2,66	4,47 3.57	2,66	4,47 3.57	2,66	4,47 3.57	2,66	4,47 3,57	2,66	4,47 3.57	2,66	4,47 3.57
SWC8.0X320	80	240	2,66	4,04	2,66	4,47	2,66	4,47	2,66	4,47 3,57	2,66	4,47 3,57	2,66	4,47 3,57	2,66	4,47 3,57	2,66	4,47	2,66	4,47 3,57
SWC8.0X340	80	260	2,66	4,04	2,66	4,47 3,17	2,66	4,47	2,66	4,47 3,57	2,66	4,47 3,57	2,66	4,47 3,57	2,66	4,47 3,57	2,66	4,47 3,57	2,66	4,47 3,57
SWC8.0X360	80	280	2,66	4,04 2,90	2,66	4,47 3,17	2,66	4,47 3,33	2,66	4,47 3,57	2,66	4,47 3,57	2,66	4,47 3,57	2,66	4,47 3,57	2,66	4,47 3,57	2,66	4,47 3,57
SWC8.0X380	80	300	2,66	4,04 2.90	2,66	4,47 3.17	2,66	4,47 3,33	2,66	4,47 3,57	2,66	4,47 3,57	2,66	4,47 3,57	2,66	4,47 3,57	2,66	4,47 3.57	2,66	4,47 3,57
SWC8.0X400	80	320	2,66	4,04 2.90	2,66	4,47 3,17	2,66	4,47 3,33	2,66	3,57 4,47 3,57	2,66	3,57 4,47 3,57	2,66	3,57 4,47 3.57	2,66	3,57 4,47 3,57	2,66	3,57 4,47 3,57	2,66	3,57 4,47 3,57

Table continues on next page.





CLT Floor to CLT Wall



Solid-Timber (C24) Wall-Plate to CLT Panel – SWC Screws at 90°

	Thread	Max Advised		Tensio	n Capa	acity R _a	_{x,k} Shea	ar Capa	city R _{v,}	Deper	nding o	n the T	hickne	ss of th	e Wall	-Plate [kN] – 9	Screws	at 90°	
Product Reference	Length	Wood		Wall-Plate Thickness t _{wp} [mm]																
	L _g [mm]	Thickness t _{wp} [mm]	3	6	4	5	5	0	6	0	6	3	7	0	7	'5	8	0	10	00
SWC10.0X100	50	50	-	-	3,55	5,92 3,89	3,55	6,24 3,87	_	-	-	-	-	-	-	-	-	-	-	-
SWC10.0X120	50	70	-	-	3,55	5,92 4,08	3,55	6,28 4,25	3,55	6,35 4,46	3,55	6,35 4,47	3,55	6,28 4,25	3,55	5,92 4,08	-	-	-	-
SWC10.0X140	80	60	-	-	3,55	5,92 4,08	3,55	6,28 4,25	3,55	6,35 4,63	3,55	6,35 4,75	_	-	-	-	-	-	-	-
SWC10.0X160	80	80	-	-	3,55	5,92 4,08	3,55	6,28 4,25	3,55	6,35 4,63	3,55	6,35 4,75	3,55	6,35 4,96	3,55	6,35 4,96	3,55	6,35 4,96	-	-
SWC10.0X180	80	100	-	-	3,55	5,92 4,08	3,55	6,28 4,25	3,55	6,35 4,63	3,55	6,35 4,75	3,55	6,35 4,96	3,55	6,35 4,96	3,55	6,35 4,96	3,55	6,35 4,96
SWC10.0X200	80	120	-	-	3,55	5,92 4,08	3,55	6,28 4,25	3,55	6,35 4,63	3,55	6,35 4,75	3,55	6,35 4,96	3,55	6,35 4,96	3,55	6,35 4,96	3,55	6,35 4,96
SWC10.0X220	80	140	-	-	3,55	5,92 4,08	3,55	6,28 4,25	3,55	6,35 4,63	3,55	6,35 4,75	3,55	6,35 4,96	3,55	6,35 4,96	3,55	6,35 4,96	3,55	6,35 4,96
SWC10.0X240	80	160	-	-	3,55	5,92 4,08	3,55	6,28 4,25	3,55	6,35 4,63	3,55	6,35 4,75	3,55	6,35 4,96	3,55	6,35 4,96	3,55	6,35 4,96	3,55	6,35 4,96
SWC10.0X260	80	180	-	-	3,55	5,92 4.08	3,55	6,28 4,25	3,55	6,35 4,63	3,55	6,35 4.75	3,55	6,35 4,96	3,55	6,35 4,96	3,55	6,35 4,96	3,55	6,35 4,96
SWC10.0X280	80	200	-	-	3,55	5,92 4,08	3,55	6,28 4,25	3,55	6,35 4,63	3,55	6,35 4,75	3,55	6,35 4,96	3,55	6,35 4,96	3,55	6,35 4,96	3,55	6,35 4,96
SWC10.0X300	80	220	-	-	3,55	5,92 4,08	3,55	6,28 4,25	3,55	6,35 4,63	3,55	6,35 4,75	3,55	6,35 4,96	3,55	6,35 4,96	3,55	6,35 4,96	3,55	6,35 4,96
SWC10.0X320	80	240	-	-	3,55	5,92 4,08	3,55	6,28 4,25	3,55	6,35 4,63	3,55	6,35 4,75	3,55	6,35 4,96	3,55	6,35 4,96	3,55	6,35 4,96	3,55	6,35 4,96
SWC10.0X340	80	260	-	-	3,55	5,92 4,08	3,55	6,28 4,25	3,55	6,35 4,63	3,55	6,35 4,75	3,55	6,35 4,96	3,55	6,35 4,96	3,55	6,35 4,96	3,55	6,35
SWC10.0X360	80	280	-	-	3,55	5,92 4,08	3,55	6,28	3,55	6,35 4,63	3,55	6,35 4,75	3,55	6,35 4,96	3,55	6,35 4,96	3,55	6,35 4,96	3,55	6,35 4,96
SWC10.0X380	80	300	-	-	3,55	5,92 4.08	3,55	6,28 4,25	3,55	6,35 4.63	3,55	6,35 4,75	3,55	6,35 4.96	3,55	6,35 4,96	3,55	6,35 4,96	3,55	6,35 4,96
SWC10.0X400	80	320	-	-	3,55	5,92 4,08	3,55	6,28 4,25	3,55	6,35 4,63	3,55	6,35 4,75	3,55	6,35 4,96	3,55	6,35 4,96	3,55	6,35 4,96	3,55	6,35 4,96

Characteristic parameters of fasteners and more information are included in chapter 10.

C-CLT-EU-2023 @2023 SIMPSON STRONG-TIE COMPANY INC.

Minimum Edge Distances for Screws Wall-Plate to CLT Panel

SWW

Dimensions	Pre-drill*	a _{4,c}	a _{4,t}
6.0xl	With pre-drill	18	42
0.0xe	Without pre-drill	30	42
8.0xl	With pre-drill	24	56
0.UXE	Without pre-drill	40	56
10.0x{	With pre-drill	30	70
10.0x2	Without pre-drill	50	70

^{*} Pre-drill refers to wall-plate only

TTUFS


Dimensions	Pre-drill*	a _{4,c}	a _{4,t}
5.0xl	With pre-drill	15	35
3.0x6	Without pre-drill	25	35
6.0xl	With pre-drill	18	42
O.UXE	Without pre-drill	30	42

^{*} Pre-drill refers to wall-plate only

SWC

Dimensions	Pre-drill*	a _{4,c}	a _{4,t}
6.0xl	With pre-drill	18	42
0.000	Without pre-drill	30	42
8.0xl	With pre-drill	24	56
0.0x6	Without pre-drill	40	56
10.0xℓ	With pre-drill	30	70
10.0xe	Without pre-drill	50	70

^{*} Pre-drill refers to wall-plate only



SWD - Double Threaded Screw

SWD screws can be used to create almost hidden connections due to the small cylinder head. The design of the screw makes it suitable for inclined and angled installations that increase the load capacity.

Advantages:

- High load capacity
- Small cylinder head for hidden assemblies
- No pre-drilling required





C-CLT-EU-2023 @2023 SIMPSON STRONG-TIE COMPANY INC.





SWD - Range Overview


Product	Dimensions [mm]								
Reference	d	1	I _{g1}	l _{g2}	d_h	d _i			
SWD6.5xl	6,5	65-220	40-95	33,5-88,5	8	4,0			
SWD8.0xl	8,0	90-330	40-95	31,5-86,5	10	5,4			

Solid-Timber (C24) Wall-Plate to CLT Panel – SWD Inclined Screws at 45°

Product Reference	Minimum Wall-Plate Thickness t _{wp} [mm]	Shear Capacity R _{v,45,k} [kN] – Screws at 45°
SWD6.5X65	23	1,8
SWD6.5X90	32	2,5
SWD6.5X130	46	2,5
SWD6.5X160	57	4,1
SWD6.5X190	68	5,0
SWD6.5X220	78	6,0
SWD8.0X90	32	3,0
SWD8.0X130	46	3,0
SWD8.0X160	57	4,8
SWD8.0X190	68	5,9
SWD8.0X220	78	7,0
SWD8.0X245	87	7,9
SWD8.0X275	98	7,9
SWD8.0X300	107	10,0
SWD8.0X330	117	10,0









C-CLT-EU-2023 @2023 SIMPSON STRONG-TIE COMPANY INC.

ESCRFTZ -

Fully Threaded Cylinder-Head Screw


ESCRFTZ is a fully threaded screw that can be used to create almost hidden connections due to the small cylinder head. The design of the screw makes it suitable for inclined and angled installations that increase the load capacity.

Advantages:

- · High load capacity
- Small cylinder head for hidden assemblies
- No pre-drilling required








ESCRFTZ - Range Overview


Product	Dimensions [mm]							
Reference	d	I	l _g	d _h	d _i			
ESCRFTZ8.0xl	8,0	120 - 400	110 - 390	10,2	5,2			

Solid-Timber (C24) Wall-Plate to CLT Panel – ESCRFTZ Inclined Screws at 45°

Product Reference	Minimum Wall-Plate Thickness t _{wp} [mm]	Shear Capacity R _{v,45,k} [kN] – Screws at 45°
ESCRFTZ8.0X120	43	3,7
ESCRFTZ8.0X140	50	4,4
ESCRFTZ8.0X160	57	5,2
ESCRFTZ8.0X180	64	5,9
ESCRFTZ8.0X200	71	6,7
ESCRFTZ8.0X220	78	7,4
ESCRFTZ8.0X240	85	8,2
ESCRFTZ8.0X260	92	8,9
ESCRFTZ8.0X280	99	9,6
ESCRFTZ8.0X300	107	10,4
ESCRFTZ8.0X350	124	12,2
ESCRFTZ8.0X400	142	14,1









Minimum Edge Distances for Screws Solid-Timber Wall-Plate to CLT Connection - Screws at 45°

Dimensions	a _{4,c}
SWD6.5	26
SWD8.0xl	32
ESCRFTZ8.0	32
ESCRFTZ10.0	40





HELPFUL TIP

When to choose fully threaded screws or double threaded screws?



Fully threaded screws can take higher loads, if well placed. They can be used for reinforcement of beams.

OR



Double threaded screws have the advantage of partial threaded screws and fully threaded screws:


- Take higher loads than partially threaded screws
- Can pull two wood members together creating a clamp effect

CLT Floor to CLT Wall



Similar to a timber wall plate, steel wall profiles also allow the floor to be suspended while work continues, with the additional benefit of a higher load capacity once fully installed.







SSH - Hex-Head Connector Screw


The SSH hex-head screw is a heavy-duty connector screw designed for steel to wood applications. The design of the screw provides an excellent connection to the steel and can transfer high loads. The head combining hex and 6-lobe drive allows to install the screw with either a hex-driver or a 6-lobe driver bit.

Advantages:

- Can be installed with hex-driver bit or 6-lobe driver bit
- No pre-drilling required.
- Impreg+ coating







SSH - Range Overview

Product	Dimensions [mm]									
Reference	d	I.	l _g	d _h	d _h	t _{fix}				
SSH6.0xl	6,0	40 - 120	24 - 75	14,5	3,65	16 - 45				
SSH8.0xl	8,0	40 - 300	32 - 110	13	5,1	8 - 190				
SSH10.0xℓ	10,0	50 - 280	42 - 125	15	6,15	8 - 155				
SSH12.0xℓ	12,0	60 - 200	48 - 110	17	6,7	12 - 90				

Steel Wall Profile to CLT Panel - SSH Screws at 90°

		Shear Capacity – Steel to CLT – [kN]							
Product	Tension Capacity – Steel to CLT –		Thin Steel ²⁾			Thick Steel ³⁾			
Reference	R _{ax,k} [kN] ¹⁾	Maximum Thickness [mm]	Pre-Drill	$\mathbf{R}_{v,k}$	Minimum Thickness [mm]	Pre-Drill	$R_{v,k}$		
SSH6.0x40 ⁴⁾	1.0	3,0	With pre-drill	2,40	6.0	With pre-drill	3,16		
55nb.0x40 ⁹	1,8	3,0	Without pre-drill	1,49	6,0	Without pre-drill	2,29		
CCUC OVE O4)	SSH6.0x50 ⁴⁾ 2,6	2.0	With pre-drill	2,77	- 6,0	With pre-drill	3,64		
55no.ux5u*		3,0	Without pre-drill	1,89	0,0	Without pre-drill	2,82		
SSH6.0x60 ⁴⁾	2.4	3,4	3,0	With pre-drill	2,95	6,0	With pre-drill	3,82	
3300.0000	3,4	3,0	Without pre-drill	2,29	0,0	Without pre-drill	3,19		
SSH6.0x75 ⁴⁾	3,4	2.0	With pre-drill	2,95	6.0	With pre-drill	3,82		
55ND.UX/5*	3,4	3,0	Without pre-drill	2,50	6,0	Without pre-drill	3,19		
SSH6.0x90 ⁴⁾	2.4	3,0	With pre-drill	2,95	6.0	With pre-drill	3,82		
SSH6.0x90 ⁴⁾ 3,4	3,0	Without pre-drill	2,50	6,0	Without pre-drill	3,19			
SSH6.0x120 ⁴⁾	6.0	2.0	With pre-drill	3,61	6.0	With pre-drill	4,48		
33NU.UX12U*	6,0	3,0	Without pre-drill	3,16	6,0	Without pre-drill	3,85		

 $^{^{1)}}$ For steel thickness $\leq d$

For recommended hole diameter in steel, see chapter 10.

Table continues on next page.

 $^{^{2)}}$ Thin plate: thickness $\leq 0.5xd$

³⁾ Thick plate: thickness ≥ d 4) 6.0 mm screws have a different head design – see chapter 10. For intermediate steel thicknesses, the capacity can be obtained by interpolation.



C-CLT-EU-2023 @2023 SIMPSON STRONG-TIE COMPANY INC.

Steel Wall Profile to CLT Panel - SSH Screws at 90° (cont.)

		Shear Capacity – Steel to CLT – [kN]								
Product	Tension Capacity – Steel to CLT –		Thin Steel ²⁾			Thick Steel ³⁾				
Reference	R _{ax,k} [kN] ¹⁾	Maximum Thickness [mm]	Pre-Drill	$R_{v,k}$	Minimum Thickness [mm]	Pre-Drill	$R_{v,k}$			
SSH8.0X40	3,6	4,0	With pre-drill	3,04	8,0	With pre-drill	4,75			
33110.0740	3,0	4,0	Without pre-drill	1,77	0,0	Without pre-drill	3,54			
SSH8.0X50	4,7	4,0	With pre-drill	3,89	8,0	With pre-drill	5,67			
	","	.,0	Without pre-drill	2,26	0,0	Without pre-drill	4,12			
SSH8.0x60	4,7	4,0	With pre-drill	4,73	8,0	With pre-drill	6,39			
	·		Without pre-drill	2,76		Without pre-drill	4,48			
SSH8.0x70	4,7	4,0	With pre-drill Without pre-drill	4,93 3,25	8,0	With pre-drill Without pre-drill	6,48 4,89			
			With pre-drill	4,93		With pre-drill	6,48			
SSH8.0X80	4,7	4,0	Without pre-drill	3,74	8,0	Without pre-drill	5,23			
			With pre-drill	4,93		With pre-drill	6,48			
SSH8.0X90	4,7	4,0	Without pre-drill	4,04	8,0	Without pre-drill	5,23			
CCU0 0V100	6.1	4.0	With pre-drill	5,29	0.0	With pre-drill	6,85			
SSH8.0X100	6,1	4,0	Without pre-drill	4,40	8,0	Without pre-drill	5,59			
SSH8.0X120	9,5	4,0	With pre-drill	6,12	8,0	With pre-drill	7,68			
55110.0/1120	5,0	1,0	Without pre-drill	5,23	0,0	Without pre-drill	6,42			
SSH8.0X140	9,5	4,0	With pre-drill	6,12	8,0	With pre-drill	7,68			
	·		Without pre-drill	5,23		Without pre-drill	6,42			
SSH8.0X160	12,2	4,0	With pre-drill	6,82	8,0	With pre-drill	8,38			
			Without pre-drill With pre-drill	5,74 6,82		Without pre-drill With pre-drill	7,12 8,38			
SSH8.0X180	12,2	4,0	Without pre-drill	5,74	8,0	Without pre-drill	7,12			
			With pre-drill	6,82		With pre-drill	8,38			
SSH8.0X200	12,2	4,0	Without pre-drill	5,74	8,0	Without pre-drill	7,12			
00110 07040	10.0	4.0	With pre-drill	6,82	0.0	With pre-drill	8,38			
SSH8.0X240	12,2	4,0	Without pre-drill	5,74	8,0	Without pre-drill	7,12			
SSH8.0X260	12,2	4,0	With pre-drill	6,82	8,0	With pre-drill	8,38			
00110.0/200	12,2	4,0	Without pre-drill	5,74	0,0	Without pre-drill	7,12			
SSH8.0X280	12,2	4,0	With pre-drill	6,82	8,0	With pre-drill	8,38			
	<u>'</u>	,	Without pre-drill	5,74	,	Without pre-drill	7,12			
SSH8.0X300	12,2	4,0	With pre-drill Without pre-drill	6,82 5,74	8,0	With pre-drill Without pre-drill	8,38 7,12			
			With pre-drill	3,62		With pre-drill	5,87			
SSH10.0X50	3,9	5,0	Without pre-drill	2,59	10,0	Without pre-drill	4,92			
			With pre-drill	5,68		With pre-drill	7,68			
SSH10.0X60	5,1	5,0	Without pre-drill	3,16	10,0	Without pre-drill	5,29			
SSH10.0X80	5.1	5.0	With pre-drill	6,41	10.0	With pre-drill	8,54			
001110.0000	5,1	5,0	Without pre-drill	4,32	10,0	Without pre-drill	6,20			
SSH10.0X90	5,1	5,0	With pre-drill	6,41	10,0	With pre-drill	8,54			
	-,-	-,-	Without pre-drill	4,89	,5	Without pre-drill	6,70			
SSH10.0X100	6,7	5,0	With pre-drill Without pre-drill	6,81	10,0	With pre-drill	8,94			
			With pre-drill	5,47 7,71		Without pre-drill With pre-drill	7,09 9,84			
SSH10.0X120	10,3	5,0	Without pre-drill	6,41	10,0	Without pre-drill	8,00			
			With pre-drill	7,71		With pre-drill	9,84			
SSH10.0X140	10,3	5,0	Without pre-drill	6,41	10,0	Without pre-drill	8,00			
CC1110 0V100	10.0	F.0.	With pre-drill	8,47	40.0	With pre-drill	10,60			
SSH10.0X160	13,3	5,0	Without pre-drill	7,16	10,0	Without pre-drill	8,75			
SSH10.0X180	13,3	5,0	With pre-drill	8,47	10,0	With pre-drill	10,60			
001110.0/1100	10,0	0,0	Without pre-drill	7,16	10,0	Without pre-drill	8,75			
SSH10.0X200	13,3	5,0	With pre-drill	8,47	10,0	With pre-drill	10,60			
	.,	.,.	Without pre-drill	7,16		Without pre-drill	8,75			
SSH10.0X240	15,1	5,0	With pre-drill	8,92	10,0	With pre-drill	11,05			
			Without pre-drill With pre-drill	7,62		With pro-drill	9,21			
SSH10.0X280	15,1	5,0	Without pre-drill	8,92 7,62	10,0	With pre-drill Without pre-drill	11,05 9,21			

¹⁾ For steel thickness $\leq d$

²⁾ Thin plate: thickness $\leq 0.5xd$

³⁾ Thick plate: thickness ≥ d

For intermediate steel thicknesses, the capacity can be obtained by interpolation.

For recommended hole diameter in steel, see chapter 10.

CLT Floor to CLT Wall

Structural Screws - Steel Wall Profile



Steel Wall Profile to CLT Panel - SSH Screws at 90° (cont.)


Product	Tension Capacity – Steel to CLT –		Thin Steel ²⁾			Thick Steel ³⁾		
Reference	R _{ax,k} [kN] ¹⁾	Maximum Thickness [mm]	Pre-Drill	$\mathbf{R}_{\mathrm{v,k}}$	Minimum Thickness [mm]	Pre-Drill	$R_{v,k}$	
SSH12.0X60	7,0	6,0	With pre-drill	6,55	12,0	With pre-drill	9,27	
55012.0000	7,0	0,0	Without pre-drill	3,53	12,0	Without pre-drill	6,45	
SSH12.0X80	7,0	6.0	With pre-drill	8,23	10.0	With pre-drill	10,91	
55012.0000	7,0	6,0	Without pre-drill	4,84	12,0	Without pre-drill	7,41	
001110 0000	7.0	0.0	With pre-drill	8,23	10.0	With pre-drill	10,91	
SSH12.0X90	7,0	6,0	Without pre-drill	5,49	12,0	Without pre-drill	7,96	
001140 07400	0.4	0.0	With pre-drill	8,49	10.0	With pre-drill	11,17	
SSH12.0X100	8,1	6,0	Without pre-drill	6,14	12,0	Without pre-drill	8,74	
00110 07100	10.4	0.0	With pre-drill	9,59	10.0	With pre-drill	12,27	
SSH12.0X120	12,4	6,0	Without pre-drill	7,45	12,0	Without pre-drill	9,84	
001140 074 40	40.4	0.0	With pre-drill	9,59	10.0	With pre-drill	12,27	
SSH12.0X140	12,4	6,0	Without pre-drill	7,87	12,0	Without pre-drill	9,84	
001110 011100	10.1		With pre-drill	10,50	10.0	With pre-drill	13,18	
SSH12.0X160	16,1	6,0	Without pre-drill	8,78	12,0	Without pre-drill	10,75	
001110 011100	10.1		With pre-drill	10,50	10.0	With pre-drill	13,18	
SSH12.0X180	16,1	6,0	Without pre-drill	8,78	12,0	Without pre-drill	10,75	
001110 01/000	10.1		With pre-drill	10,50	40.0	With pre-drill	13,18	
SSH12.0X200	16,1	6,0	Without pre-drill	8,78	12,0	Without pre-drill	10,75	

¹⁾ For steel thickness ≤ d

§ Thick plate: thickness ≥ d
For intermediate steel thicknesses, the capacity can be obtained by interpolation.

For recommended hole diameter in steel, see chapter 10.

Characteristic parameters of fasteners and more information are included in chapter 10.





²⁾ Thin plate: thickness $\leq 0.5xd$



SSH – Recommended Maximum Steel Hole Diameter

SSH6,0	SSH8,0	SSH10,0	SSH12,0
Ø7 mm	Ø9 mm	Ø11 mm	Ø13 mm


Note: The cone under the head have the same diameter as the outer thread.


SSH – Minimum Spacings and Edge and End Distances

Spacing or distance [mm]		SSH6,0	SSH8,0	SSH10,0	SSH12,0
	a ₂	15	20	25	30
CLT	a _{3,t}	36	48	60	72
	a _{4,t}	36	48	60	72
	e ₁	8	10	12	15
Steel	e ₂	8	10	12	15
	a ₂	15	20	24	29

Note: Both CLT and Steel edge distances need to be fulfilled.

^{*} According to EN 1993-1-8 §3.5







SWC - Countersunk Screw


SWC is a countersunk structural screw designed to take high loads. To create a flush finish between the screw and the steel plate, the hole profile needs to be adapted to the SWC geometry.

Advantages:

- Countersunk head creates a flush finish
- Milling thread for reduced drive-in torque
- No pre-drilling required







SWC - Range Overview

0							
Product	Dimensions [mm]						
Reference	d	I	l _g	d _h	d _i	t _{fix}	
SWC6.0xl	6,0	200 - 300	70	11,8	3,9	130 - 230	
SWC8.0xl	8,0	80 - 400	50 - 80	14,6	5,2	30 - 320	
SWC10.0xl	10,0	100 - 400	50 - 80	17,8	6,2	50 - 320	

Steel Wall Profile to CLT Panel - SWC Screws at 90°

				Shear Capacity -	Steel to CLT – [kN]			
Product	Tension Capacity – Steel to CLT –		Thin Steel ²⁾		Thick Steel ³⁾			
Reference	R _{ax,k} [kN] ¹⁾	Maximum Thickness [mm]	Pre-Drill	$R_{v,k}$	Minimum Thickness [mm]	Pre-Drill	$R_{v,k}$	
SWC6.0X200	5.5	3	With pre-drill	3,49	6	With pre-drill	4,36	
3W00.0X200	5,5	3	Without pre-drill	3,04	U	Without pre-drill	3,73	
SWC6.0X220	5,5	3	With pre-drill	3,49	6	With pre-drill	4,36	
3WG0.0X220	5,5	3	Without pre-drill	3,04	0	Without pre-drill	3,73	
SWC6.0X240	5,5	3	With pre-drill	3,49	6	With pre-drill	4,36	
3WG0.0X240	0,0	J	Without pre-drill	3,04	O	Without pre-drill	3,73	
SWC6.0X260	E E	3	With pre-drill	3,49	C	With pre-drill	4,36	
5WC0.UX20U	5,5	3	Without pre-drill	3,04	6	Without pre-drill	3,73	
SWC6.0X280	5,5	3	With pre-drill	3,49	6	With pre-drill	4,36	
5WC0.UX20U	5,5	3	Without pre-drill	3,04	O	Without pre-drill	3,73	
CMCC UV200	E E	2	With pre-drill	3,49		With pre-drill	4,36	
SWC6.0X300	5,5	3	Without pre-drill	3,04	6	Without pre-drill	3,73	

 $^{^{1)}}$ For steel thickness $\leq d$

For intermediate steel thicknesses, the capacity can be obtained by interpolation.

For recommended hole diameter in steel, see chapter 10.

Table continues on next page.

 $^{^{2)}}$ Thin plate thickness $\leq 0.5xd$

³⁾ Thick plate thickness ≥ d



Steel Wall Profile to CLT Panel – SWC Screws at 90° (cont.)

			Shear Capacity – Steel to CLT – [kN]					
Product	Tension Capacity – Steel to CLT –		Thin Steel ²⁾			Thick Steel ³⁾		
Reference	R _{ax,k} [kN] ¹⁾	Maximum Thickness [mm]	Pre-Drill	$R_{v,k}$	Minimum Thickness [mm]	Pre-Drill	$R_{v,k}$	
SWC8.0X80	F 0	4	With pre-drill	5,06	- 8	With pre-drill	6,64	
SWC0.0X00	5,0	4	Without pre-drill	3,74	0	Without pre-drill	5,37	
SWC8.0X100	5,0	4	With pre-drill	5,06	- 8	With pre-drill	6,64	
5WC6.0X100	5,0	4	Without pre-drill	4,16	0	Without pre-drill	5,37	
SWC8.0X120	8,1	4	With pre-drill	5,82	- 8	With pre-drill	7,40	
5WC6.UX12U	0,1	4	Without pre-drill	4,92	0	Without pre-drill	6,12	
CWC0 OV140	0.1	4	With pre-drill	5,82	0	With pre-drill	7,40	
SWC8.0X140	8,1	4	Without pre-drill	4,92	8	Without pre-drill	6,12	
SWC8.0X160	0.1	4	With pre-drill	5,82	- 8	With pre-drill	7,40	
5WC6.0X160	8,1	4	Without pre-drill	4,92	0	Without pre-drill	6,12	
CWOO OVICO	0.1	4	With pre-drill	5,82	0	With pre-drill	7,40	
SWC8.0X180	8,1	4	Without pre-drill	4,92	8	Without pre-drill	6,12	
CWOO OVOOO	0.1	4	With pre-drill	5,82	0	With pre-drill	7,40	
SWC8.0X200	8,1	4	Without pre-drill	4,92	8	Without pre-drill	6,12	
CWOO OVOOO	0.1	4	With pre-drill	5,82	0	With pre-drill	7,40	
SWC8.0X220	8,1	4	Without pre-drill	4,92	8	Without pre-drill	6,12	
CWOO OVOAO	0.1	4	With pre-drill	5,82	0	With pre-drill	7,40	
SWC8.0X240	8,1	4	Without pre-drill	4,92	8	Without pre-drill	6,12	
CWOO OVOCO	0.1	4	With pre-drill	5,82	0	With pre-drill	7,40	
SWC8.0X260	8,1	4	Without pre-drill	4,92	8	Without pre-drill	6,12	
CWC0 OVO00	0.1	4	With pre-drill	5,82	0	With pre-drill	7,40	
SWC8.0X280	8,1	4	Without pre-drill	4,92	8	Without pre-drill	6,12	
CWC0 0V200	0.1	4	With pre-drill	5,82	0	With pre-drill	7,40	
SWC8.0X300	8,1	4	Without pre-drill	4,92	8	Without pre-drill	6,12	
SWC8.0X320	8,1	4	With pre-drill	5,82	- 8	With pre-drill	7,40	
5WU6.UX32U	0,1	4	Without pre-drill	4,92	0	Without pre-drill	6,12	
CWC0 0V240	0.1	4	With pre-drill	5,82	0	With pre-drill	7,40	
SWC8.0X340	8,1	4	Without pre-drill	4,92	8	Without pre-drill	6,12	
SWC0 UV360	0.1	4	With pre-drill	5,82	0	With pre-drill	7,40	
SWC8.0X360	8,1	4	Without pre-drill	4,92	8	Without pre-drill	6,12	
CMC0 0V000	0.4		With pre-drill	5,82	0	With pre-drill	7,40	
SWC8.0X380	8,1	4	Without pre-drill	4,92	8	Without pre-drill	6,12	
CWCO OVACO	0.1	4	With pre-drill	5,82	0	With pre-drill	7,40	
SWC8.0X400	8,1	4	Without pre-drill	4,92	8	Without pre-drill	6,12	

 $^{^{1)}}$ For steel thickness $\leq d$

For intermediate steel thicknesses, the capacity can be obtained by interpolation.

For recommended hole diameter in steel, see chapter 10.

Table continues on next page.

 $^{^{2)}}$ Thin plate thickness $\leq 0.5xd$

 $^{^{3)}}$ Thick plate thickness $\geq d$




Steel Wall Profile to CLT Panel – SWC Screws at 90° (cont.)

		Shear Capacity – Steel to CLT – [kN]						
Product	Tension Capacity – Steel to CLT –		Thin Steel ²⁾		Thick Steel ³⁾			
Reference	R _{ax,k} [kN] ¹⁾	Maximum Thickness [mm]	Pre-Drill	$R_{v,k}$	Minimum Thickness [mm]	Pre-Drill	$R_{v,k}$	
SWC10.0X100	6,1	5	With pre-drill	6,99	10	With pre-drill	9,25	
30010.08100	0,1	3	Without pre-drill	5,47	10	Without pre-drill	7,29	
CWC10 0V120	6.1	5	With pre-drill	6,99	10	With pre-drill	9,25	
SWC10.0X120	6,1	5	Without pre-drill	5,60	10	Without pre-drill	7,29	
CWC10 0V140	9,8	5	With pre-drill	7,90	10	With pre-drill	10,17	
SWC10.0X140	9,0	5	Without pre-drill	6,52	10	Without pre-drill	8,21	
CW040 0V4C0	0.0	F	With pre-drill	7,90	10	With pre-drill	10,17	
SWC10.0X160	9,8	5	Without pre-drill	6,52	10	Without pre-drill	8,21	
0.0010.00100	0.0	_	With pre-drill	7,90	10	With pre-drill	10,17	
SWC10.0X180	9,8	5	Without pre-drill	6,52	10	Without pre-drill	8,21	
0141040 01/000	0.0	_	With pre-drill	7,90	40	With pre-drill	10,17	
SWC10.0X200	9,8	5	Without pre-drill	6,52	10	Without pre-drill	8,21	
014/04/0 01/000	0.0	_	With pre-drill	7,90	10	With pre-drill	10,17	
SWC10.0X220	9,8	5	Without pre-drill	6,52		Without pre-drill	8,21	
0111010 011010	0.0	_	With pre-drill	7,90	40	With pre-drill	10,17	
SWC10.0X240	9,8	5	Without pre-drill	6,52	10	Without pre-drill	8,21	
014/04/0 01/00/0	0.0	_	With pre-drill	7,90	40	With pre-drill	10,17	
SWC10.0X260	9,8	5	Without pre-drill	6,52	10	Without pre-drill	8,21	
		_	With pre-drill	7,90		With pre-drill	10,17	
SWC10.0X280	9,8	5	Without pre-drill	6,52	10	Without pre-drill	8,21	
		_	With pre-drill	7,90		With pre-drill	10,17	
SWC10.0X300	9,8	5	Without pre-drill	6,52	10	Without pre-drill	8,21	
		_	With pre-drill	7,90		With pre-drill	10,17	
SWC10.0X320	9,8	5	Without pre-drill	6,52	10	Without pre-drill	8,21	
0111040 61/242	6.0		With pre-drill	7,90	40	With pre-drill	10,17	
SWC10.0X340	9,8	5	Without pre-drill	6,52	10	Without pre-drill	8,21	
011010 01005		_	With pre-drill	7,90	10	With pre-drill	10,17	
SWC10.0X360	9,8	5	Without pre-drill	6,52	10	Without pre-drill	8,21	
011010 01005		_	With pre-drill	7,90	10	With pre-drill	10,17	
SWC10.0X380	9,8	5	Without pre-drill	6,52	10	Without pre-drill	8,21	
011040 61115		_	With pre-drill	7,90		With pre-drill	10,17	
SWC10.0X400	9,8	5	Without pre-drill	6,52	10	Without pre-drill	8,21	

 $^{^{1)}}$ For steel thickness $\leq d$

Prof steel trickness ≤ u
 Thin plate thickness ≤ 0.5xd
 Thick plate thickness ≥ d
 For intermediate steel thicknesses, the capacity can be obtained by interpolation.
 For recommended hole diameter in steel, see chapter 10.

Characteristic parameters of fasteners and more information are included in chapter 10.







SWC – Minimum Spacings and Edge and End Distances

Spacing o		SWC6,0	SWC8,0	SWC10,0
	a ₂	15	20	25
CLT	a _{3,t}	36	48	60
	a _{4,t}	36	48	60
	e ₁	8	10	12
Steel	e ₂	8	10	12
	a ₂	15	20	24


Note: Both CLT and Steel edge distances need to be fulfilled.


SWC – Recommended Hole Design in Steel Countersunk Screws


Diameter	Ød1 _{min}	Ød2 _{min}	Øt _{min}
SWC6,0	15,5	6,5	3,5
SWC8,0	19,0	9,0	6,0
SWC10,0	22,5	11,0	7,0

Note: Calculation with steel to wood do not take the strength of the steel in consideration, but only the wood and the fastener, see Eurocode 3 for steel plate design.

If the grain orientation of the CLT panel is different the spacing defintion may change.








^{*} According to EN 1993-1-8 §3.5

SIMPSON Strong-Tie

Structural Screws - Direct Panel Connection

For areas such as ceilings and corners where additional timber plates are not desired, structural screws can be used to fasten the wall panel directly into the suspended floor.





CLT Floor to CLT Wall

Structural Screws - Direct Panel Connection




SWD - Double Threaded Screw

SWD screws can be used to create almost hidden connections due to the small cylinder head. The design of the screw makes it suitable for inclined and angled installations that increase the load capacity.

Advantages:

- · High load capacity
- Small cylinder head for hidden assemblies
- No pre-drilling required








SWD - Range Overview

Product	Dimensions [mm]						
Reference	d	1	I _{g1}	l _{g2}	d_h	d _i	
SWD6.5xℓ	6,5	65-220	40-95	33,5-88,5	8	4,0	
SWD8.0xℓ	8,0	90-330	40-95	31,5-86,5	10	5,4	

SWD – Minimum Spacings and Edge and End Distances

Spacing or distance [mm]	SWD6,5	SWD8,0
a_2	17	20
$a_{4,t}$	39	48

Note: Other min. spacing and edge distances requirements are fulfilled for the installation characteristics given in the load table. If the grain orientation of the CLT panel is different the spacing defintion may change.



Structural Screws - Direct Panel Connection



CLT Floor to CLT Panel – SWD inclined Screws at 25°

											t _{clt}	[mm]									
Product	t _{CLT,min}		8	30			90)			10	0			12	0			14	0	
Reference	[mm]	ydrive	R _{1,k}	R _{2/3}	R _{4,k}	y drive	R _{1,k}	R _{2/3,k}	R _{4,k}	y drive	R _{1,k}	R _{2/3,k}	R _{4,k}	ydrive	R _{1,k}	R _{2/3,k}	R _{4,k}	ydrive	R _{1,k}	R _{2/3,k}	R _{4,k}
		y _{dr}		[kN]		y _{dr}		[kN]		y _{dr}		[kN]		y _{dr}		[kN]		y _{dr}		[kN]	
SWD6.5x160	65	90	3,31	2,25	2,36	90	3,31	2,25	2,36	90	3,31	2,25	2,36	90	3,31	2,25	2,36	90	3,31	2,25	2,36
SWD6.5x190	65	105	3,82	2,45	2,62	95-105	3,82	2,45	2,62	90-105	3,82	2,45	2,62	90-105	3,82	2,45	2,62	90-105	3,82	2,45	2,62
SWD6.5x220	65	-	-	-	-	-	-	-	-	115-120	4,26	2,59	2,78	95-120	4,26	2,59	2,78	95-120	4,26	2,59	2,78
SWD8.0x220	80	-	-	-	-	-	-	-	-	115-120	5,41	3,59	3,83	110-120	5,41	3,59	3,83	110-120	5,41	3,59	3,83
SWD8.0x245	80	-	-	-	-	-	-	-	-	-	-	-	-	120-130	5,88	3,77	4,04	110-130	5,88	3,77	4,04
SWD8.0x275	85	-	-	-	-	-	-	-	-	-	-	-	-	145-160	5,88	3,77	4,04	125-160	5,88	3,77	4,04
SWD8.0x300	85	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	150-155	6,75	4	4,32
SWD8.0x330	100	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	175-185	6,75	4	4,32

											t _{cLT} [n	nm]									
Product	t _{CLT,min}		16)			18	0			20	0			22	0			24	0	
Reference	[mm]	y drive	R _{1,k}	R _{2/3}	R _{4,k}	ive	R _{1,k}	R _{2/3,k}	R _{4,k}	ive	R _{1,k}	R _{2/3,k}	R _{4,k}	ive	R _{1,k}	R _{2/3,k}	R _{4,k}	ive	R _{1,k}	R _{2/3,k}	R _{4,k}
		Υ _{dr}		[kN]		y drive		[kN]		y drive		[kN]		y drive		[kN]		y drive		[kN]	
SWD6.5x160	65	90	3,31	2,25	2,36	90	3,31	2,25	2,36	90	3,31	2,25	2,36	90	3,31	2,25	2,36	90	3,31	2,25	2,36
SWD6.5x190	65	90-105	3,82	2,45	2,62	90-105	3,82	2,45	2,62	90-105	3,82	2,45	2,62	90-105	3,82	2,45	2,62	90-105	3,82	2,45	2,62
SWD6.5x220	65	95-120	4,26	2,59	2,78	95-120	4,26	2,59	2,78	95-120	4,26	2,59	2,78	95-120	4,26	2,59	2,78	95-120	4,26	2,59	2,78
SWD8.0x220	80	110-120	5,41	3,59	3,83	110-120	5,41	3,59	3,83	110-120	5,41	3,59	3,83	110-120	5,41	3,59	3,83	110-120	5,41	3,59	3,83
SWD8.0x245	80	110-130	5,88	3,77	4,04	110-130	5,88	3,77	4,04	110-130	5,88	3,77	4,04	110-130	5,88	3,77	4,04	110-130	5,88	3,77	4,04
SWD8.0x275	85	110-160	5,88	3,77	4,04	110-160	5,88	3,77	4,04	110-160	5,88	3,77	4,04	110-160	5,88	3,77	4,04	110-160	5,88	3,77	4,04
SWD8.0x300	85	135-155	6,75	4,0	4,32	135-155	6,75	4,0	4,32	135-155	6,75	4,0	4,32	135-155	6,75	4,0	4,32	135-155	6,75	4,0	4,32
SWD8.0x330	100	155-185	6,75	4,0	4,32	135-185	6,75	4,0	4,32	135-185	6,75	4,0	4,32	135-185	6,75	4,0	4,32	135-185	6,75	4,0	4,32

Characteristic parameters of fasteners and more information are included in chapter 10.

							t _{cLT} [n	nm]					
Product	t _{CLT,min}		26	0			28	0			300	0	
Reference	[mm]	ydrive	R _{1,k}	R _{2/3}	R _{4,k}	ydrive	R _{1,k}	R _{2/3,k}	$R_{4,k}$	y drive	R _{1,k}	R _{2/3,k}	R _{4,k}
		y _{dı}		[kN]		У _{dı}		[kN]		y _{dı}		[kN]	
SWD6.5x160	65	90	3,31	2,25	2,36	90	3,31	2,25	2,36	90	3,31	2,25	2,36
SWD6.5x190	65	90-105	3,82	2,45	2,62	90-105	3,82	2,45	2,62	90-105	3,82	2,45	2,62
SWD6.5x220	65	95-120	4,26	2,59	2,78	95-120	4,26	2,59	2,78	95-120	4,26	2,59	2,78
SWD8.0x220	80	110-120	5,41	3,59	3,83	110-120	5,41	3,59	3,83	110-120	5,41	3,59	3,83
SWD8.0x245	80	110-130	5,88	3,77	4,04	110-130	5,88	3,77	4,04	110-130	5,88	3,77	4,04
SWD8.0x275	85	110-160	5,88	3,77	4,04	110-160	5,88	3,77	4,04	110-160	5,88	3,77	4,04
SWD8.0x300	85	135-155	6,75	4,0	4,32	135-155	6,75	4,0	4,32	135-155	6,75	4,0	4,32
SWD8.0x330	100	135-185	6,75	4,0	4,32	135-185	6,75	4,0	4,32	135-185	6,75	4,0	4,32

CLT Floor to CLT Wall

Structural Screws - Direct Panel Connection





CLT Floor to CLT Panel - SWD inclined Screws at 35°

											t _{clt}	[mm]									
Product	t _{CLT,min}		3	30			90)			10	0			12	0			140)	
Reference	[mm]	ydrive	R _{1,k}	R _{2/3}	R _{4,k}	ydrive	R _{1,k}	R _{2/3,k}	R _{4,k}	y drive	R _{1,k}	R _{2/3,k}	R _{4,k}	ydrive	R _{1,k}	R _{2/3,k}	R _{4,k}	ive	R _{1,k}	R _{2/3,k}	R _{4,k}
		y _{dr}		[kN]		y _{dr}		[kN]		y _{dr}		[kN]		y _{dr}		[kN]		ydrive		[kN]	
SWD6.5x190	75	90	3,4	2,45	2,8	85-90	3,4	2,45	2,8	85-90	3,4	2,45	2,8	85-90	3,4	2,45	2,8	85-90	3,4	2,45	2,8
SWD6.5x220	85	-	-	-	-	100-105	3,72	2,59	2,99	90-105	3,72	2,59	2,99	85-105	3,72	2,59	2,99	85-105	3,72	2,59	2,99
SWD8.0x220	85	-	-	-	-	105	4,87	3,59	3,92	105	4,87	3,59	3,92	105	4,87	3,59	3,92	105	4,87	3,59	3,92
SWD8.0x245	95	-	-	-	-	-	-	-	-	115	5,23	3,77	4,31	105-115	5,23	3,77	4,31	105-115	5,23	3,77	4,31
SWD8.0x275	110	-	-	-	-	-	-	-	-	140	5,23	3,77	4,31	120-140	5,23	3,77	4,31	105-140	5,23	3,77	4,31
SWD8.0x300	110	-	-	-	-	-	-	-	-	-	-	-	-	140	5,84	4,0	4,65	120-140	5,84	4,0	4,65
SWD8.0x330	130	-	-	-	-	-	-	-	-	-	-	-	-	165	5,84	4,0	4,65	145-165	5,84	4,0	4,65

											t _{cLT} [n	nm]									
Product	t _{CLT,min}		160	0			18	0			20	0			22	0			24	0	
Reference	[mm]	y drive	R _{1,k}	R _{2/3}	R _{4,k}	y drive	R _{1,k}	R _{2/3,k}	R _{4,k}	Vdrive	R _{1,k}	R _{2/3,k}	R _{4,k}	y drive	R _{1,k}	R _{2/3,k}	R _{4,k}	y drive	R _{1,k}	R _{2/3,k}	R _{4,k}
		y _{dr}		[kN]		y _{dr}		[kN]		У _{dr}		[kN]		y _{dr}		[kN]		y _{dr}		[kN]	
SWD6.5x190	75	85-90	3,4	2,45	2,8	85-90	3,4	2,45	2,8	85-90	3,4	2,45	2,8	85-90	3,4	2,45	2,8	85-90	3,4	2,45	2,8
SWD6.5x220	85	85-105	3,72	2,59	2,99	85-105	3,72	2,59	2,99	85-105	3,72	2,59	2,99	85-105	3,72	2,59	2,99	85-105	3,72	2,59	2,99
SWD8.0x220	85	105	4,87	3,59	3,92	105	4,87	3,59	3,92	105	4,87	3,59	3,92	105	4,87	3,59	3,92	105	4,87	3,59	3,92
SWD8.0x245	95	105-115	5,23	3,77	4,31	105-115	5,23	3,77	4,31	105-115	5,23	3,77	4,31	105-115	5,23	3,77	4,31	105-115	5,23	3,77	4,31
SWD8.0x275	110	105-140	5,23	3,77	4,31	105-140	5,23	3,77	4,31	105-140	5,23	3,77	4,31	105-140	5,23	3,77	4,31	105-140	5,23	3,77	4,31
SWD8.0x300	110	120-140	5,84	4,0	4,65	120-140	5,84	4,0	4,65	120-140	5,84	4,0	4,65	120-140	5,84	4,0	4,65	120-140	5,84	4,0	4,65
SWD8.0x330	130	125-165	5,84	4,0	4,65	120-165	5,84	4,0	4,65	120-165	5,84	4,0	4,65	120-165	5,84	4,0	4,65	120-165	5,84	4,0	4,65

Characteristic parameters of fasteners and more information are included in chapter 10.

C-CLT-EU-2023 @2023 SIMPSON STRONG-TIE COMPANY INC.

							t _{CLT} [n	nm]					
Product	t _{CLT,min}		26	0			28	0			30	0	
Reference	[mm]	ive	R _{1,k}	R _{2/3}	R _{4,k}	y drive	R _{1,k}	R _{2/3,k}	R _{4,k}	y drive	R _{1,k}	R _{2/3,k}	R _{4,k}
		ydrive		[kN]		y _{dr}		[kN]		γ		[kN]	
SWD6.5x190	75	85-90	3,4	2,45	2,8	85-90	3,4	2,45	2,8	85-90	3,4	2,45	2,8
SWD6.5x220	85	85-105	3,72	2,59	2,99	85-105	3,72	2,59	2,99	85-105	3,72	2,59	2,99
SWD8.0x220	85	105	4,87	3,59	3,92	105	4,87	3,59	3,92	105	4,87	3,59	3,92
SWD8.0x245	95	105-115	5,23	3,77	4,31	105-115	5,23	3,77	4,31	105-115	5,23	3,77	4,31
SWD8.0x275	110	105-140	5,23	3,77	4,31	105-140	5,23	3,77	4,31	105-140	5,23	3,77	4,31
SWD8.0x300	110	120-140	5,84	4,0	4,65	120-140	5,84	4,0	4,65	120-140	5,84	4,0	4,65
SWD8.0x330	130	120-165	5,84	4,0	4,65	120-165	5,84	4,0	4,65	120-165	5,84	4,0	4,65

SIMPSON

Strong-Tie

Structural Screws - Direct Panel Connection





CLT Floor to CLT Panel - SWD inclined Screws at 45°

											t _{cLT} [n	nm]									
Product	t _{CLT,min}		80)			90)			10	0			120	0			140)	
Reference	[mm]	ydrive	R _{1,k}	R _{2/3}	$R_{4,k}$	ydrive	R _{1,k}	R _{2/3,k}	R _{4,k}	ydrive	R _{1,k}	R _{2/3,k}	R _{4,k}	ydrive	R _{1,k}	R _{2/3,k}	$R_{4,k}$	ydrive	R _{1,k}	R _{2/3,k}	R _{4,k}
		y _d		[kN]		y _d		[kN]		y _d		[kN]		γ		[kN]		y _d		[kN]	
SWD6.5x220	105	85-90	3,3	2,59		85-90	3,3	2,59	3,3	85-90	3,3	2,59	3,3	85-90	3,3	2,59	3,3	85-90	3,3	2,59	3,3
SWD8.0x245	110	-	-	-	-	100	4,71	3,77	4,49	100	4,71	3,77	4,49	100	4,71	3,77	4,49	100	4,71	3,77	4,49
SWD8.0x275	130	-	-	-	-	115-120	4,71	3,77	4,58	105-120	4,71	3,77	4,71	100-120	4,71	3,77	4,71	100-120	4,71	3,77	4,71
SWD8.0x300	130	-	-	-	-	-	-	-	-	-	-	-	-	105-120	5,15	4,0	5,15	100-120	5,15	4,0	5,15
SWD8.0x330	150	-	-	-	-	-	-	-	-	-	-	-	-	125-140	5,15	4,0	5,15	105-140	5,15	4,0	5,15

											t _{CLT} [n	nm]									
Product	t _{CLT,min}		160	0			18	0			20	0			22	0			24	0	
Reference	[mm]	y drive	R _{1,k}	R _{2/3}	R _{4,k}	drive	R _{1,k}	R _{2/3,k}	R _{4,k}	y drive	R _{1,k}	R _{2/3,k}	R _{4,k}	y drive	R _{1,k}	R _{2/3,k}	R _{4,k}	Vdrive	R _{1,k}	R _{2/3,k}	R _{4,k}
		γ		[kN]		y _d		[kN]		y _d		[kN]		У _d		[kN]		У _d		[kN]	
SWD6.5x220	105	85-90	3,3	2,59	3,3	85-90	3,3	2,59	3,3	85-90	3,3	2,59	3,3	85-90	3,3	2,59	3,3	85-90	3,3	2,59	3,3
SWD8.0x245	110	100	4,71	3,77	4,49	100	4,71	3,77	4,49	100	4,71	3,77	4,49	100	4,71	3,77	4,49	100	4,71	3,77	4,49
SWD8.0x275	130	100-120	4,71	3,77	4,71	100-120	4,71	3,77	4,71	100-120	4,71	3,77	4,71	100-120	4,71	3,77	4,71	100-120	4,71	3,77	4,71
SWD8.0x300	130	100-120	5,15	4,0	5,15	100-120	5,15	4,0	5,15	100-120	5,15	4,0	5,15	100-120	5,15	4,0	5,15	100-120	5,15	4,0	5,15
SWD8.0x330	150	100-140	5,15	4,0	5,15	100-140	5,15	4,0	5,15	100-140	5,15	4,0	5,15	100-140	5,15	4,0	5,15	100-140	5,15	4,0	5,15

t_{clt} [mm] 280 260 300 Product Reference R_{2/3,k} R_{2/3,k} [mm] R_{2/3} $R_{4,k}$ $R_{4,k}$ [kN] [kN] [kN] SWD6.5x220 85-90 105 3,3 2,59 3.3 85-90 3.3 2,59 3.3 85-90 3.3 2,59 3,3 SWD8.0x245 110 100 4,71 3,77 4,49 100 4,71 3,77 4,49 100 4,71 3,77 4,49 SWD8.0x275 100-120 100-120 130 4,71 3,77 4,71 3,77 4,71 3,77 4,71 471 100-120 4.71 SWD8.0x300 130 100-120 5,15 4,0 5,15 100-120 5,15 4,0 5,15 100-120 5,15 4,0 5,15 SWD8.0x330 100-140 4,0 5,15 5,15 4,0 5,15 100-140 5,15 100-140 4,0 5,15 Characteristic parameters of fasteners and more information are included in chapter 10.






SIMPSON Strong-Tie

CLT Floor to Glulam Beam Solutions

Structural Screws

Product Options:

SWC see page 187 SWD see page 190 Double and fully-threaded structural screws which provide excellent tension and shear characteristic capacities.







C-CLT-EU-2023 @2023 SIMPSON STRONG-TIE COMPANY INC.

Double and fully-threaded structural screws which provide excellent tension and shear characteristic capacities.







SWC - Countersunk Screw


SWC is a countersunk structural wood screw designed to take high loads. The countersunk head gives a flush fitting while allowing the CLT panels to close up firmly.

Advantages:

- Countersunk head creates a flush finish
- Milling thread for reduced drive-in torque
- No pre-drilling required








SWC - Range Overview

Product		Dimensions [mm] d I I _g d _h d _I t _{fix} 6,0 200 - 300 70 11,8 3,9 130 - 230 8,0 80 - 400 50 - 80 14,6 5,2 30 - 320 10.0 10.0 17.0 <td< th=""></td<>											
Reference	d	I	l _g	d _h	d _i	t _{fix}							
SWC6.0xl	6,0	200 - 300	70	11,8	3,9	130 - 230							
SWC8.0xl	8,0	80 - 400	50 - 80	14,6	5,2	30 - 320							
SWC10.0xl	10,0	100 - 400	50 - 80	17,8	6,2	50 - 320							

CLT to Glulam (GL24h) beam - SWC Screws at 90°

											Wood	Thick	ness t	[mm]										
Product	8	0	10	00	12	20	14	10	16	60	18	30	20	00	22	20	24	10	26	60	28	30	30	00
Reference	R _{ax,k}	R _{v,k}	R _{ax,k}	$R_{v,k}$	R _{ax,k}	R _{v,k}	R _{ax,k}	R _{v,k}	R _{ax,k}	$R_{v,k}$	R _{ax,k}	R _{v,k}	R _{ax,k}	R _{v,k}	R _{ax,k}	$R_{v,k}$	R _{ax,k}	$R_{v,k}$	R _{ax,k}	R _{v,k}	R _{ax,k}	R _{v,k}	R _{ax,k}	R _{v,k}
		N]		N]		N]	[k			N]		N]		N]	[k		[k			N]		N]	[kl	
SWC6.0x200	1,66	1,88	1,66	1,88	1,66	1,88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		1,79	,	1,79	,	1,79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SWC6.0x220	1,66	1,88	1,66	1,88	1,66	1,88	1,66	1,88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTTOGIONEED	1,00	1,79	.,00	1,79	1,00	1,79	1,00	1,79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SWC6.0x240	1,66	1,88	1,66	1,88	1,66	1,88	1,66	1,88	1,66	1,88	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3000.00240	1,00	1,79	1,00	1,79	1,00	1,79	1,00	1,79	1,00	1,79	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SWC6.0x260	1,66	1,88	1,66	1,88	1,66	1,88	1,66	1,88	1,66	1,88	1,66	1,88	-	-	-	-	-	-	-	-	-	-	-	-
3WU0.UX20U	1,00	1,79	1,00	1,79	1,00	1,79	1,00	1,79	1,00	1,79	1,00	1,79	-	-	-	-	-	-	-	-	-	-	-	-
SWC6.0x280	1.00	1,88	1.00	1,88	1.00	1,88	1.00	1,88	1,66	1,88	1.00	1,88	1,66	1,88	-	-	-	-	-	-	-	-	-	-
5WU0.UX28U	1,66	1,79	1,66	1,79	1,66	1,79	1,66	1,79	1,00	1,79	1,66	1,79	1,00	1,79	-	-	-	-	-	-	-	-	-	-
CMCC 0×200	1.00	1,88	1.00	1,88	1.00	1,88	1.00	1,88	1.00	1,88	1.00	1,88	1.00	1,88	1.00	1,88	-	-	-	-	-	-	-	-
SWC6.0x300	1,66	1,79	1,66	1,79	1,66	1,79	1,66	1,79	1,66	1,79	1,66	1,79	1,66	1,79	1,66	1,79	-	-	-	-	-	-	-	-

Table continues on next page.











CLT to Glulam (GL24h) beam - SWC Screws at 90°

											Wood	Thick	ness t	[mm]										
Product	8	0	10	00	12	20	14	10	10	60	18	30	20	00	22	20	24	10	2	60	28	80	30	00
Reference	R _{ax,k}	R _{v,k}	R _{ax,k}	$R_{v,k}$	R _{ax,k}	$R_{v,k}$	R _{ax,k}	R _{v,k}	R _{ax,k}	$R_{v,k}$	R _{ax,k}	R _{v,k}	R _{ax,k}	R _{v,k}	R _{ax,k}	R _{v,k}	R _{ax,k}	$R_{v,k}$	R _{ax,k}	R _{v,k}	R _{ax,k}	$R_{v,k}$	R _{ax,k}	R _{v,k}
		N]		N]	[k	N]	[k		[k	N]	[k	N]		N]	[k	N]	[k	N]		N]		N]	[k	
SWC8.0x160	2.66	2,82	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2,00	2,72	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SWC8.0x180	2,66	3,16	2,66	2,82	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<u> </u>	3,00	,	2,72	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SWC8.0x200	2,66	3,16	2,66	3,16	2,66	2,82	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	<u> </u>
		3,00 3,16		3,00 3,16		2,72 3,16	-	2,82	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SWC8.0x220	2,66	3,00	2,66	3,00	2,66	3,00	2,66	2,72	_	_		_	_			_	_	_	_	_	_	_	_	-
		3,16		3,16		3,16		3,16		2,82	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SWC8.0x240	2,66	3,00	2,66	3,00	2,66	3,00	2,66	3,00	2,66	2,72	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SWC8.0x260	2.66	3,16	2,66	3,16	2,66	3,16	2,66	3,16	2,66	3,16	2,66	2,82	-	-	-	-	-	-	-	-	-	-	-	-
3WG0.0X200	2,00	3,00	2,00	3,00	2,00	3,00	2,00	3,00	2,00	3,00	2,00	2,72	-	-	-	-	-	-	-	-	-	-	-	-
SWC8.0x280	2,66	3,16	2,66	3,16	2,66	3,16	2,66	3,16	2,66	3,16	2,66	3,16	2,66	2,82	-	-	-	-	-	-	-	-	-	-
0110010%200	2,00	3,00	2,00	3,00	2,00	3,00	2,00	3,00	2,00	3,00	2,00	3,00	2,00	2,72	-	-	-	-	-	-	-	-	-	-
SWC8.0x300	2,66	3,16	2,66	3,16	2,66	3,16	2,66	3,16	2,66	3,16	2,66	3,16	2,66	3,16	2,66	2,82	-	-	-	-	-	-	-	-
		3,00		3,00		3,00		3,00		3,00		3,00		3,00		2,72	-	-	-	-	-	-	-	-
SWC8.0x320	2,66	3,16	2,66	3,16	2,66	3,16	2,66	3,16	2,66	3,16	2,66	3,16	2,66	3,16	2,66	3,16	2,66	2,82	-	-	-	-	-	_
		3,16		3,16		3,16		3,16		3,16		3,16		3,16		3,16		3,16	_	2,82	_	_	_	_
SWC8.0x340	2,66	3,00	2,66	3,00	2,66	3,00	2,66	3,00	2,66	3,00	2,66	3,00	2,66	3,00	2,66	3,00	2,66	3,00	2,66	2,72	-	-	-	-
014100 0 000	0.00	3,16	0.00	3,16	0.00	3,16	0.00	3,16	0.00	3,16	0.00	3,16	0.00	3,16	0.00	3,16	0.00	3,16	0.00	3,16	0.00	2,82	-	-
SWC8.0x360	2,66	3,00	2,66	3,00	2,66	3,00	2,66	3,00	2,66	3,00	2,66	3,00	2,66	3,00	2,66	3,00	2,66	3,00	2,66	3,00	2,66	2,72	-	-
SWC8.0x380	2.66	3,16	2,66	3,16	2,66	3,16	2,66	3,16	2,66	3,16	2,66	3,16	2,66	3,16	2,66	3,16	2,66	3,16	2,66	3,16	2,66	3,16	2,66	2,82
21.00.0.000		3,00	_,00	3,00	_,00	3,00	_,00	3,00	_,00	3,00	_,00	3,00	_,00	3,00	,	3,00	_,00	3,00	_,00	3,00	_,00	3,00	_,00	2,72
SWC8.0x400	2,66	3,16	2,66	3,16	2,66	3,16	2,66	3,16	2,66	3,16	2,66	3,16	2,66	3,16	2,66	3,16	2,66	3,16	2,66	3,16	2,66	3,16	2,66	3,16

Table continues on next page.









CLT to Glulam (GL24h) beam - SWC Screws at 90°

											Wood	Thick	ness t	[mm]										
Product	8	0	10	00	12	20	14	10	16	60	18	30	20	00	22	20	24	40	20	60	28	30	30	00
Reference	R _{ax,k}	R _{v,k}	R _{ax,k}	$R_{v,k}$	R _{ax,k}	R _{v,k}	R _{ax,k}	R _{v,k}	R _{ax,k}	$R_{v,k}$	R _{ax,k}	R _{v,k}												
		N]	[k		[k		[k			N]	[k	N]		N]	[k	N]	[k	N]		N]	[k	N]		N]
SWC10.0x180	_	-	3,55	3,52	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
011010100100		-	0,00	3,39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SWC10.0x200	-	-	3,55	3,89	3,55	3,52	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		-		3,75		3,39	-	3,52	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SWC10.0x220	-	-	3,55	4,3 4,12	3,55	3,75	3,55	3,39		_		_	_	_	_	_		_	_	_		_	_	
		_		4,35		4,3		3,89		3,52	_	_	_	_	_	_	_	_	_	_	_	_	_	_
SWC10.0x240	-	_	3,55	4,12	3,55	4,12	3,55	3,75	3,55	3,39	_	-	-	-	-	_	_	_	_	_	_	-	_	_
CM040 0::000		-	٥.	4,35	0.55	4,35	٥.	4,3	3,55	3,89	٥.	3,52	-	-	-	-	-	-	-	-	-	-	-	-
SWC10.0x260	_	-	3,55	4,12	3,55	4,12	3,55	4,12	3,55	3,75	3,55	3,39	-	-	-	-	-	-	-	-	-	-	-	-
SWC10.0x280	_	-	3,55	4,35	3,55	4,35	3,55	4,35	3,55	4,3	3,55	3,89	3,55	3,52	-	-	-	-	-	-	-	-	-	-
0W010.0X200		-	0,00	4,12	0,00	4,12	0,00	4,12	0,00	4,12	0,00	3,75	0,00	3,39	-	-	-	-	-	-	-	-	-	-
SWC10.0x300	_	-	3,55	4,35	3,55	4,35	3,55	4,35	3,55	4,35	3,55	4,3	3,55	3,89	3,55	3,52	-	-	-	-	-	-	-	-
		-	·	4,12		4,12		4,12		4,12		4,12		3,75		3,39	-	-	-	-	-	-	-	-
SWC10.0x320	-	-	3,55	4,35 4,12	3,55	4,3 4,12	3,55	3,89	3,55	3,52	-	-	-	-	-	_								
		-		4,35		4,35		4,35		4,35		4,12		4,35		4,3		3,89	_	3,52	_		_	_
SWC10.0x340	-	-	3,55	4,12	3,55	4,12	3,55	4,12	3,55	4,12	3,55	4,12	3,55	4,12	3,55	4,12	3,55	3,75	3,55	3,39	_	-	_	-
011010 0 000		-		4,35	0.55	4,35	0.55	4,35	0.55	4,35	0.55	4,35	0.55	4,35	0.55	4,35	0.55	4,3	0.55	3,89	0.55	3,52	_	-
SWC10.0x360	-	-	3,55	4,12	3,55	4,12	3,55	4,12	3,55	4,12	3,55	4,12	3,55	4,12	3,55	4,12	3,55	4,12	3,55	3,75	3,55	3,39	-	-
SWC10.0x380	_	-	3,55	4,35	3,55	4,35	3,55	4,35	3,55	4,35	3,55	4,35	3,55	4,35	3,55	4,35	3,55	4,35	3,55	4,3	3,55	3,89	3,55	3,52
300010.03360		-	3,00	4,12	3,00	4,12	ა,აა	4,12	3,00	4,12	3,00	4,12	3,00	4,12	3,00	4,12	3,00	4,12	3,00	4,12	3,00	3,75	3,00	3,39
SWC10.0x400	_	-	3,55	4,35	3,55	4,35	3,55	4,35	3,55	4,35	3,55	4,35	3,55	4,35	3,55	4,35	3,55	4,35	3,55	4,35	3,55	4,3	3,55	3,89
		-	-,	4,12	-,-3	4,12	,,,,,	4,12	-,	4,12	-,	4,12	-,-5	4,12	-,	4,12	-,	4,12	-,-5	4,12	-,	4,12	-,-3	3,75


Tension capacity $R_{ax,k}$ Characteristic capacities 3,55 $\frac{4,35}{4,12}$ With pre-drill

The second of the seco

SWC – Minimum Spacings and Edge and End Distances

Spaci distance		SWC6,0	SWC8,0	SWC10,0
	a _{1,CLT}	24	32	40
CLT	a _{2,CLT}	15	20	25
GLI	a _{s,t,CLT}	36	48	60
	a _{4,t,CLT}	36	48	60
	a _{1,Glulam}	72	96	120
Glulam	a _{2,Glulam}	30	40	50
GiuldIII	a _{3,t,Glulam}	90	120	150
	a _{4,t,Glulam}	60	80	100

Note: Both CLT and Glulam edge distances needs to be fulfilled. If the grain orientation of the CLT panel is different the spacing definition may change.



Characteristic parameters of fasteners and more information are included in chapter 10.

CLT Floor to Glulam Beam

SWD - Double Threaded Screw

SWD screws can be used to create almost hidden connections due to the small cylinder head. The design of the screw makes it suitable for inclined and angled installations that increase the load capacity.

Advantages:

- High load capacity
- Small cylinder head for hidden assemblies
- No pre-drilling required







SWD - Range Overview

Product			Dimensio	ons [mm]		
Reference	d	I.	I _{g1}	l _{g2}	d _h	d _i
SWD6.5xℓ	6,5	65-220	40-95	33,5-88,5	8	4,0
SWD8.0xℓ	8,0	90-330	40-95	31,5-86,5	10	5,4

CLT to Glulam (GL24h) beam - SWD Screws at 90°

		_		, 500						CLT	thi alma		1							
	W _{GL,min}	h GL,min								GLI	thickne	ess t _{clt} [i								
Product	≥	Ľ		80			100			120			140			160			180	
Reference	F	1	988	R _{1,k}	R _{2/3,k}	SS	$R_{1,k}$	R _{2/3,k}	e SS	R _{1,k}	R _{2/3,k}	SS 8S	R _{1,k}	R _{2/3,k}	SSe	R _{1,k}	R _{2/3,k}	SS 90	R _{1,k}	R _{2/3,k}
	Liii	m]	Lrecess		N]	Lrecess	[k	N]	Lrecess	[k		Lrecess		N]	Lrecess		N]	Lrecess		N]
SWD6.5x65	65	65	50	1,41	1,39	70	1,41	1,39	90	1,41	1,39	110	1,41	1,39	130	1,41	1,39	145	1,41	1,34
SWD6.5x90	65	65	35	2,11	1,68	55	2,11	1,68	75	2,11	1,68	95	2,11	1,68	115	2,11	1,68	135	2,11	1,68
SWD6.5x130	65	70	15	2,11	1,97	35	2,11	1,97	55	2,11	1,97	75	2,11	1,97	95	2,11	1,97	115	2,11	1,97
SWD6.5x160	65	85	0	3,48	2,4	20	3,48	2,4	40	3,48	2,4	60	3,48	2,4	80	3,48	2,4	100	3,48	2,4
SWD6.5x190	65	100	-	-	-	5	4,28	2,6	25	4,28	2,6	45	4,28	2,6	65	4,28	2,6	85	4,28	2,6
SWD6.5x220	65	115	-	-	-	-	-	-	10	5,05	2,79	30	5,05	2,79	50	5,05	2,79	70	5,05	2,79
SWD8.0x90	80	80	35	2,35	2,16	55	2,35	2,16	75	2,35	2,16	95	2,35	2,16	115	2,35	2,16	135	2,35	2,16
SWD8.0x130	80	80	15	2,35	2,42	35	2,35	2,42	55	2,35	2,42	75	2,35	2,42	95	2,35	2,42	115	2,35	2,42
SWD8.0x160	80	85	0	3,98	3,06	20	3,98	3,06	40	3,98	3,06	60	3,98	3,06	80	3,98	3,06	100	3,98	3,06
SWD8.0x190	80	100	-	-	-	5	4,92	3,56	25	4,92	3,56	45	4,92	3,56	65	4,92	3,56	85	4,92	3,56
SWD8.0x220	80	115	-	-	-	-	-	-	10	5,85	3,84	30	5,85	3,84	50	5,85	3,84	70	5,85	3,84
SWD8.0x245	80	125	-	-	-	-	-	-	-	-	-	20	6,6	4,03	40	6,6	4,03	55	6,6	4,03
SWD8.0x275	80	140	-	-	-	-	-	-	-	-	-	5	6,6	4,03	20	6,6	4,03	40	6,6	4,03
SWD8.0x300	80	155	-	-	-	-	-	-	-	-	-	-	-	-	10	8,23	4,44	30	8,23	4,44
SWD8.0x330	80	170	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15	8,23	4,44

Table continues on next page.

SIMPSON Strong-Tie



CLT to Glulam (GL24h) beam - SWD Screws at 90°


	W _{GL,min}	h _{GL,min}								CLT	thickne	ss t _{clt} [mm]							
Product	W _{GL}	h _{GL}		200			220			230			260			280			300	
Reference	[m	ml	Lrecess	R _{1,k}	R _{2/3,k}	Lrecess	R _{1,k}	R _{2/3,k}	Lrecess	R _{1,k}	R _{2/3,k}	Lrecess	R _{1,k}	R _{2/3,k}	Lrecess	R _{1,k}	R _{2/3,k}	Lrecess	R _{1,k}	R _{2/3,k}
	Liii	,	⁹¹ 7		N]	Le		N]	^e -T		N]	Le		N]	⁹ 7		N]	Le		:N]
SWD6.5x65	65	65	170	1,41	1,39	190	1,41	1,39	210	1,41	1,39	230	1,41	1,39	250	1,41	1,39	265	1,41	1,34
SWD6.5x90	65	65	155	2,11	1,68	175	2,11	1,68	195	2,11	1,68	215	2,11	1,68	235	2,11	1,68	255	2,11	1,68
SWD6.5x130	65	70	135	2,11	1,97	155	2,11	1,97	175	2,11	1,97	195	2,11	1,97	215	2,11	1,97	235	2,11	1,97
SWD6.5x160	65	85	120	3,48	2,4	140	3,48	2,4	160	3,48	2,4	180	3,48	2,4	200	3,48	2,4	220	3,48	2,4
SWD6.5x190	65	100	105	4,28	2,6	125	4,28	2,6	145	4,28	2,6	165	4,28	2,6	185	4,28	2,6	205	4,28	2,6
SWD6.5x220	65	115	90	5,05	2,79	110	5,05	2,79	130	5,05	2,79	150	5,05	2,79	170	5,05	2,79	190	5,05	2,79
SWD8.0x90	80	80	155	2,35	2,16	175	2,35	2,16	195	2,35	2,16	215	2,35	2,16	235	2,35	2,16	255	2,35	2,16
SWD8.0x130	80	80	135	2,35	2,42	155	2,35	2,42	175	2,35	2,42	195	2,35	2,42	215	2,35	2,42	235	2,35	2,42
SWD8.0x160	80	85	120	3,98	3,06	140	3,98	3,06	160	3,98	3,06	180	3,98	3,06	200	3,98	3,06	220	3,98	3,06
SWD8.0x190	80	100	105	4,92	3,56	125	4,92	3,56	145	4,92	3,56	165	4,92	3,56	185	4,92	3,56	205	4,92	3,56
SWD8.0x220	80	115	90	5,85	3,84	110	5,85	3,84	130	5,85	3,84	150	5,85	3,84	170	5,85	3,84	190	5,85	3,84
SWD8.0x245	80	125	80	6,6	4,03	100	6,6	4,03	115	6,6	4,03	140	6,6	4,03	160	6,6	4,03	180	6,6	4,03
SWD8.0x275	80	140	65	6,6	4,03	80	6,6	4,03	100	6,6	4,03	125	6,6	4,03	145	6,6	4,03	160	6,6	4,03
SWD8.0x300	80	155	50	8,23	4,44	70	8,23	4,44	90	8,23	4,44	110	8,23	4,44	130	8,23	4,44	150	8,23	4,44
SWD8.0x330	80	170	35	8,23	4,44	55	8,23	4,44	75	8,23	4,44	95	8,23	4,44	115	8,23	4,44	135	8,23	4,44


Table continues on next page.


SWD – Minimum Spacings and Edge and End Distances (90°)

Spacii distance		SWD6,5	SWD8,0
	a _{1,CLT}	26	32
CLT	a _{2,CLT}	17	20
CLI	a _{3,t,CLT}	39	48
	$a_{\scriptscriptstyle 4,t,CLT}$	39	48
	a _{1,Glulam}	78	96
Glulam	a _{2,Glulam}	32,5	40
Giulaili	a _{3,t,Glulam}	98	120
	a _{4,t,Glulam}	33	40

Note: Both CLT and Glulam edge distances needs to be fulfilled. If the grain orientation of the CLT panel is different the spacing defintion may change.







SIMPSON Strong-Tie







CLT to Glulam (GL24h) beam - SWD Inclined Screws at 45°

		()		,				7111 100												
	W _{GL,min}	h _{GL,min}								CLT	thickne	ss t _{clt} [I	mm]							
Product	W	h		80			100			120			140			160			180	
Reference	F	1	ess	R _{1,k}	R _{2/3,k}	988	R _{1,k}	R _{2/3,k}	ess	R _{1,k}	R _{2/3,k}	988	R _{1,k}	R _{2/3,k}	ess	R _{1,k}	R _{2/3,k}	ess	R _{1,k}	R _{2/3,k}
	[m	mj	Lrecess		N]	Lrecess		N]	Lrecess	[k		Lrecess		N]	Lrecess		N]	Lrecess		:N]
SWD6.5x65	65	65	80	1,08	1,09	110	1,09	1,08	135	1,08	1,09	165	1,08	1,09	195	1,09	1,08	220	1,08	1,09
SWD6.5x90	65	65	70	1,57	1,56	95	1,56	1,57	125	1,57	1,57	155	1,57	1,56	180	1,56	1,57	210	1,57	1,56
SWD6.5x130	65	65	50	1,8	1,82	75	1,82	1,8	105	1,81	1,81	135	1,8	1,82	160	1,82	1,8	190	1,81	1,81
SWD6.5x160	65	65	35	2,52	2,56	60	2,55	2,53	90	2,54	2,54	120	2,52	2,56	145	2,55	2,53	175	2,53	2,54
SWD6.5x190	65	70	20	2,99	3	45	3	2,99	75	3	3	105	2,99	3	130	3	2,99	160	3	3
SWD6.5x220	65	80	5	3,31	3,31	30	3,31	3,31	60	3,31	3,31	90	3,31	3,31	115	3,31	3,31	145	3,31	3,31
SWD8.0x90	80	80	70	1,77	1,75	95	1,76	1,77	125	1,76	1,76	155	1,77	1,75	180	1,76	1,77	210	1,76	1,76
SWD8.0x130	80	80	50	2,07	2,06	75	2,06	2,07	105	2,06	2,06	135	2,07	2,06	160	2,06	2,07	190	2,07	2,06
SWD8.0x160	80	80	35	3,05	3,04	60	3,04	3,05	90	3,05	3,04	120	3,05	3,04	145	3,04	3,05	175	3,05	3,04
SWD8.0x190	80	80	20	3,57	3,61	45	3,6	3,58	75	3,59	3,59	105	3,57	3,61	130	3,6	3,58	160	3,58	3,59
SWD8.0x220	80	80	5	4,09	4,13	30	4,13	4,1	60	4,11	4,11	90	4,09	4,13	115	4,12	4,1	145	4,11	4,12
SWD8.0x245	80	90	-	-	-	20	4,54	4,56	45	4,57	4,52	75	4,55	4,54	105	4,53	4,56	130	4,57	4,52
SWD8.0x275	80	100	-	-	-	5	4,66	4,66	30	4,66	4,66	60	4,66	4,66	90	4,66	4,66	115	4,66	4,66
SWD8.0x300	80	110		-	-	-	-	-	20	5,3	5,3	50	5,3	5,3	75	5,3	5,3	105	5,3	5,3
SWD8.0x330	80	120	-	-	-	-	-	-	5	5,3	5,3	35	5,3	5,3	60	5,3	5,3	90	5,3	5,3

	W _{GL,min}	h _{GL,min}								CLT	thickne	ss t _{clt} [I	mm]							
Product	W _{Gl}	p		200			220			230			260			280			300	
Reference	Ιm	ml	Lrecess	R _{1,k}	R _{2/3,k}	Lrecess	R _{1,k}	R _{2/3,k}	recess	R _{1,k}	R _{2/3,k}	Lrecess	R _{1,k}	R _{2/3,k}	recess	R _{1,k}	R _{2/3,k}	recess	R _{1,k}	R _{2/3,k}
	[m	''']	_		N]	–	[k	N]		[k	N]			N]			N]			:N]
SWD6.5x65	65	65	250	1,08	1,09	280	1,09	1,08	305	1,08	1,09	335	1,08	1,09	365	1,09	1,08	390	1,08	1,09
SWD6.5x90	65	65	240	1,58	1,56	265	1,56	1,57	295	1,57	1,56	325	1,58	1,56	350	1,56	1,57	380	1,57	1,56
SWD6.5x130	65	65	220	1,79	1,82	245	1,82	1,8	275	1,8	1,81	305	1,79	1,82	330	1,81	1,8	360	1,8	1,81
SWD6.5x160	65	65	205	2,52	2,56	230	2,55	2,53	260	2,53	2,54	290	2,52	2,56	315	2,55	2,53	345	2,53	2,55
SWD6.5x190	65	70	190	2,98	3	215	3	2,99	245	3	3	275	2,98	3	300	3	3	330	3	3
SWD6.5x220	65	80	175	3,31	3,31	200	3,31	3,31	230	3,31	3,31	260	3,31	3,31	285	3,31	3,31	315	3,31	3,31
SWD8.0x90	80	80	240	1,77	1,75	265	1,76	1,77	295	1,76	1,76	325	1,77	1,75	350	1,76	1,77	380	1,77	1,76
SWD8.0x130	80	80	220	2,07	2,06	245	2,06	2,07	275	2,07	2,06	305	2,07	2,06	330	2,06	2,07	360	2,07	2,06
SWD8.0x160	80	80	205	3,05	3,04	230	3,04	3,05	260	3,05	3,04	290	3,04	3,04	315	3,04	3,05	345	3,05	3,04
SWD8.0x190	80	80	190	3,57	3,61	215	3,6	3,58	245	3,58	3,59	275	3,57	3,61	300	3,6	3,58	330	3,58	3,59
SWD8.0x220	80	80	175	4,09	4,13	200	4,12	4,1	230	4,11	4,12	260	4,09	4,14	285	4,12	4,1	315	4,1	4,12
SWD8.0x245	80	90	160	4,55	4,54	190	4,53	4,56	215	4,57	4,53	245	4,55	4,54	275	4,53	4,56	300	4,57	4,53
SWD8.0x275	80	100	145	4,66	4,66	175	4,66	4,66	200	4,66	4,66	230	4,66	4,66	260	4,66	4,66	285	4,66	4,66
SWD8.0x300	80	110	135	5,3	5,3	160	5,3	5,3	190	5,3	5,3	220	5,3	5,3	245	5,3	5,3	275	5,3	5,3
SWD8.0x330	80	120	120	5,3	5,3	145	5,3	5,3	175	5,3	5,3	205	5,3	5,3	230	5,3	5,3	260	5,3	5,3


Characteristic parameters of fasteners and more information are included in chapter 10.




SWD – Minimum Spacings and Edge and End Distances (45°)

	ing or ce [mm]	SWD6,5	SWD8,0
	a _{i,CLT}	26	32
CLT	a _{2,CLT}	17	20
GLI	a _{s,t,CLT}	39	48
	a _{4,t,CLT}	39	48
	a _{1,Glulam}	65	80
Glulam	a _{2,Glulam}	20	24
Giulaiii	a _{3,t,Glulam}	52	64
	a _{4,t,Glulam}	20	24


Note: Both CLT and Glulam edge distances needs to be fulfilled. If the grain orientation of the CLT panel is different the spacing defintion may change.



Inclined Screws CLT to Glulam Configuration



C-CLT-EU-2023 @2023 SIMPSON STRONG-TIE COMPANY INC.



Note: $\mathbf{a}_{\text{1,cg,CLT}}$ is a CLT edge distance to centre of gravity of the screw thread



CLT to Steel Profile Solutions



Structural Hex-Head Screw

Product Options: Secure CLT floor panels to steel.

SSH see page 197







Secure CLT floor panels to steel.







SSH - Hex-Head Connector Screw


The SSH hex-head screw is a heavy duty connector screw designed for steel to wood applications such as cross laminated timber and glulam. The design of the screw provide an excellent connection to the steel and can transfer high loads. The head combining hex and torx allows to install the screw with either a hexdriver or a 6-lobe driver bit.

Advantages:

- Can be installed with hex-driver bit or 6-lobe driver bit
- No pre-drilling required
- Impreg+ coating







SSH - Range Overview

Product			Dimensio	ons [mm]		
Reference	d	1	l _g	\mathbf{d}_{h}	d_h	t _{fix}
SSH6.0xl	6,0	40 - 120	24 - 75	14,5	3,65	16 - 45
SSH8.0xl	8,0	40 - 300	32 - 110	13	5,1	8 - 190
SSH10.0xℓ	10,0	50 - 280	42 - 125	15	6,15	8 - 155
SSH12.0xl	12,0	60 - 200	48 - 110	17	6,7	12 - 90

Steel Profile to CLT Panel - SSH Screws at 90°

				Shear Capacity -	Steel to CLT – [kN]		
Product	Tension Capacity – Steel to CLT –		Thin Steel ²⁾			Thick Steel ³⁾	
Reference	R _{ax,k} [kN] ¹⁾	Maximum Thickness [mm]	Pre-Drill	R _{v,k}	Minimum Thickness [mm]	Pre-Drill	$R_{v,k}$
SSH6.0x40 ⁴⁾	1,8	3,0	With pre-drill	2,40	6,0	With pre-drill	3,16
55no.ux4u*	1,0	3,0	Without pre-drill	1,49	0,0	Without pre-drill	2,29
00110 0504)	0.0	0.0	With pre-drill	2,77	0.0	With pre-drill	3,64
SSH6.0x50 ⁴⁾	2,6	3,0	Without pre-drill	1,89	6,0	Without pre-drill	2,82
SSH6.0x60 ⁴⁾	3,4	3,0	With pre-drill	2,95	6.0	With pre-drill	3,82
22U0.0X00. ₀	3,4	3,0	Without pre-drill	2,29	6,0	Without pre-drill	3,19
00110 0754)	0.4	0.0	With pre-drill	2,95	0.0	With pre-drill	3,82
SSH6.0x75 ⁴⁾	3,4	3,0	Without pre-drill	2,50	6,0	Without pre-drill	3,19
CCLIC OvOO4)	2.4	2.0	With pre-drill	2,95	6.0	With pre-drill	3,82
SSH6.0x90 ⁴⁾	3,4	3,0	Without pre-drill	2,50	6,0	Without pre-drill	3,19
SSH6.0x120 ⁴⁾	6.0	2.0	With pre-drill	3,61	6.0	With pre-drill	4,48
33NU.UX1ZU*	6,0	3,0	Without pre-drill	3,16	6,0	Without pre-drill	3,85

 $^{^{1)}}$ For steel thickness $\leq d$

For intermediate steel thicknesses, the capacity can be obtained by interpolation.

For recommended hole diameter in steel, see chapter 10.

Table continues on next page.

 $^{^{2)}}$ Thin plate: thickness $\leq 0.5xd$

³ Thick plate: thickness ≥ d
4 6.0 mm screws have a different head design – see chapter 10.



C-CLT-EU-2023 @2023 SIMPSON STRONG-TIE COMPANY INC.

Steel Profile to CLT Panel – SSH Screws at 90° (cont.)

				Shear Capacity	- Steel to CLT - [kN]		
Product	Tension Capacity – Steel to CLT –		Thin Steel ²⁾			Thick Steel ³⁾	
Reference	R _{ax,k} [kN] ¹⁾	Maximum Thickness [mm]	Pre-Drill	$R_{v,k}$	Minimum Thickness [mm]	Pre-Drill	$R_{v,k}$
SSH8.0X40	3,6	4,0	With pre-drill	3,04	8,0	With pre-drill	4,75
00110.0740	0,0	7,0	Without pre-drill	1,77	0,0	Without pre-drill	3,54
SSH8.0X50	4,7	4,0	With pre-drill	3,89	8,0	With pre-drill	5,67
			Without pre-drill	2,26 4,73		With pro-drill	4,12 6,39
SSH8.0x60	4,7	4,0	With pre-drill Without pre-drill	2,76	8,0	With pre-drill Without pre-drill	4,48
			With pre-drill	4,93		With pre-drill	6,48
SSH8.0x70	4,7	4,0	Without pre-drill	3,25	8,0	Without pre-drill	4,89
SSH8.0X80	4.7	4,0	With pre-drill	4,93	8,0	With pre-drill	6,48
33110.0000	4,7	4,0	Without pre-drill	3,74	0,0	Without pre-drill	5,23
SSH8.0X90	4,7	4,0	With pre-drill	4,93	8,0	With pre-drill	6,48
	-,,-	-,,-	Without pre-drill	4,04	5,5	Without pre-drill	5,23
SSH8.0X100	6,1	4,0	With pre-drill	5,29	8,0	With pre-drill	6,85
			Without pre-drill With pre-drill	4,40 6,12		Without pre-drill With pre-drill	5,59 7,68
SSH8.0X120	9,5	4,0	Without pre-drill	5,23	8,0	Without pre-drill	6,42
			With pre-drill	6,12		With pre-drill	7,68
SSH8.0X140	9,5	4,0	Without pre-drill	5,23	8,0	Without pre-drill	6,42
00110 07400	40.0	4.0	With pre-drill	6,82	0.0	With pre-drill	8,38
SSH8.0X160	12,2	4,0	Without pre-drill	5,74	8,0	Without pre-drill	7,12
SSH8.0X180	12,2	4,0	With pre-drill	6,82	8,0	With pre-drill	8,38
33110.07100	12,2	4,0	Without pre-drill	5,74	0,0	Without pre-drill	7,12
SSH8.0X200	12,2	4,0	With pre-drill	6,82	8,0	With pre-drill	8,38
	,	, ,	Without pre-drill	5,74		Without pre-drill	7,12
SSH8.0X240	12,2	4,0	With pre-drill	6,82	8,0	With pre-drill	8,38
			Without pre-drill With pre-drill	5,74 6,82		Without pre-drill With pre-drill	7,12 8,38
SSH8.0X260	12,2	4,0	Without pre-drill	5,74	8,0	Without pre-drill	7,12
			With pre-drill	6,82		With pre-drill	8,38
SSH8.0X280	12,2	4,0	Without pre-drill	5,74	8,0	Without pre-drill	7,12
CCITO OVOCO	10.0	4.0	With pre-drill	6,82	0.0	With pre-drill	8,38
SSH8.0X300	12,2	4,0	Without pre-drill	5,74	8,0	Without pre-drill	7,12
SSH10.0X50	3,9	5,0	With pre-drill	3,62	10,0	With pre-drill	5,87
001110.0/00	0,0	0,0	Without pre-drill	2,59	10,0	Without pre-drill	4,92
SSH10.0X60	5,1	5,0	With pre-drill	5,68	10,0	With pre-drill	7,68
			Without pre-drill	3,16		Without pre-drill	5,29
SSH10.0X80	5,1	5,0	With pre-drill Without pre-drill	6,41 4,32	10,0	With pre-drill Without pre-drill	8,54 6,20
			With pre-drill	6,41		With pre-drill	8,54
SSH10.0X90	5,1	5,0	Without pre-drill	4,89	10,0	Without pre-drill	6,70
CC1110 0V100	6.7	E 0	With pre-drill	6,81	10.0	With pre-drill	8,94
SSH10.0X100	6,7	5,0	Without pre-drill	5,47	10,0	Without pre-drill	7,09
SSH10.0X120	10,3	5,0	With pre-drill	7,71	10,0	With pre-drill	9,84
551110.0/(120	10,0	0,0	Without pre-drill	6,41	10,0	Without pre-drill	8,00
SSH10.0X140	10,3	5,0	With pre-drill	7,71	10,0	With pre-drill	9,84
			Without pre-drill	6,41		Without pre-drill	8,00
SSH10.0X160	13,3	5,0	With pre-drill Without pre-drill	8,47 7,16	10,0	With pre-drill Without pre-drill	10,60 8,75
			With pre-drill	8,47		With pre-drill	10,60
SSH10.0X180	13,3	5,0	Without pre-drill	7,16	10,0	Without pre-drill	8,75
001140 00000	40.0	5.0	With pre-drill	8,47	40.6	With pre-drill	10,60
SSH10.0X200	13,3	5,0	Without pre-drill	7,16	10,0	Without pre-drill	8,75
SSH10.0X240	15.1	5.0	With pre-drill	8,92	10.0	With pre-drill	11,05
σοπτυ.υλζ40	15,1	5,0	Without pre-drill	7,62	10,0	Without pre-drill	9,21
			Triandat pro-arm			11101000	

 $^{^{1)}}$ For steel thickness $\leq d$

Table continues on next page.

²⁾ Thin plate: thickness $\leq 0.5xd$ ³⁾ Thick plate: thickness $\geq d$

For intermediate steel thicknesses, the capacity can be obtained by interpolation. For recommended hole diameter in steel, see chapter 10.

SIMPSON Strong-Tie


Steel Profile to CLT Panel – SSH Screws at 90° (cont.)


				Shear Capacity	- Steel to CLT - [kN]		
Product	Tension Capacity – Steel to CLT –		Thin Steel ²⁾			Thick Steel ³⁾	
Reference	R _{ax,k} [kN] ¹⁾	Maximum Thickness [mm]	Pre-Drill	$R_{v,k}$	Minimum Thickness [mm]	Pre-Drill	$R_{v,k}$
001110 0700	7.0	0.0	With pre-drill	6,55	10.0	With pre-drill	9,27
SSH12.0X60	7,0	6,0	Without pre-drill	3,53	12,0	Without pre-drill	6,45
SSH12.0X80	7.0	6.0	With pre-drill	8,23	10.0	With pre-drill	10,91
55H1Z.UX8U	7,0	6,0	Without pre-drill	4,84	12,0	Without pre-drill	7,41
001110 0700	7.0	0.0	With pre-drill	8,23	10.0	With pre-drill	10,91
SSH12.0X90	7,0	6,0	Without pre-drill	5,49	12,0	Without pre-drill	7,96
001110 07100	0.1	0.0	With pre-drill	8,49	10.0	With pre-drill	11,17
SSH12.0X100	8,1	6,0	Without pre-drill	6,14	12,0	Without pre-drill	8,74
SSH12.0X120	10.4	6.0	With pre-drill	9,59	10.0	With pre-drill	12,27
33H1Z.UX1ZU	12,4	6,0	Without pre-drill	7,45	12,0	Without pre-drill	9,84
CC1110 0V140	10.4	6.0	With pre-drill	9,59	10.0	With pre-drill	12,27
SSH12.0X140	12,4	6,0	Without pre-drill	7,87	12,0	Without pre-drill	9,84
001110 00100	10.1	0.0	With pre-drill	10,50	10.0	With pre-drill	13,18
SSH12.0X160	16,1	6,0	Without pre-drill	8,78	12,0	Without pre-drill	10,75
CCU10 0V100	10.1	6.0	With pre-drill	10,50	10.0	With pre-drill	13,18
SSH12.0X180	16,1	6,0	Without pre-drill	8,78	12,0	Without pre-drill	10,75
SSH12.0X200	16.1	6.0	With pre-drill	10,50	10.0	With pre-drill	13,18
SONIZ.UXZUU	10,1	6,0	Without pre-drill	8,78	12,0	Without pre-drill	10,75

¹⁾ For steel thickness ≤ d

3 Thick plate: thickness ≥ d
For intermediate steel thicknesses, the capacity can be obtained by interpolation.
For recommended hole diameter in steel, see chapter 10.







²⁾ Thin plate: thickness ≤ 0.5xd



SSH – Recommended Maximum Steel Hole Diameter

SSH6,0	SSH8,0	SSH10,0	SSH12,0
SSH6,0	SSH8,0	SSH10,0	SSH12,0
Ø7 mm	Ø9 mm	Ø11 mm	Ø13 mm


 $\ensuremath{\text{\textbf{Note:}}}$ The cone under the head have the same diameter as the outer thread.

SSH – Minimum Spacings and Edge and End Distances


	or distance im]	SSH6,0	SSH8,0	SSH10,0	SSH12,0
	a ₂	15	20	25	30
CLT	a _{3,t}	36	48	60	72
	a _{4,t}	36	48	60	72
	e ₁	8	10	12	15
Steel *	e ₂	8	10	12	15
31661	a ₁	14	18	22	27
	a ₂ *	15	20	24	29

Note: Both CLT and Steel edge distances need to be fulfilled.

^{*} According to EN 1993-1-8 §3.5



CLT supported within steel I-Beam



CLT Floor supported above Steel I-Beam

Note: Size of the clearance between I-Beam flanges to be checked to make sure that the installation is possible.





SIMPSON StrongTie

External Insulation to CLT Wall Solutions


Structural Countersunk Wood Screw

Product Options:


TTUFS

see page 205

Easy and fast method for installing insulation layers and battens to CLT wall panels.










Easy and fast method for installing insulation layers and battens to CLT wall panels.



Timber Fasteners TTUFS Countersunk Screw TTUFS



TTUFS - Countersunk Screw


TTUFS is a high-performance and cost effective solution for mounting installation to CLT walls. It features a partially-threaded profile that provides a tightening effect between the timber stud and the CLT panel, as well as a countersunk head to leave a clean, flush surface.

Advantages:

- Countersunk head provides a flush finish
- Milling thread reduces the drive-in torque, reducing effort
- No pre-drilling required








TTUFS - Range Overview

	<u> </u>					
Product			Dimensio	ons [mm]		
Reference	d	I	l _g	d _h	d _i	t _{fix}
TTUFS4.5xℓ	4,5	25 - 80	20 - 50	8,4	2,8	5 - 5
TTUFS5.0xℓ	5,0	30 - 120	25 - 60	9,5	3,1	5 - 60
TTUFS6.0xℓ	6,0	40 - 180	34 - 70	11,6	3,7	6 - 110

TTUFS – Characteristic Tension and Shear Capacities, Parallel (0°) to the Grain Timber to Timber C24

Product Reference	Thread Length	Max Advised Wood		Tension Capacity $R_{ax,k}$ and Shear Capacity $R_{v,0^*,k}$ Parallel to the Grain Depending on t_1 [kN] Wood Thickness t_1 [mm]																
	L _g [mm]	Thickness t ₁ [mm]	3	6	45			45 50		0	63		63 70		75		80		10	00
TTUFS5.0X80	40	40	1.54	1,94	1.54	1,94	_	-	_	-	_	-	_	-	_	-	_	-	_	-
110100107100			1,01	1,64	.,	1,64		-		-		-		-		-		-		-
TTUFS5.0X90	45	45	1.54	1,94	1,54	1,94	1,54	1,94	_	-	_	-	_	-	_	-	_	-		-
110100.0730	40	40	1,04	1,64	1,04	1,64	1,04	1,64		-		-		-		-		-		-
TTUFS5.0X100	60	40	1,54	1,94	1,54	1,94	_	-		-		-		-		-		-		-
110F33.0X100	00	40	1,54	1,64	1,54	1,64	_	-	_	-	-	-	-	-	_	-	_	-		-
TTUFS5.0X120	60	60	1 5 4	1,94	1.54	1,94	1,54	1,94	1 5 /	1,94	1 5 4	1,94		-		-		-		-
110F55.0X120	00	00	1,54	1,64	1,54	1,64	1,04	1,64	1,54	1,64	1,54	1,64	-	-	_	-	_	-	-	-






C-CLT-EU-2023 @2023 SIMPSON STRONG-TIE COMPANY INC.

TTUFS - Characteristic Tension and Shear Capacities, Parallel (0°) to the Grain Timber to Timber C24

Durchest	Thread	Max Advised			Ten	sion Ca	apacity	R _{ax,k} aı	nd She	ar Capa	acity R _v	, _{0°,k} Par	allel to	the Gr	ain Dep	oending	g on t ₁	[kN]		
Product Reference	Length	Wood								Wood	l Thick	ness t ₁	[mm]							
	L _g [mm]	Thickness t ₁ [mm]	3	6	4	5	5	0	6	0	6	3	7	0	7	'5	8	0	10	00
TTUFS6.0X80	40	40	2,23	2,58 2,09	2,23	2,58 2,06	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TTUFS6.0X90	45	45	2,23	2,58	2,23	2,58	2,23	2,58	_	-	_	-	_	-	_	-	_	-	_	-
				2,09		2,15 2,58	_,	2,15		-		-		-		-		-		-
TTUFS6.0X100	60	40	2,23	2,09	2,23	2,15	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TTUFS6.0X120	70	50	2,23	2,58	2,23	2,58 2,15	2,23	2,58 2,15	-	-	-	-	-	-	_	-	-	-	_	-
TTUFS6.0X140	70	70	2,23	2,58 2,09	2,23	2,58 2.15	2,23	2,58 2,15	2,23	2,58 2.15	2,23	2,58 2.15	2,23	2,58 2.15	2,23	2,58 2,15	-	-	-	-
TTUFS6.0X160	70	90	2,23	2,58	2,23	2,58	2,23	2,58 2.15	2,23	2,58 2,15	2,23	2,58 2,15	2,23	2,58 2,15	2,23	2,58 2,15	2,23	2,58	_	-
TTUFS6.0X180	70	110	2,23	2,09	2,23	2,58	2,23	2,58	2,23	2,58	2,23	2,58	2,23	2,58	2,23	2,58	2,23	2,15	2,23	2,58
			,	7 7 X L	2,15	2,23	2,15	,	2,15	,	2,15	,	2,15	,==	2,15	,==	2,15	,	2,15	







SIMPSON Strong-Tie

TTUFS - Characteristic Tension and Shear Capacities, Perpendicular (90°) to the Grain Timber to Timber C24

	Thread	Max Advised		Tension Capacity R_{uxk} and Shear Capacity $R_{v.90^{\circ}k}$ Perpendicular to the Grain Depending on t_{η} [kN]																
Product Reference	Length	Wood								Wood	l Thick	ness t ₁	[mm]							
	L _g [mm]	t ₁ [mm]	3	36		45		50		60		63		0	7	75		80 10		00
TTUFS5.0X80	40	40	1,54	1,94 1,64	1,54	1,94 1,64	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TTUFS5.0X90	45	45	1,54	1,94 1,64	1,54	1,94 1,64	1,54	1,94 1,64	-	-	_	-	_	-	-	-	_	-	-	-
TTUFS5.0X100	60	40	1,54	1,94 1,64	1,54	1,94 1,64	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TTUFS5.0X120	60	60	1,54	1,94 1,64	1,54	1,94 1,64	1,54	1,94 1,64	1,54	1,94 1,64	1,54	1,94 1,64	-	-	-	-	-	-	-	-
TTUFS6.0X80	40	40	2,23	2,58 2,09	2,23	2,58 2,06	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TTUFS6.0X90	45	45	2,23	2,58 2,09	2,23	2,58 2,15	2,23	2,58 2,15	-	-	-	-	_	-	-	-	_	-	-	-
TTUFS6.0X100	60	40	2,23	2,58 2,09	2,23	2,58 2,15	_	-	-	-	-	-	_	-	-	-	_	-	-	-
TTUFS6.0X120	70	50	2,23	2,58 2,09	2,23	2,58 2,15	2,23	2,58 2,15	-	-	_	-	_	-	-	-	_	-	-	-
TTUFS6.0X140	70	70	2,23	2,58 2,09	2,23	2,58 2,15	2,23	2,58 2,15	2,23	2,58 2,15	2,23	2,58 2,15	2,23	2,58 2,15	2,23	2,58 2,15	-	-	-	-
TTUFS6.0X160	70	90	2,23	2,58 2,09	2,23	2,58 2,15	2,23	2,58 2,15	2,23	2,58 2,15	2,23	2,58 2,15	2,23	2,58 2,15	2,23	2,58 2,15	2,23	2,58 2,15	-	-
TTUFS6.0X180	70	110	2,23	2,58 2,09	2,23	2,58 2,15	2,23	2,58 2,15	2,23	2,58 2,15	2,23	2,58 2,15	2,23	2,58 2,15	2,23	2,58 2,15	2,23	2,58 2,15	2,23	2,58 2,15


Characteristic parameters of fasteners and more information are included in chapter 10. $R_{ax,k}$ F_{v,90°} Tension capacity $R_{ax,k}$ With pre-drill 2,58 Characteristic 2,23 capacities 2,15 Without pre-drill Shear capacity R_{v,k} **Shear Perpendicular** Tension (90°) to the Grain For pre-drilling recommendations, see chapter 10.

C-CLT-EU-2023 @2023 SIMPSON STRONG-TIE COMPANY INC.

SIMPSON

Fasteners and Anchors Additional Information

Fastener Features



- Conical shape under the head for maximum fit in metal holes
- Hex-head with 6-lobe recess 2 allows for the convenience of driving with either a hex-driver bit or 6-lobe driver bit
- Countersunk head with underhead nibs creates a flush finish


- Washer head creates high pullthrough resistance
- Small cylinder head sinks into 5 the wood allowing for hidden assemblies
- Partial thread with milling 6 thread reduces the drive-in torque
- Double thread with differentiated thread pitch creates a clamping effect that pulls the wood members together
- Full thread for excellent pull-out values and high load-bearing capacities

- Type 17 cut point reduces the risk of wood splitting during the installation
- Chisel point allows for skewed installations
- Half-cut point gives low installation torque and no predrilling is required

SIMPSON Strong-Tie

Solid-Drive™

TTUFS Countersunk WOOD Screw





Electro Galvanised C1 acc. to EN ISO 12944-2 SC2 - 50 years acc. to EC5

TTUFS - Range Overview

TIUFS4.5X25 74434		Article		Dimensions [mm]								
TTUFS4.5X30 74435 4,5 30 25 8,4 2,8 5 TTUFS4.5X35 74436 4,5 35 30 8,4 2,8 5 TTUFS4.5X40 74437 4,5 40 35 8,4 2,8 5 TTUFS4.5X45 74438 4,5 45 29 8,4 2,8 16 TTUFS4.5X50 74439 4,5 50 30 8,4 2,8 20 TTUFS4.5X60 74440 4,5 60 35 8,4 2,8 25 TTUFS4.5X70 74441 4,5 70 40 8,4 2,8 25 TTUFS5.0X80 74442 4,5 80 50 8,4 2,8 30 TTUFS5.0X30 74373 5,0 30 25 9,5 3,1 5 TTUFS5.0X40 74374 5,0 40 35 9,5 3,1 5 TTUFS5.0X50 74376 5,0 60	Reference		d	I	l _g	d _h	d _i	t _{fix}				
TTUFS4.5X35 74436 4,5 35 30 8,4 2,8 5 TTUFS4.5X40 74437 4,5 40 35 8,4 2,8 5 TTUFS4.5X45 74438 4,5 45 29 8,4 2,8 16 TTUFS4.5X50 74439 4,5 50 30 8,4 2,8 20 TTUFS4.5X60 74440 4,5 60 35 8,4 2,8 25 TTUFS4.5X70 74441 4,5 70 40 8,4 2,8 30 TTUFS4.5X80 74442 4,5 80 50 8,4 2,8 30 TTUFS5.0X30 74373 5,0 30 25 9,5 3,1 5 TTUFS5.0X40 74374 5,0 40 35 9,5 3,1 5 TTUFS5.0X50 74376 5,0 60 35 9,5 3,1 20 TTUFS5.0X60 74378 5,0 80	TTUFS4.5X25	74434	4,5	25	20	8,4	2,8	5				
TTUFS4.5X40 74437 4,5 40 35 8,4 2,8 5 TTUFS4.5X45 74438 4,5 45 29 8,4 2,8 16 TTUFS4.5X50 74439 4,5 50 30 8,4 2,8 20 TTUFS4.5X60 74440 4,5 60 35 8,4 2,8 25 TTUFS4.5X70 74441 4,5 70 40 8,4 2,8 30 TTUFS4.5X80 74442 4,5 80 50 8,4 2,8 30 TTUFS5.0X30 74373 5,0 30 25 9,5 3,1 5 TTUFS5.0X40 74374 5,0 40 35 9,5 3,1 5 TTUFS5.0X50 74375 5,0 50 30 9,5 3,1 20 TTUFS5.0X60 74376 5,0 60 35 9,5 3,1 30 TTUFS5.0X60 74378 5,0 70	TTUFS4.5X30	74435	4,5	30	25	8,4	2,8	5				
TTUFS4.5X45 74438 4,5 45 29 8,4 2,8 16 TTUFS4.5X50 74439 4,5 50 30 8,4 2,8 20 TTUFS4.5X60 74440 4,5 60 35 8,4 2,8 25 TTUFS4.5X70 74441 4,5 70 40 8,4 2,8 30 TTUFS4.5X80 74442 4,5 80 50 8,4 2,8 30 TTUFS5.0X30 74373 5,0 30 25 9,5 3,1 5 TTUFS5.0X40 74374 5,0 40 35 9,5 3,1 5 TTUFS5.0X50 74375 5,0 50 30 9,5 3,1 20 TTUFS5.0X60 74376 5,0 60 35 9,5 3,1 25 TUFS5.0X70 74377 5,0 70 40 9,5 3,1 40 TUFS5.0X80 74378 5,0 80	TTUFS4.5X35	74436	4,5	35	30	8,4	2,8	5				
TTUFS4.5X50 74439 4,5 50 30 8,4 2,8 20 TTUFS4.5X60 74440 4,5 60 35 8,4 2,8 25 TTUFS4.5X70 74441 4,5 70 40 8,4 2,8 30 TTUFS4.5X80 74442 4,5 80 50 8,4 2,8 30 TTUFS5.0X30 74373 5,0 30 25 9,5 3,1 5 TTUFS5.0X40 74374 5,0 40 35 9,5 3,1 5 TTUFS5.0X50 74375 5,0 50 30 9,5 3,1 20 TTUFS5.0X60 74376 5,0 60 35 9,5 3,1 25 TTUFS5.0X70 74377 5,0 70 40 9,5 3,1 40 TTUFS5.0X80 74378 5,0 80 40 9,5 3,1 40 TTUFS5.0X90 74379 5,0 90	TTUFS4.5X40	74437	4,5	40	35	8,4	2,8	5				
TTUFS4.5X60 74440 4,5 60 35 8,4 2,8 25 TTUFS4.5X70 74441 4,5 70 40 8,4 2,8 30 TTUFS4.5X80 74442 4,5 80 50 8,4 2,8 30 TTUFS5.0X30 74373 5,0 30 25 9,5 3,1 5 TTUFS5.0X40 74374 5,0 40 35 9,5 3,1 5 TTUFS5.0X50 74375 5,0 50 30 9,5 3,1 20 TTUFS5.0X60 74376 5,0 60 35 9,5 3,1 25 TTUFS5.0X70 74377 5,0 70 40 9,5 3,1 30 TTUFS5.0X80 74378 5,0 80 40 9,5 3,1 40 TTUFS5.0X90 74379 5,0 90 45 9,5 3,1 45 TTUFS6.0X100 74443 5,0 100	TTUFS4.5X45	74438	4,5	45	29	8,4	2,8	16				
TTUFS4.5X70 74441 4,5 70 40 8,4 2,8 30 TTUFS4.5X80 74442 4,5 80 50 8,4 2,8 30 TTUFS5.0X30 74373 5,0 30 25 9,5 3,1 5 TTUFS5.0X40 74374 5,0 40 35 9,5 3,1 5 TTUFS5.0X50 74375 5,0 50 30 9,5 3,1 20 TTUFS5.0X60 74376 5,0 60 35 9,5 3,1 25 TTUFS5.0X70 74377 5,0 70 40 9,5 3,1 30 TTUFS5.0X80 74378 5,0 80 40 9,5 3,1 40 TTUFS5.0X90 74379 5,0 90 45 9,5 3,1 45 TTUFS5.0X100 74443 5,0 100 60 9,5 3,1 40 TTUFS6.0X40 74455 6,0 40	TTUFS4.5X50	74439	4,5	50	30	8,4	2,8	20				
TTUFS4.5X80 74442 4,5 80 50 8,4 2,8 30 TTUFS5.0X30 74373 5,0 30 25 9,5 3,1 5 TTUFS5.0X40 74374 5,0 40 35 9,5 3,1 5 TTUFS5.0X50 74375 5,0 50 30 9,5 3,1 20 TTUFS5.0X60 74376 5,0 60 35 9,5 3,1 25 TTUFS5.0X70 74377 5,0 70 40 9,5 3,1 30 TTUFS5.0X80 74378 5,0 80 40 9,5 3,1 40 TTUFS5.0X90 74379 5,0 90 45 9,5 3,1 45 TTUFS5.0X100 74443 5,0 100 60 9,5 3,1 40 TTUFS6.0X40 74455 6,0 40 34 11,6 3,7 6 TTUFS6.0X50 74457 6,0 50	TTUFS4.5X60	74440	4,5	60	35	8,4	2,8	25				
TTUFS5.0X30 74373 5,0 30 25 9,5 3,1 5 TTUFS5.0X40 74374 5,0 40 35 9,5 3,1 5 TTUFS5.0X50 74375 5,0 50 30 9,5 3,1 20 TTUFS5.0X60 74376 5,0 60 35 9,5 3,1 25 TTUFS5.0X70 74377 5,0 70 40 9,5 3,1 30 TTUFS5.0X80 74378 5,0 80 40 9,5 3,1 40 TTUFS5.0X90 74379 5,0 90 45 9,5 3,1 40 TTUFS5.0X100 74443 5,0 100 60 9,5 3,1 40 TTUFS6.0X120 74372 5,0 120 60 9,5 3,1 60 TTUFS6.0X40 74455 6,0 40 34 11,6 3,7 20 TTUFS6.0X50 74458 6,0 60	TTUFS4.5X70	74441	4,5	70	40	8,4	2,8	30				
TTUFS5.0X40 74374 5,0 40 35 9,5 3,1 5 TTUFS5.0X50 74375 5,0 50 30 9,5 3,1 20 TTUFS5.0X60 74376 5,0 60 35 9,5 3,1 25 TTUFS5.0X70 74377 5,0 70 40 9,5 3,1 30 TTUFS5.0X80 74378 5,0 80 40 9,5 3,1 40 TTUFS5.0X90 74379 5,0 90 45 9,5 3,1 40 TTUFS5.0X100 74443 5,0 100 60 9,5 3,1 40 TTUFS6.0X120 74372 5,0 120 60 9,5 3,1 60 TTUFS6.0X40 74455 6,0 40 34 11,6 3,7 20 TTUFS6.0X50 74457 6,0 50 30 11,6 3,7 25 TTUFS6.0X60 74458 6,0 60 <td>TTUFS4.5X80</td> <td>74442</td> <td>4,5</td> <td>80</td> <td>50</td> <td>8,4</td> <td>2,8</td> <td>30</td>	TTUFS4.5X80	74442	4,5	80	50	8,4	2,8	30				
TTUFS5.0X50 74375 5,0 50 30 9,5 3,1 20 TTUFS5.0X60 74376 5,0 60 35 9,5 3,1 25 TTUFS5.0X70 74377 5,0 70 40 9,5 3,1 30 TTUFS5.0X80 74378 5,0 80 40 9,5 3,1 40 TTUFS5.0X90 74379 5,0 90 45 9,5 3,1 45 TTUFS5.0X100 74443 5,0 100 60 9,5 3,1 40 TTUFS5.0X120 74372 5,0 120 60 9,5 3,1 60 TTUFS6.0X40 74455 6,0 40 34 11,6 3,7 6 TTUFS6.0X50 74457 6,0 50 30 11,6 3,7 25 TTUFS6.0X60 74458 6,0 60 35 11,6 3,7 30 TTUFS6.0X80 74460 6,0 80 </td <td>TTUFS5.0X30</td> <td>74373</td> <td>5,0</td> <td>30</td> <td>25</td> <td>9,5</td> <td>3,1</td> <td>5</td>	TTUFS5.0X30	74373	5,0	30	25	9,5	3,1	5				
TTUFS5.0X60 74376 5,0 60 35 9,5 3,1 25 TTUFS5.0X70 74377 5,0 70 40 9,5 3,1 30 TTUFS5.0X80 74378 5,0 80 40 9,5 3,1 40 TTUFS5.0X90 74379 5,0 90 45 9,5 3,1 45 TTUFS5.0X100 74443 5,0 100 60 9,5 3,1 40 TTUFS6.0X120 74372 5,0 120 60 9,5 3,1 60 TTUFS6.0X40 74455 6,0 40 34 11,6 3,7 6 TTUFS6.0X50 74457 6,0 50 30 11,6 3,7 25 TTUFS6.0X60 74458 6,0 60 35 11,6 3,7 25 TTUFS6.0X80 74460 6,0 80 40 11,6 3,7 40 TTUFS6.0X100 74380 6,0 10	TTUFS5.0X40	74374	5,0	40	35	9,5	3,1	5				
TTUFS5.0X70 74377 5,0 70 40 9,5 3,1 30 TTUFS5.0X80 74378 5,0 80 40 9,5 3,1 40 TTUFS5.0X90 74379 5,0 90 45 9,5 3,1 45 TTUFS5.0X100 74443 5,0 100 60 9,5 3,1 40 TTUFS6.0X120 74372 5,0 120 60 9,5 3,1 60 TTUFS6.0X40 74455 6,0 40 34 11,6 3,7 6 TTUFS6.0X50 74457 6,0 50 30 11,6 3,7 25 TTUFS6.0X60 74458 6,0 60 35 11,6 3,7 25 TTUFS6.0X80 74460 6,0 80 40 11,6 3,7 40 TTUFS6.0X90 74461 6,0 90 45 11,6 3,7 45 TTUFS6.0X100 74380 6,0 1	TTUFS5.0X50	74375	5,0	50	30	9,5	3,1	20				
TTUFS5.0X80 74378 5,0 80 40 9,5 3,1 40 TTUFS5.0X90 74379 5,0 90 45 9,5 3,1 45 TTUFS5.0X100 74443 5,0 100 60 9,5 3,1 40 TTUFS5.0X120 74372 5,0 120 60 9,5 3,1 60 TTUFS6.0X40 74455 6,0 40 34 11,6 3,7 6 TTUFS6.0X50 74457 6,0 50 30 11,6 3,7 20 TTUFS6.0X60 74458 6,0 60 35 11,6 3,7 25 TTUFS6.0X70 74459 6,0 70 40 11,6 3,7 30 TTUFS6.0X80 74460 6,0 80 40 11,6 3,7 40 TTUFS6.0X100 74380 6,0 100 60 11,6 3,7 40 TTUFS6.0X120 74451 6,0 <t< td=""><td>TTUFS5.0X60</td><td>74376</td><td>5,0</td><td>60</td><td>35</td><td>9,5</td><td>3,1</td><td>25</td></t<>	TTUFS5.0X60	74376	5,0	60	35	9,5	3,1	25				
TTUFS5.0X90 74379 5,0 90 45 9,5 3,1 45 TTUFS5.0X100 74443 5,0 100 60 9,5 3,1 40 TTUFS5.0X120 74372 5,0 120 60 9,5 3,1 60 TTUFS6.0X40 74455 6,0 40 34 11,6 3,7 6 TTUFS6.0X50 74457 6,0 50 30 11,6 3,7 20 TTUFS6.0X60 74458 6,0 60 35 11,6 3,7 25 TTUFS6.0X70 74459 6,0 70 40 11,6 3,7 30 TTUFS6.0X80 74460 6,0 80 40 11,6 3,7 40 TTUFS6.0X90 74461 6,0 90 45 11,6 3,7 45 TTUFS6.0X100 74380 6,0 100 60 11,6 3,7 50 TTUFS6.0X120 74451 6,0 <	TTUFS5.0X70	74377	5,0	70	40	9,5	3,1	30				
TTUFS5.0X100 74443 5,0 100 60 9,5 3,1 40 TTUFS6.0X120 74372 5,0 120 60 9,5 3,1 60 TTUFS6.0X40 74455 6,0 40 34 11,6 3,7 6 TTUFS6.0X50 74457 6,0 50 30 11,6 3,7 20 TTUFS6.0X60 74458 6,0 60 35 11,6 3,7 25 TTUFS6.0X70 74459 6,0 70 40 11,6 3,7 30 TTUFS6.0X80 74460 6,0 80 40 11,6 3,7 40 TTUFS6.0X90 74461 6,0 90 45 11,6 3,7 45 TTUFS6.0X100 74380 6,0 100 60 11,6 3,7 50 TTUFS6.0X120 74451 6,0 120 70 11,6 3,7 50	TTUFS5.0X80	74378	5,0	80	40	9,5	3,1	40				
TTUFS5.0X120 74372 5,0 120 60 9,5 3,1 60 TTUFS6.0X40 74455 6,0 40 34 11,6 3,7 6 TTUFS6.0X50 74457 6,0 50 30 11,6 3,7 20 TTUFS6.0X60 74458 6,0 60 35 11,6 3,7 25 TTUFS6.0X70 74459 6,0 70 40 11,6 3,7 30 TTUFS6.0X80 74460 6,0 80 40 11,6 3,7 40 TTUFS6.0X90 74461 6,0 90 45 11,6 3,7 45 TTUFS6.0X100 74380 6,0 100 60 11,6 3,7 50 TTUFS6.0X120 74451 6,0 120 70 11,6 3,7 50	TTUFS5.0X90	74379	5,0	90	45	9,5	3,1	45				
TTUFS6.0X40 74455 6,0 40 34 11,6 3,7 6 TTUFS6.0X50 74457 6,0 50 30 11,6 3,7 20 TTUFS6.0X60 74458 6,0 60 35 11,6 3,7 25 TTUFS6.0X70 74459 6,0 70 40 11,6 3,7 30 TTUFS6.0X80 74460 6,0 80 40 11,6 3,7 40 TTUFS6.0X90 74461 6,0 90 45 11,6 3,7 45 TTUFS6.0X100 74380 6,0 100 60 11,6 3,7 50 TTUFS6.0X120 74451 6,0 120 70 11,6 3,7 50	TTUFS5.0X100	74443	5,0	100	60	9,5	3,1	40				
TTUFS6.0X50 74457 6,0 50 30 11,6 3,7 20 TTUFS6.0X60 74458 6,0 60 35 11,6 3,7 25 TTUFS6.0X70 74459 6,0 70 40 11,6 3,7 30 TTUFS6.0X80 74460 6,0 80 40 11,6 3,7 40 TTUFS6.0X90 74461 6,0 90 45 11,6 3,7 45 TTUFS6.0X100 74380 6,0 100 60 11,6 3,7 40 TTUFS6.0X120 74451 6,0 120 70 11,6 3,7 50	TTUFS5.0X120	74372	5,0	120	60	9,5	3,1	60				
TTUFS6.0X60 74458 6,0 60 35 11,6 3,7 25 TTUFS6.0X70 74459 6,0 70 40 11,6 3,7 30 TTUFS6.0X80 74460 6,0 80 40 11,6 3,7 40 TTUFS6.0X90 74461 6,0 90 45 11,6 3,7 45 TTUFS6.0X100 74380 6,0 100 60 11,6 3,7 40 TTUFS6.0X120 74451 6,0 120 70 11,6 3,7 50	TTUFS6.0X40	74455	6,0	40	34	11,6	3,7	6				
TTUFS6.0X70 74459 6,0 70 40 11,6 3,7 30 TTUFS6.0X80 74460 6,0 80 40 11,6 3,7 40 TTUFS6.0X90 74461 6,0 90 45 11,6 3,7 45 TTUFS6.0X100 74380 6,0 100 60 11,6 3,7 40 TTUFS6.0X120 74451 6,0 120 70 11,6 3,7 50	TTUFS6.0X50	74457	6,0	50	30	11,6	3,7	20				
TTUFS6.0X80 74460 6,0 80 40 11,6 3,7 40 TTUFS6.0X90 74461 6,0 90 45 11,6 3,7 45 TTUFS6.0X100 74380 6,0 100 60 11,6 3,7 40 TTUFS6.0X120 74451 6,0 120 70 11,6 3,7 50	TTUFS6.0X60	74458	6,0	60	35	11,6	3,7	25				
TTUFS6.0X90 74461 6,0 90 45 11,6 3,7 45 TTUFS6.0X100 74380 6,0 100 60 11,6 3,7 40 TTUFS6.0X120 74451 6,0 120 70 11,6 3,7 50	TTUFS6.0X70	74459	6,0	70	40	11,6	3,7	30				
TTUFS6.0X100 74380 6,0 100 60 11,6 3,7 40 TTUFS6.0X120 74451 6,0 120 70 11,6 3,7 50	TTUFS6.0X80	74460	6,0	80	40	11,6	3,7	40				
TTUFS6.0X120 74451 6,0 120 70 11,6 3,7 50	TTUFS6.0X90	74461	6,0	90	45	11,6	3,7	45				
	TTUFS6.0X100	74380	6,0	100	60	11,6	3,7	40				
	TTUFS6.0X120	74451	6,0	120	70	11,6	3,7	50				
TTUFS6.0X140 74452 6,0 140 70 11,6 3,7 70	TTUFS6.0X140	74452	6,0	140	70	11,6	3,7	70				
TTUFS6.0X160 74453 6,0 160 70 11,6 3,7 90	TTUFS6.0X160	74453	6,0	160	70	11,6	3,7	90				
TTUFS6.0X180 74454 6,0 180 70 11,6 3,7 110	TTUFS6.0X180	74454	6,0	180	70	11,6	3,7	110				

TTUFS - Characteristic Parameters

	Characteristic Parameters									
Reference	M _{y,k} [Nmm]	f _{ax,k} [N/mm²]	f _{tens,k} [kN]	f _{tor,k} [Nm]	f _{head,k} [N/mm²]					
TTUFS4.5	4660	14,7	7,8	4,7	15,6					
TTUFS5.0	6720	15,0	7,9	6,0	17,1					
TTUFS6.0	9500	12,5	11,1	9,4	16,6					

Use Solid Wood to make your calculations.

Go to solidwood.strongtie.eu

 $f_{_{BLK}}$ is the characteristic withdrawal parameter for timber with a characteristic density of 350 kg/m³ $f_{_{BLK}}$ is the characteristic head pull through parameter for timber with a characteristic density of


350 kg/m³ at max. 15 mm embedment.



Solid-Drive™

SWW Washer-Head WOOD Screw





Yellow Zinc Plated C2 acc. to EN ISO 12944-2


SWW - Range Overview

	Article			Dimensio	ons [mm]		
Reference	code	d	I	l _g	d _h	d _i	t _{fix}
SWW6.0X60	75382	6.0	60	42	14	3,9	18
SWW6.0X80	75383	6.0	80	50	14	3,9	30
SWW6.0X100	75384	6.0	100	50	14	3,9	50
SWW6.0X120	75385	6.0	120	50	14	3,9	70
SWW6.0X140	75386	6.0	140	70	14	3,9	70
SWW6.0X160	75387	6.0	160	70	14	3,9	90
SWW6.0X180	75388	6.0	180	70	14	3,9	110
SWW6.0X200	75389	6.0	200	70	14	3,9	130
SWW6.0X220	75390	6.0	220	70	14	3,9	150
SWW6.0X240	75391	6.0	240	70	14	3,9	170
SWW6.0X260	75392	6.0	260	70	14	3,9	190
SWW6.0X280	75393	6.0	280	70	14	3,9	210
SWW6.0X300	75394	6.0	300	70	14	3,9	230
SWW8.0X80	75395	8.0	80	50	22	5,2	30
SWW8.0X100	75396	8.0	100	50	22	5,2	50
SWW8.0X120	75397	8.0	120	80	22	5,2	40
SWW8.0X140	75398	8.0	140	80	22	5,2	60
SWW8.0X160	75399	8.0	160	80	22	5,2	80
SWW8.0X180	75400	8.0	180	80	22	5,2	100
SWW8.0X200	75401	8.0	200	80	22	5,2	120
SWW8.0X220	75402	8.0	220	80	22	5,2	140
SWW8.0X240	75403	8.0	240	80	22	5,2	160
SWW8.0X260	75404	8.0	260	80	22	5,2	180
SWW8.0X280	75405	8.0	280	80	22	5,2	200
SWW8.0X300	75406	8.0	300	80	22	5,2	220
SWW8.0X320	75407	8.0	320	80	22	5,2	240
SWW8.0X340	75408	8.0	340	80	22	5,2	260
SWW8.0X360	75409	8.0	360	80	22	5,2	280
SWW8.0X380	75410	8.0	380	80	22	5,2	300
SWW8.0X400	75411	8.0	400	80	22	5,2	320

Table continues on next page.

SWW - Characteristic Parameters

	Characteristic Parameters									
Reference	M _{y,k} [Nmm]	f _{ax,k} [N/mm²]	f _{tens,k} [kN]	f _{tor,k} [Nm]	f _{head,k} [N/mm²]					
SWW6.0	10500	13,0	12,3	11,0	16,1					
SWW8.0	25900	12,6	23,7	27,4	10,5					
SWW10.0	43700	12,2	33,8	48,9	10,2					



 $f_{ax,k}$ is the characteristic withdrawal parameter for timber with a characteristic density of 350 kg/m³ f_{beatk} is the characteristic head pull through parameter for timber with a characteristic density of 350 kg/m³ at max. 15 mm embedment.




SWW - Range Overview (continued)

	Article		Dimensions [mm]									
Reference	code	d	1	l _g	d _h	d _i	t _{fix}					
SWW10.0X100	76912	10.0	100	50	25	6,2	50					
SWW10.0X120	76913	10.0	120	50	25	6,2	70					
SWW10.0X140	76914	10.0	140	80	25	6,2	60					
SWW10.0X160	75412	10.0	160	80	25	6,2	80					
SWW10.0X180	75413	10.0	180	80	25	6,2	100					
SWW10.0X200	75414	10.0	200	80	25	6,2	120					
SWW10.0X220	75415	10.0	220	80	25	6,2	140					
SWW10.0X240	75416	10.0	240	80	25	6,2	160					
SWW10.0X260	75417	10.0	260	80	25	6,2	180					
SWW10.0X280	75418	10.0	280	80	25	6,2	200					
SWW10.0X300	75419	10.0	300	80	25	6,2	220					
SWW10.0X320	75420	10.0	320	80	25	6,2	240					
SWW10.0X340	75421	10.0	340	80	25	6,2	260					
SWW10.0X360	75422	10.0	360	80	25	6,2	280					
SWW10.0X380	75423	10.0	380	80	25	6,2	300					
SWW10.0X400	75424	10.0	400	80	25	6,2	320					

SWW - Characteristic Parameters

	Characteristic Parameters									
Reference	M _{y,k} [Nmm]	f _{ax,k} [N/mm²]	f _{tens,k} [kN]	f _{tor,k} [Nm]	f _{head,k} [N/mm²]					
SWW6.0	10500	13,0	12,3	11,0	16,1					
SWW8.0	25900	12,6	23,7	27,4	10,5					
SWW10.0	43700	12,2	33,8	48,9	10,2					




 $f_{_{\!a\!c\!k}}$ is the characteristic withdrawal parameter for timber with a characteristic density of 350 kg/m³ heath is the characteristic head pull through parameter for timber with a characteristic density of 350 kg/m³ at max. 15 mm embedment.



Solid-Drive™

SWC Countersunk WOOD Screw






Yellow Zinc Plated
C2 acc. to EN ISO 12944-2
SC2 - 50 years acc. to EC5

SWC - Range Overview

5.6	Article		Dimensions [mm]						
Reference	code	d	1	l _g	d _h	$\mathbf{d}_{_{\mathbf{i}}}$	\mathbf{t}_{fix}		
SWC6.0X200	75346	6,0	200	70	11,8	3,9	130		
SWC6.0X220	75347	6,0	220	70	11,8	3,9	150		
SWC6.0X240	75348	6,0	240	70	11,8	3,9	170		
SWC6.0X260	75349	6,0	260	70	11,8	3,9	190		
SWC6.0X280	75350	6,0	280	70	11,8	3,9	210		
SWC6.0X300	75351	6,0	300	70	11,8	3,9	230		
SWC8.0X80	75352	8,0	80	50	14,6	5,2	30		
SWC8.0X100	75353	8,0	100	50	14,6	5,2	50		
SWC8.0X120	75354	8,0	120	80	14,6	5,2	40		
SWC8.0X140	75355	8,0	140	80	14,6	5,2	60		
SWC8.0X160	75356	8,0	160	80	14,6	5,2	80		
SWC8.0X180	75357	8,0	180	80	14,6	5,2	100		
SWC8.0X200	75358	8,0	200	80	14,6	5,2	120		
SWC8.0X220	75359	8,0	220	80	14,6	5,2	140		
SWC8.0X240	75360	8,0	240	80	14,6	5,2	160		
SWC8.0X260	75361	8,0	260	80	14,6	5,2	180		
SWC8.0X280	75362	8,0	280	80	14,6	5,2	200		
SWC8.0X300	75363	8,0	300	80	14,6	5,2	220		
SWC8.0X320	75364	8,0	320	80	14,6	5,2	240		
SWC8.0X340	75365	8,0	340	80	14,6	5,2	260		
SWC8.0X360	75366	8,0	360	80	14,6	5,2	280		
SWC8.0X380	75367	8,0	380	80	14,6	5,2	300		
SWC8.0X400	75368	8,0	400	80	14,6	5,2	320		
SWC10.0X100	76916	10,0	100	50	17,8	6,2	50		
SWC10.0X120	76917	10,0	120	50	17,8	6,2	70		
SWC10.0X140	76918	10,0	140	80	17,8	6,2	60		
SWC10.0X160	75369	10,0	160	80	17,8	6,2	80		
SWC10.0X180	75370	10,0	180	80	17,8	6,2	100		
SWC10.0X200	75371	10,0	200	80	17,8	6,2	120		
SWC10.0X220	75372	10,0	220	80	17,8	6,2	140		
SWC10.0X240	75373	10,0	240	80	17,8	6,2	160		
SWC10.0X260	75374	10,0	260	80	17,8	6,2	180		
SWC10.0X280	75375	10,0	280	80	17,8	6,2	200		
SWC10.0X300	75376	10,0	300	80	17,8	6,2	220		
SWC10.0X320	75377	10,0	320	80	17,8	6,2	240		
SWC10.0X340	75378	10,0	340	80	17,8	6,2	260		
SWC10.0X360	75379	10,0	360	80	17,8	6,2	280		
SWC10.0X380	75380	10,0	380	80	17,8	6,2	300		
SWC10 0X400	75381	10.0	400	80	17.8	6.2	320		

SWC - Characteristic Parameters

	Characteristic Parameters								
Reference	M _{y,k} [Nmm]	f _{ax,k} [N/mm²]	f _{tens,k} [kN]	f _{tor,k} [Nm]	f _{head,k} [N/mm²]				
SWC6.0	10500	13,0	12,3	11,0	11,9				
SWC8.0	25900	12,6	23,7	27,4	12,5				
SWC10.0	43700	12,2	33,8	48,9	11,2				



 $f_{av.k}$ is the characteristic withdrawal parameter for timber with a characteristic density of 350 kg/m³

hauk is the characteristic head pull through parameter for timber with a characteristic density of 350 kg/m³ at max. 15 mm embedment.

Fasteners and Anchors Additional Information - Timber to Timber Fasteners

Structural Timber Fasteners



Solid-Drive™

SWD Double Threaded WOOD Screw






Protec® + C3 acc. to EN ISO 12944-2 SC2 - 50 years acc. to EC5

SWD - Range Overview

	Article	Dimensions [mm]						
Reference	Reference code	d	I	I _{g1}	I _{g2}	d _h	d _i	
SWD6.5X65	75425	6,5	65	28	21,5	8	4	
SWD6.5X90	75426	6,5	90	40	33,5	8	4	
SWD6.5X130	75427	6,5	130	40	33,5	8	4	
SWD6.5X160	75428	6,5	160	65	58,5	8	4	
SWD6.5X190	75429	6,5	190	80	73,5	8	4	
SWD6.5X220	75430	6,5	220	95	88,5	8	4	
SWD8.0X90	75431	8,0	90	40	31,5	10	5,4	
SWD8.0X130	75432	8,0	130	40	31,5	10	5,4	
SWD8.0X160	75433	8,0	160	65	56,5	10	5,4	
SWD8.0X190	75434	8,0	190	80	71,5	10	5,4	
SWD8.0X220	75435	8,0	220	95	86,5	10	5,4	
SWD8.0X245	75436	8,0	245	107	99	10	5,4	
SWD8.0X275	75437	8,0	275	107	99	10	5,4	
SWD8.0X300	75438	8,0	300	135	126,5	10	5,4	
SWD8.0X330	75439	8,0	330	135	126,5	10	5,4	

SWD - Characteristic Parameters

	Characteristic Parameters							
Reference	M _{y,k} [Nmm]	f _{ax,k} [N/mm²]	f _{tens,k} [kN]	f _{tor,k} [Nm]	f _{head,k} [N/mm²]			
SWD6.5	12400	13,7	14,5	12,6	1000			
SWD8.0	26800	13,1	25,3	27,7	1000			




 $f_{\rm aux}$ is the characteristic withdrawal parameter for timber with a characteristic density of 350 kg/m³ $f_{\rm bath}$ is the characteristic head pull through parameter for timber with a characteristic density of 350 kg/m³ at max. 15 mm embedment.



Solid-Drive™

ESCRFTC Fully Threaded Countersunk WOOD Screw



Yellow Zinc Plated
C2 acc. to EN ISO 12944-2
SC2 EN YOURS acc. to ECS

ESCRFTC - Range Overview

5.4	Dimensions [mm]								
Reference	d	I	l _g	d _h	d _i				
ESCRFTC8.0X120	8,0	120	110	15,0	5,1				
ESCRFTC8.0X140	8,0	140	130	15,0	5,1				
ESCRFTC8.0X160	8,0	160	150	15,0	5,1				
ESCRFTC8.0X180	8,0	180	170	15,0	5,1				
ESCRFTC8.0X200	8,0	200	190	15,0	5,1				
ESCRFTC8.0X220	8,0	220	210	15,0	5,1				
ESCRFTC8.0X240	8,0	240	230	15,0	5,1				
ESCRFTC8.0X260	8,0	260	250	15,0	5,1				
ESCRFTC8.0X280	8,0	280	270	15,0	5,1				
ESCRFTC8.0X300	8,0	300	290	15,0	5,1				
ESCRFTC8.0X350	8,0	350	340	15,0	5,1				
ESCRFTC8.0X400	8,0	400	390	15,0	5,1				
ESCRFTC8.0X450	8,0	450	427	15,0	5,1				
ESCRFTC10.0X120	10,0	120	108	18,5	6,3				
ESCRFTC10,0X160	10,0	160	148	18,5	6,3				
ESCRFTC10.0X180	10,0	180	168	18,5	6,3				
ESCRFTC10.0X200	10,0	200	188	18,5	6,3				
ESCRFTC10.0X220	10,0	220	208	18,5	6,3				
ESCRFTC10.0X240	10,0	240	228	18,5	6,3				
ESCRFTC10.0X260	10,0	260	248	18,5	6,3				
ESCRFTC10.0X280	10,0	280	268	18,5	6,3				
ESCRFTC10.0X300	10,0	300	288	18,5	6,3				
ESCRFTC10.0X350	10,0	350	338	18,5	6,3				
ESCRFTC10.0X400	10,0	400	388	18,5	6,3				
ESCRFTC10.0X450	10,0	450	426	18,5	6,3				
ESCRFTC12.0X200	12,0	200	180	21,0	7,0				
ESCRFTC12.0X220	12,0	220	200	21,0	7,0				
ESCRFTC12.0X240	12,0	240	220	21,0	7,0				
ESCRFTC12.0X260	12,0	260	240	21,0	7,0				
ESCRFTC12.0X280	12,0	280	260	21,0	7,0				
ESCRFTC12.0X300	12,0	300	280	21,0	7,0				
ESCRFTC12.0X350	12,0	350	330	21,0	7,0				
ESCRFTC12.0X400	12,0	400	380	21,0	7,0				
ESCRFTC12.0X450	12,0	450	430	21,0	7,0				
ESCRFTC12.0X500	12,0	500	480	21,0	7,0				
ESCRFTC12.0X600	12,0	600	580	21,0	7,0				

ESCRFTC - Characteristic Parameters

	Characteristic Parameters							
Reference	M _{y,k} [Nmm]	f _{ax,k} [N/mm ²]	f _{tens,k} [kN]	f _{tor,k} [Nm]	f _{head,k} [N/mm²]	f _{y,k} [N/mm²]		
ESCRFTC8.0	20300	13,1	24,1	25,8	12,4	950		
ESCRFTC10.0	36700	12,5	40,0	55,0	12,2	950		
ESCRFTC12.0	48500	11,2	46,7	73,0	10,3	950		




 f_{axk} is the characteristic withdrawal parameter for timber with a characteristic density of 350 kg/m³ f_{heath} is the characteristic head pull through parameter for timber with a characteristic density of 350 kg/m³ at max. 15 mm embedment.



Solid-Drive™

ESCRFTZ Fully Threaded Cylinder-Head WOOD Screw





Yellow Zinc Plated
C2 acc. to EN ISO 12944-2
SC2 - 50 years acc. to EC5

ESCRFTZ - Range Overview

	Dimensions [mm]									
Reference	d	I	l _g	d _h	d _i					
ESCRFTZ8.0X120	8.0	120	110	10,2	5,1					
ESCRFTZ8.0X140	8.0	140	130	10,2	5,1					
ESCRFTZ8.0X160	8.0	160	150	10,2	5,1					
ESCRFTZ8.0X180	8.0	180	170	10,2	5,1					
ESCRFTZ8.0X200	8.0	200	190	10,2	5,1					
ESCRFTZ8.0X220	8.0	220	210	10,2	5,1					
ESCRFTZ8.0X240	8.0	240	230	10,2	5,1					
ESCRFTZ8.0X260	8.0	260	250	10,2	5,1					
ESCRFTZ8.0X280	8.0	280	270	10,2	5,1					
ESCRFTZ8.0X300	8.0	300	290	10,2	5,1					
ESCRFTZ8.0X350	8.0	350	340	10,2	5,1					
ESCRFTZ8.0X400	8.0	400	390	10,2	5,1					

ESCRFTZ - Characteristic Parameters

	Characteristic Parameters							
Reference	M _{y,k} [Nmm]	f _{ax,k} [N/mm²]	f _{tens,k} [kN]	f _{tor,k} [Nm]	f _{head,k} [N/mm²]	f _{y,k} [N/mm²]		
ESCRFTZ8.0	20300	13,1	24,1	25,8	-	950		








Solid-Drive™

WSV Quik Drive® Collated WOOD Screw





Yellow Zinc Plated cc. to EN ISO 12944-2

WSV - Range Overview

		Dimensions [mm]								
Reference	d	1	l _{g1}	I _{g2}	d _h	d _i				
WSV44E	4,6	44	31	18	8,5	3,1				
WSV51E	4,6	51	37	21	8,5	3,1				
WSV64E	4,6	64	50	21	8,5	3,1				
WSV76E	4,6	76	55	21	8,5	3,1				

WSV - Characteristic Parameters

	Characteristic Parameters							
Reference	M _{y,k} [Nmm]	f _{ax,k} [N/mm ²]	f _{tens,k} [kN]	f _{tor,k} [Nm]	f _{head,k} [N/mm ²]	f _{y,k} [N/mm²]		
WSV4.6	3500	14,7	8,2	6,1	31,3	900		

 $f_{a_{x,k}}$ is the characteristic withdrawal parameter for timber with a characteristic density of 350 kg/m³

back is the characteristic head pull through parameter for timber with a characteristic density of 350 kg/m³ at max. 15 mm embedment.



Minimum Space and Edge Distances – Laterally or Combined Loaded Screws

For screws arranged at angles $\alpha \le 90^\circ$ between screw axis and grain direction minimum spacing and distances are defined as follows:

Minimum spacing a_1 or a_2 is defined perpendicular to the fastener axis, minimum end or edge distances a_{3c} , a_{3t} , a_{4c} or a_{4t} parallel or

perpendicular to the grain, respectively, are defined between the centre of the threaded length (axial loading) or the length (lateral loading) in the respective timber member and the member surface as for axially loaded screws in EN 1995-1-1, Figure 8.11.a.





Illustration above shows angle between load direction and grain = 0°







Illustration above shows angle between load direction and grain = 90°



Loaded edge $0^{\circ} \le \alpha \le 180^{\circ}$

Laterally Loaded Screws - Minimum spacing or end/edge distance							
	Angle o	Without pre	drilled holes	Wish madelled below			
	Angle α	ρ k ≤ 420 kg/m³	420 kg/m ³ < ρ k \leq 500 kg/m ³	With predrilled holes			
a, Spacing (parallel to grain)	0° ≤ α ≤ 360°	$d < 5$ mm: $(5 + 5 \cos \alpha) d$ $d \ge 5$ mm: $(5 + 7 \cos \alpha) d$	$(7 + 8 \cos \boldsymbol{\alpha}) d$	$(4 + \cos \alpha) d$			
a ₂ Spacing (perpendicualr to grain)	0° ≤ α ≤ 360°	5 d	7 d	$(3 + \sin \alpha)$ d			
a _{3,t} Distance (loaded end)	-90° ≤ α ≤ 90°	(10 + 5 cos α) d	$(15 + 5\cos \alpha)$ d	$(7+5\cos\boldsymbol{\alpha})\mathrm{d}$			
a _{3,c} Distance (unloaded end)	90° ≤ α ≤ 270°	10 d	15 d	7 d			
a _{4,t} Distance (loaded edge)	0° ≤ α ≤ 180°	$d < 5 \text{ mm: } (5 + 2 \sin \alpha) d$ $d \ge 5 \text{ mm: } (5 + 5 \sin \alpha) d$	d < 5 mm: $(7 + 2 \sin \alpha)$ d d \geq 5 mm: $(7 + 5 \sin \alpha)$ d	d < 5 mm: $(3 + 2 \sin \alpha)$ d d \geq 5 mm: $(3 + 4 \sin \alpha)$ d			
a _{4,c} Distance (unloaded edge)	180° ≤ α ≤ 360°	5 d	7 d	3 d			

Notes:

C-CLT-EU-2023 @2023 SIMPSON STRONG-TIE COMPANY INC.

EN 1995-1-1 (Eurocode 5) clause 8.3.1.2, table 8.2

For "Board to Timber" case, the space distances in the timber element can be multiplied by a factor 0.85

For "Steel to Timber" case, the space distances in the timber element can be multiplied by a factor 0.7

d = Outer thread diameter of the screw

 ρ k = characteristic timber density in kg/m³

For Douglas fir members minimum spacing and distances parallel to the grain shall be increased by 50% if the members not are pre-drilled.




C-CLT-EU-2023 @2023 SIMPSON STRONG-TIE COMPANY INC.


Minimum Space and Edge Distance - Axially Loaded Screws


Axially Loaded Screws - Minimum spacing or end/edge distance						
a, Minimum screw spacing parallel to the grain	7 d					
a ₂ Minimum screw spacing perpendicular to the grain	5 d					
$a_{_{1,cg}}\text{Minimum}$ end distance of the centre of gravity of the threaded part of the screw in the member	10 d					
$a_{_{2,cg}}\text{Minimum}$ edge distance of the centre of gravity of the threaded part of the screw in the member	4 d					

For axially loaded screws installed perpendicular to the surface table 8.6 is used. Note that $a_{1,cg}$ is shown as $a_{3,c}$ and $a_{2,cg}$ is shown as a4,c on the illustrations for perpendicular installations in the chapter timber to timber. For axially loaded screws a_{∞} and a_{∞} are not relevant.





 $\mathbf{\tilde{a}}_{2,CG}$






- a, is taken in the header when the screws are distributed along the grain
- a₂ in the joist where the screw are distributed perpendicularly to the grain.








Fasteners and Anchors Additional Information - Timber to Timber Fasteners

Space and Edge Distance





Double- & Full Threaded Screws

Alternative Axially Loaded Screws - Minimum spacing or end/edge distance						
	Screw Family					
	SWD	ESCRFTZ / ESCRFT / ESCRFTC				
a, Minimum screw spacing parallel to the grain	10 d	5 d				
$\boldsymbol{a_{_2}}$ Minimum screw spacing perpendicular to the grain	3 d	5 d / 3 d* / 2,5 d**				
a _{cross} Minimum spacing between crossing screws for a crossed screw couple perpendicualr to the grain	1.5 d	1.5 d				
$a_{_{1,\varpi}}$ Minimum end distance of the centre of gravity of the threaded part of the screw in the member	8 d	5 d				
a _{2.cg} Minimum edge distance of the centre of gravity of the threaded part of the screw in the member	3 d	4 d				

- If $a_1 * a_2 \ge 21 d^2$ can be kept for every screw
- If $a_1 * a_2 \ge 25 d^2$ can be kept for every screw

Notes

d = Outer thread diameter of the screw.

For a crossed screw couple in solid timber, glued laminated timber and similar glued products or in laminated veneer lumber the minimum distance between the screws (across) are 1,5*d. Ensure that the crossed screw threads do not touch each other when being driven into the timber member.

SWD screws has been tested and approved for reduced space and edge distance according to ETA-21/0670, minimum timber thickness t \geq 10 d, in pre-drilled and non-predrilled holes.

ESCRFTC/ESCRFT/ESCRFTZ screws has been tested and approved for reduced space and edge distance according to ETA-13/0796, minimum timber thickness $t \geq 12\ d,$ in non-predrilled holes.



Space and Edge Distance - Screw Placement m,

Installation of inclined screws require high accuracy to achieve the performance calculated. One of the key elements is the placement of the screw and the insertion angle. In order to achieve this, the distance m, must be calculated.

 m_i depends of several elements: the length of the screw (I), the threaded length (I_o), the head diameter of the screw (d_n) the angle of insertion (α).

This calculation works in case of the screw fully inserted in the timber element. As a reminder half the thread should be in each element.


The minimum distance m, is:


$$m_{i} = (1 - l_{g} / 2 + d_{h} / 2 * \tan \alpha) * \sin \alpha$$

In this case the head of the screw is flushed to the top face.

If the screw pair is placed so it is in the middle of the height (h/2) of the joist or the panel thickness, the equation is:

 $m_i = h / 2 \tan \alpha$





m_i = Distance betweem the shear plane and the insertion point

 $b_{nt} = Min.$ width of the secondary beam in [mm]

 $h_{nt} = Min.$ height of the secondary beam in [mm]

 $B_{\rm HT} = Min.$ width of the main beam in [mm]

 $H_{HT} = Min.$ height of the main beam in [mm]

 $S_{qNT} = Effective thread length$

 $\boldsymbol{\alpha} = \text{the angle of insertion}$



CLT - Plane Surface/Lateral Face

Unless specified otherwise in the technical specification (ETA or hEN) of CLT, minimum distances and spacing for laterally or axially loaded screws in non-predrilled holes, in the wide face of cross laminated timber members with a minimum thickness $t = 10 \times d$ may be taken as:

Minimum spacing or end/edge distance CLT - Plane surface/Lateral face						
a ₁ Minimum screw spacing parallel to the grain	4 d					
a ₂ Minimum screw spacing perpendicular to the grain	2.5 d					
$a_{3,t}$ Minimum distance from centre of the screw in timber to the loaded end grain	6 d					
a _{3,c} Minimum distance from centre of the screw in timber to the unloaded end grain	6 d					
a _{4,1} Minimum distance from centre of the screw in timber to the loaded edge	6 d					
a _{4,c} Minimum distance from centre of the screw in timber to the unloaded edge	2.5 d					

Compliant with ETA-21/0670





Illustration above shows angle between load direction and grain = 0°







Illustration above shows angle between load direction and grain = 90°



Loaded edge $0^{\circ} \le \alpha \le 180^{\circ}$




Space and Edge Distance CLT

CLT - Edge Surface/Narrow Face

Unless specified otherwise in the technical specification (ETA or hEN) of the CLT panels, minimum distances and spacing for laterally or axially loaded screws in non-predrilled holes, in the edge surface of CLT members with a minimum thickness $\mathbf{t} = 10 \times d$ and a minimum penetration depth perpendicular to the edge surface of $10 \times d$ may be taken as:

Minimum spacing or end/edge distance CLT - Edge surfa	Minimum spacing or end/edge distance CLT - Edge surface/Narrow face							
a, Minimum screw spacing parallel to the CLT plane	10 d							
${\rm a_{_2}Minimum}$ screw spacing perpendicular to the CLT plane	4 d							
$a_{\scriptscriptstyle 3,t}$ Minimum distance from centre of the screw in timber to the loaded end	12 d							
$a_{\scriptscriptstyle 3,c}$ Minimum distance from centre of the screw in timber to the unloaded end	7 d							
$a_{\scriptscriptstyle 4,L}$ Minimum distance from centre of the screw in timber to the loaded edge	6 d							
$$a_{\rm 4,c}$$ Minimum distance from centre of the screw in timber to the unloaded edge	3 d							





Recommended Pre-Drilling Hole Diameter Wood

All ETA approved fasteners can be driven into the wood with or without pre-drilling as long as the characteristic density of the member not exceed 550 kg/m³ for carbon steel, and 500 kg/m³ for stainless steel. The benefits of pre-drilling is reduced space & edge distances and increased shear capacity of the connection.

Recommended Max. Pre-Drill Hole Diameter Wood

Footoner		Fastener diameter d							
Fastener	Ø4,5	Ø5,0	Ø6,0	Ø6,5	Ø8,0	Ø10,0	Ø12,0		
TTUFS / TTZNFS	Ø2,5	Ø3,0	Ø3,5	-	-	-	-		
TTSFS	-	Ø3,0	Ø3,5	-	-	-	-		
TTUFP / TTZNFP	-	Ø3,0	Ø3,5	-	-	-	-		
SWW	-	-	Ø3,5	-	Ø5,0	Ø6,0	-		
SWC	-	-	Ø3,5	-	Ø5,0	Ø6,0	-		
SWD	-	-	-	Ø3,5	Ø5,0	-	-		
SSH/SSF	-	-	Ø3,5	-	Ø5,0	Ø6,0	Ø6,5		
ESCRFTC / ESCRFTZ / ESCRFT	-	-	Ø3,5	-	Ø5,0	Ø6,0	Ø6,5		
ESCRT2R	-	-	-	-	Ø5,0	-	-		
SDW / SDWS	-	-	-	-	Ø5,0	-	-		

Strong-Tie

Fire Calculation for Screws

Only screws in tension may be justified to fire. So we generally choose fully threaded screws or double threaded screws.

General information

As hidden connectors, screws are also placed in the middle of the timber, the way to calculate is mainly based on the edge distances. EN1995-1-2 (Eurocode 5 Part 2) is the main document that explain it.

We need to check that:

$$E_{d,fi} \le R_{d,30,fi} = \eta x \quad \frac{R_{20}}{\gamma_{M,fi}} = \eta x k_{fi} x \quad \frac{R_{ax,k}}{\gamma_{M,fi}}$$

With:

C-CLT-EU-2023 @2023 SIMPSON STRONG-TIE COMPANY INC.

 $E_{d.fi}$ = The load under fire. $R_{d.fi}$ = The resistance under fire. = Conversion factor.


 R_{20} = 20% fractal of the resistance capacity.

 $\gamma_{M.fi}$ = Partial factor of timber in case of fire (equal to 1).

= factor to go from the 20% fractal to the 5% fractal for tension loaded connection. k_{fi}

 $R_{ax.k}$ = characteristic capacity of the screw in tension.

 η depends on the edge distance at (see drawing for the definition of a_1 drawing.




a₂: distance between the close edge and the point of the screw.


Fire Calculation for Screws



The curve below allows to find the η value.



Note: the graph above is only valid for $a_2 \ge a_1 + 40$ and $a_3 \ge a_1 + 20$. if $a_2 \ge a_1$ and $a_3 \ge a_1 + 20$ the graph below must be used:



Note: the equation is given below and in EN1995-1-2 6.4 (6.11).

$$\eta = \begin{cases} 0 & \text{for } a_1 \le 0.6 \ t_{fi.d} & \text{(a)} \\ \frac{0.44 \ a_1 - 0.264 \ t_{d.fi}}{0.2 \ t_{d.fi} + 5} & \text{for } 0.6 \ t_{d.fi} \le a_1 \le 0.8 \ t_{d.fi} + 5 & \text{(b)} \\ \frac{0.56 \ a_1 - 0.36 \ t_{d.fi} + 7.32}{0.2 \ t_{d.fi} + 23} & \text{for } 0.8 \ t_{d.fi} \ 5 \le a_1 \le t_{d.fi} + 28 & \text{(c)} \\ 1.0 & \text{for } a_1 \ge t_{d.fi} + 28 & \text{(d)} \end{cases}$$

The gap between the beams must be reduced at maximum. The edge distance must be checked both, in fire condition and in cold condition.

Fire Calculation for Screws



Example of calculation.


Hypothesis:

C-CLT-EU-2023 @2023 SIMPSON STRONG-TIE COMPANY INC.

- Used screw: ESCRFTZ8.0x300
- Half of the thread is in each element
- $a_1 = 40 \text{ mm}, a_2 = 85 \text{ mm}, a_3 = 60 \text{ mm}$
- Characteristic capacity of the screw in tension in cold condition: Rax.k = 14.67 kN
- Calculation of the capacity after 30 minutes of fire

Calculation of the capacity:

- The graph below must be used beacause of the distance a₁, a₂ and a₃
- So we got $\eta \approx 0.65$
- The tension capacity of the screw after half an hour in fire condition is:



$$R_{d,fi} = \eta \times \frac{R_{20}}{\gamma_{M,fi}} = \eta \times k_{fi} \times \frac{R_{ax.k}}{\gamma_{M.fi}} \simeq 0.65 \times 1.05 \times \frac{14.67}{1} \simeq 10.01 \text{ kN}$$




Structural Connector Fasteners



Solid Drive™

CSA/CSA-Z/CSA-S CONNECTOR Screws






Electro Galvanised C1 acc. to EN ISO 12944-2 SC2 - 50 years acc. to EC5

CSA - Range Overview

	Dimensions [mm]							
Reference	d	I	l _g	d _h	d _i			
CSA5.0X25	4,85	25	19	8,3	3,15			
CSA5.0X35	4,85	35	29	8,3	3,15			
CSA5.0X40	4,85	40	34	8,3	3,15			
CSA5.0X50	4,85	50	44	8,3	3,15			
CSA5.0X80	4,85	80	74	8,3	3,15			

CSA/CSA-Z/CSA-S - Characteristic Parameters

Reference	Characteristic Parameters						
	M _{y,k} [Nmm]	f _{ax,k} [N/mm²]	f _{tens,k} [kN]	f _{tor,k} [Nm]	f _{head,k} [N/mm²]		
CSA5.0	5000	15,0	6,8	-	-		



350 kg/m³ at max. 15 mm embedment.

Ratio of the characteristic torsional strength to the mean insertion moment: $f_{tor,k}$ / $R_{tor,mean} \ge 1,5$


 $f_{\rm m.k.}$ is the characteristic withdrawal parameter for timber with a characteristic density of 350 kg/m³ $f_{\rm head.k.}$ is the characteristic head pull through parameter for timber with a characteristic density of

Structural Connector Fasteners



Solid·Drive™ CNA/CNA-G/CNA-S **CONNECTOR** Nail






Electro Galvanised C1 acc. to EN ISO 12944-2 SC2 - 50 years acc. to EC5

CNA - Range Overview

Reference	Dimensions [mm]							
	d	I	l _g	d _h				
CNA4.0X35	4,4	35	20	7				
CNA4.0X40	4,4	40	25	7				
CNA4.0X50	4,4	50	35	7				
CNA4.0X60	4,4	60	45	7				
CNA4.0X75	4,4	75	59	7				
CNA4.0X100	4,4	100	65	7				

CNA/CNA-G/CNA-S - Characteristic Parameters

Reference	Characteristic Parameters					
	M _{y,k} [Nmm]	f _{ax,k} [N/mm²] f _{tens,k} [kN]		f _{tor,k} [Nm]	f _{head,k} [N/mm²]	
CNA4.0	6617	*	7,5	-	-	



Ratio of the characteristic torsional strength to the mean insertion moment: $f_{\text{tor,k}} / R_{\text{tor,mean}} \ge 1,5$ * see ETA-04/0013

 $f_{au,k}$ is the characteristic withdrawal parameter for timber with a characteristic density of 350 kg/m³ $f_{head,k}$ is the characteristic head pull through parameter for timber with a characteristic density of 350 kg/m³ at max. 15 mm embedment.


Structural Connector Fasteners



Solid.Drive™

SSH Hex-Head CONNECTOR Screw







SSH - Range Overview

	Article			Dimensions [mm]				
Reference	code	d/d _{uh}	I	l _g	d _h	d _i	t _{fix}	
SSH6.0X40*	75128	6,0	40	24	14,5 (10)	3,65	16	
SSH6.0X50*	75129	6,0	50	33	14,5 (10)	3,65	17	
SSH6.0X60*	75130	6,0	60	42	14,5 (10)	3,65	18	
SSH6.0X75*	75131	6,0	75	42	14,5 (10)	3,65	33	
SSH6.0X90*	75132	6,0	90	42	14,5 (10)	3,65	48	
SSH6.0X120*	75133	6,0	120	75	14,5 (10)	3,65	45	
SSH8.0X40	75134	8,0	40	32	13	5,1	8	
SSH8.0X50	75135	8,0	50	42	13	5,1	8	
SSH8.0X60	75136	8,0	60	42	13	5,1	18	
SSH8.0X80	75137	8,0	70	42	13	5,1	38	
SSH8.0X90	75138	8,0	80	42	13	5,1	35	
SSH8.0X100	75139	8,0	90	55	13	5,1	15	
SSH8.0X120	75140	8,0	100	85	13	5,1	35	
SSH8.0X140	75141	8,0	120	85	13	5,1	30	
SSH8.0X160	75142	8,0	140	110	13	5,1	50	
SSH8.0X180	75143	8,0	160	110	13	5,1	70	
SSH8.0X200	75144	8,0	180	110	13	5,1	90	
SSH8.0X240	75145	8,0	200	110	13	5,1	130	
SSH8.0X260	75146	8,0	240	110	13	5,1	150	
SSH8.0X280	75147	8,0	260	110	13	5,1	170	
SSH8.0X300	75148	8,0	280	110	13	5,1	190	
SSH10.0X50	75150	10,0	50	42	15	6,15	8	
SSH10.0X60	75151	10,0	60	42	15	6,15	18	
SSH10.0X80	75152	10,0	80	42	15	6,15	38	
SSH10.0X90	75153	10,0	90	42	15	6,15	48	
SSH10.0X100	75154	10,0	100	55	15	6,15	45	
SSH10.0X120	75155	10,0	120	85	15	6,15	35	
SSH10.0X140	75156	10,0	140	85	15	6,15	55	
SSH10.0X160	75157	10,0	160	110	15	6,15	50	
SSH10.0X180	75158	10,0	180	110	15	6,15	70	
SSH10.0X200	75159	10,0	200	110	15	6,15	90	
SSH10.0X240	75160	10,0	240	125	15	6,15	115	
SSH10.0X280	75161	10,0	280	125	15	6,15	155	

	Article		Dimensions [mm]				
Reference	code	d/d _{uh}	ı	l _g	d _h	d _i	t _{fix}
SSH12.0X60	75162	12,0	60	48	17	6,7	12
SSH12.0X80	75163	12,0	80	48	17	6,7	32
SSH12.0X90	75164	12,0	90	48	17	6,7	42
SSH12.0X100	75165	12,0	100	55	17	6,7	45
SSH12.0X120	75166	12,0	120	85	17	6,7	35
SSH12.0X140	75167	12,0	140	85	17	6,7	55
SSH12.0X160	75168	12,0	160	110	17	6,7	50
SSH12.0X180	75169	12,0	180	110	17	6,7	70
SSH12.0X200	75170	12.0	200	110	17	6.7	

SSH - Characteristic Parameters

		Char	acteristic Param	eters					
Reference	M _{y,k} [Nmm]	f _{ax,k} [N/mm²]	f _{tens,k} [kN]	f _{tor,k} [Nm]	f _{head,k} [N/mm²]				
SSH6.0	10400	13,3	13,1	11,0	17,9				
SSH8.0	25300	13,9	24,1	26,4	19,5				
SSH10.0	38700	12,1	32,8	43,0	19,3				
SSH12.0	52300	12,2	40,4	62,4	18,8				

⁻

Use Solid Wood to make your calculations.

Go to solidwood.strongtie.eu

Ratio of the characteristic torsional strength to the mean insertion moment: $f_{tor,k} / R_{tor,mean} \ge 1,5$

^{*} Different head design.

 $f_{ax,k}$ is the characteristic withdrawal parameter for timber with a characteristic density of 350 kg/m³ f_{heath} is the characteristic head pull through parameter for timber with a characteristic density of 350 kg/m³ at max. 15 mm embedment.

Hole Diameter Steel / Space and Edge Distance Steel



Recommended Hole Diameter Steel

Recommended hole diameters in steel plates, all our screws developed for connectors have a cone under the head to ensure the connection between the fastener and the steel. The cone have the same diameter as the outer thread.

All our fasteners are tested and approved together as a system for our connectors.


If you need a solution where the screw head is flush to the steel surface you can use countersunk screws, below is the recommended hole design for:

Recommended Max. Hole Diameter Steel

Fastener	Fastener diameter d							
rasteller	Ø4,0	Ø5,0	Ø6,0	Ø8,0	Ø10,0	Ø12,0		
SSH	-	-	Ø7,0	Ø9,0	Ø11,0	Ø13,0		
CSA	Ø4,0	Ø5,0	-	-	-	-		
CNA	Ø5,0	-	Ø7,5	-	-	-		

Recommended Hole Design in Steel Countersunk Screws (TTUFS / TTZNFS / SWC / ESCRFTC)

Diameter of screw	Ød1 _{min}	Ød2 _{min}	t _{min}
Ø4,5	12,0	5,0	3,0
Ø5,0	13,0	5,5	3,0
Ø6,0	15,5	6,5	3,5
Ø8,0	19,0	9,0	6,0
Ø10,0	22,5	11,0	7,0
Ø12,0	25,0	13,0	7,5




Calculations with Steel to Wood do not take the strength of the steel in consideration, but only the wood and the fastener, see Eurocode 3 for steel plate design.

Space and Edge Distances Steel

The table below gives the values for pure steel according to Eurocode 3. In steel to timber connections, the limiting factor will always be the timber.


a,*	a ₂ *	e,*	e ₂ *
2.2d	2.4d	1.2d	1.2d

*according to EN 1993-1-8 §3.5





FM 753 evo – Heavy Duty Through Anchor






FM 753 evo - Range Overview

		Dimensions [mm]						
Product Reference	Item code	Thread diameter [d]	Length [L]	Hole Ø x min hole depth [d _o x h ₁]	Max thickness of the plate [t _{fix}]	Max Ø hole in the plate [d _i]	Effective embedment depth [h _{ef}]	
FM 753 evo M8x68	75340B0806800	8	68	8x65	5	9	45	
FM 753 evo M8x73	75340B0807300	8	73	8x65	10	9	45	
FM 753 evo M8x83	75340B0808300	8	83	8x65	20	9	45	
FM 753 evo M8x93	75340B0809300	8	93	8x65	30	9	45	
FM 753 evo M8x103	75340B0810300	8	103	8x65	40	9	45	
FM 753 evo M8x113	75340B0811300	8	113	8x65	50	9	45	
FM 753 evo M8x133	75340B0813300	8	133	8x65	70	9	45	
FM 753 evo M8x163	75340B0816300	8	163	8x65	100	9	45	
FM 753 evo M10x78	75340B1007800	10	78	10x70	5	12	50	
FM 753 evo M10x83	75340B1008300	10	83	10x70	10	12	50	
FM 753 evo M10x93	75340B1009300	10	93	10x70	20	12	50	
FM 753 evo M10x103	75340B1010300	10	103	10x70	30	12	50	
FM 753 evo M10x113	75340B1011300	10	113	10x70	40	12	50	
FM 753 evo M10x123	75340B1012300	10	123	10x70	50	12	50	
FM 753 evo M10x143	75340B1014300	10	143	10x70	70	12	50	
FM 753 evo M10x173	75340B1017300	10	173	10x70	100	12	50	
FM 753 evo M10x213	75340B1021300	10	213	10x70	140	12	50	
FM 753 evo M12x104	75340B1210400	12	104	12x90	5	14	65	
FM 753 evo M12x109	75340B1210900	12	109	12x90	10	14	65	
FM 753 evo M12x119	75340B1211900	12	119	12x90	20	14	65	
FM 753 evo M12x129	75340B1212900	12	129	12x90	30	14	65	
FM 753 evo M12x139	75340B1213900	12	139	12x90	40	14	65	
FM 753 evo M12x149	75340B1214900	12	149	12x90	50	14	65	
FM 753 evo M12x179	75340B1217900	12	179	12x90	80	14	65	
FM 753 evo M12x199	75340B1219900	12	199	12x90	100	14	65	
FM 753 evo M12x219	75340B1221900	12	219	12x90	120	14	65	
FM 753 evo M12x239	75340B1223900	12	239	12x90	140	14	65	
FM 753 evo M12x259	75340B1225900	12	259	12x90	160	14	65	
FM 753 evo M12x269	75340B1226900	12	269	12x90	170	14	65	
FM 753 evo M12x299	75340B1229900	12	299	12x90	200	14	65	
FM 753 evo M12x319	75340B1231900	12	319	12x90	220	14	65	
FM 753 evo M12x339	75340B1233900	12	339	12x90	240	14	65	
FM 753 evo M12x369	75340B1236900	12	369	12x90	270	14	65	







FM 753 evo - Range Overview (cont.)

		Dimensions [mm]							
Product Reference	Item code	Thread diameter [d]	Length [L]	Hole Ø x min hole depth [d ₀ x h ₁]	Max thickness of the plate [t _{fix}]	Max Ø hole in the plate [d _i]	Effective embedment depth [h _{ef}]		
FM 753 evo M16x131	75340B1613100	16	131	16x110	10	18	80		
FM 753 evo M16x151	75340B1615100	16	151	16x110	30	18	80		
FM 753 evo M16x171	75340B1617100	16	171	16x110	50	18	80		
FM 753 evo M16x201	75340B1620100	16	201	16x110	80	18	80		
FM 753 evo M16x221	75340B1622100	16	221	16x110	100	18	80		
FM 753 evo M16x241	75340B1624100	16	241	16x110	120	18	80		
FM 753 evo M16x261	75340B1626100	16	261	16x110	140	18	80		
FM 753 evo M16x281	75340B1628100	16	281	16x110	160	18	80		
FM 753 evo M16x321	75340B1632100	16	321	16x110	200	18	80		

FM 753 evo – Design Values


	Design values – No	n cracked concrete		
Reference	Tension N _{Rd} [kN]	Shear V _{Rd} [kN]		
	C20/25			
FM753 evo M8	8	7,9		
FM753 evo M10	11,6	11,6		
FM753 evo M12	17,2	20,1		
FM753 evo M16	23,5	37,5		

FM 753 evo - Installation Parameters

Reference	Wrench Size SW [mm]	Installation Torque T _{inst} [Nm]	Min. thickness of concrete h _{min} [mm]	Min. edge distance c _{min} [mm]	Min. spacing s _{min} [mm]	Characteristic edge distance c _{cr,N} [mm]	Characteristic spacing s _{cr,N} [mm]
FM753 evo M8	13	15	100	40	40	67,5	135
FM753 evo M10	17	30	100	50	50	75	150
FM753 evo M12	19	50	130	70	70	97,5	195
FM753 evo M16	24	100	160	90	90	120	240



FM-753 crack – Heavy Duty Through Anchor (Seismic)





FM-753 CRACK 3DG - Wedge Anchor Dimensions

		Dimensions [mm]							
Product Reference	Item code	Thread diameter [d]	Length [L]	Hole Ø x min hole depth [d ₀ x h ₁]	Max thick- ness of the plate [t _{fix}]	Max Ø hole in the plate [d _f]	Effective embedment depth [h _{ef}]	Seismic category	
FM-753 CRACK 3DG M8x75	75350B0807500	8	75	8x70	10	9	48	C1	
FM-753 CRACK 3DG M8x90	75350B0809000	8	90	8x70	25	9	48	C1	
FM-753 CRACK 3DG M10x90	75350B1009000	10	90	10x80	10	12	60	C1/C2	
FM-753 CRACK 3DG M10x105	75350B1010500	10	105	10x80	25	12	60	C1/C2	
FM-753 CRACK 3DG M10x115	75350B1011500	10	115	10x80	35	12	60	C1/C2	
FM-753 CRACK 3DG M10x135	75350B1013500	10	135	10x80	55	12	60	C1/C2	
FM-753 CRACK 3DG M10x155	75350B1015500	10	155	10x80	75	12	60	C1/C2	
FM-753 CRACK 3DG M12x110	75350B1211000	12	110	12x100	10	14	72	C1/C2	
FM-753 CRACK 3DG M12x120	75350B1212000	12	120	12x100	20	14	72	C1/C2	
FM-753 CRACK 3DG M12x145	75350B1214500	12	145	12x100	45	14	72	C1/C2	
FM-753 CRACK 3DG M12x200	75350B1220000	12	200	12x100	100	14	72	C1/C2	
FM-753 CRACK 3DG M16x150	75350B1615000	16	150	16x115	30	18	86	C1/C2	
FM-753 CRACK 3DG M16x220	75350B1622000	16	220	16x115	100	18	86	C1/C2	

FM-753 CRACK 3DG - Design Values


		Design	Values		
	Tension -	- N _{Rd} [kN]	Shear – V _{Rd} [kN]		
Reference	Cracked concrete	Non cracked concrete	Cracked concrete	Non cracked concrete	
	C20	C20/25)/25	
FM-753 CRACK 3DG M8	4,0	6,0	7,6	8,6	
FM-753 CRACK 3DG M10	8,0	10,7	16,1	16,1	
FM-753 CRACK 3DG M12	10,7	13,3	22,5	22,5	
FM-753 CRACK 3DG M16	13,3	23,3	36,0	44,3	

FM-753 CRACK 3DG - Installation Parameters

Reference	Wrench Size SW [mm]	Installation Torque T _{inst} [Nm]	Min. thickness of concrete h _{min} [mm]		istance edge for S _{min} ≥ [mm]		stance anchors for C _{min} ≥ [mm]	Characteristic edge distance c _{cr,N} [mm]	Characteristic spacing s _{cr,N} [mm]
FM-753 CRACK 3DG M8	13	20	100	50	50	50	50	72	144
FM-753 CRACK 3DG M10	17	40	120	60	60	60	60	90	180
FM-753 CRACK 3DG M12	19	60	150	70	70	70	70	110	220
FM-753 CRACK 3DG M16	24	120	170	85	85	80	80	120	120



AT-HP + LMAS - Heavy Duty Chemical Anchor





AT-HP - Range Overview

Product Reference	Hole Ø d _o [mm]	Max Ø hole in the plate d, [mm]	Hole depth $h_{_0} = h_{_{\rm ef}} = 8d$ [mm]
AT-HP + LMAS M8	10	9	64
AT-HP + LMAS M10	12	12	80
AT-HP + LMAS M12	14	14	96
AT-HP + LMAS M16	18	18	128
AT-HP + LMAS M20	22	22	160
AT-HP + LMAS M24	28	26	192



Reference	Design Values – h _{ef} = 8d – LMAS					
	Tension -	- N _{Rd} [kN]	Shear – V _{Rd} [kN]			
	Cracked concrete	Non cracked concrete	Cracked concrete	Non cracked concrete		
	C20)/25	C20/25			
AT-HP + LMAS M8	3,8	11,8	7,2	7,2		
AT-HP + LMAS M10	5,9	16,7	11,7	12		
AT-HP + LMAS M12	7,2	24,1	14,5	16,8		
AT-HP + LMAS M16	15	40,7	30	31,2		
AT-HP + LMAS M20	23,4	60,3	46,9	48,8		
AT-HP + LMAS M24	33,8	82	67,5	70,4		





AT-HP - Installation Parameters

Reference	Wrench Size SW [mm]	Installation Torque T _{inst} [Nm]	Min. thickness of concrete h _{min} for h _{ef,8d} [mm]	Min. edge distance c _{min} [mm]	Min. spacing s _{min} [mm]	Characteristic edge distance c _{cr,N} for h _{ef,8d} [mm]	Characteristic spacing s _{cr,N} for h _{ef,8d} [mm]
AT-HP + LMAS M8	13	10	100	35	40	96	128
AT-HP + LMAS M10	17	12	110	40	40	120	160
AT-HP + LMAS M12	19	20	126	45	60	144	192
AT-HP + LMAS M16	24	40	164	50	75	192	256
AT-HP + LMAS M20	30	70	204	60	95	240	320
AT-HP + LMAS M24	36	90	248	65	115	288	384


Solution Finder

General Information	3-33
CLT Wall to Concrete	34-67
CLT Wall to CLT Wall (L- and T-Connections)	68-89
CLT Wall to CLT Floor	90-117
CLT Floor to CLT Floor (in plane connection)	118-141
CLT Wall to CLT Wall (in plane connection)	142-155
CLT Floor to CLT Wall	156-183
CLT Floor to Glulam Beam	184-193
CLT Floor to Steel Profile	194-201
External Insulation to CLT Wall	202-207
Fasteners and Anchors Additional Information	208-230





Calculating fasteners for CLT has never been easier.





Fast, accurate and online

In just four simple steps, our web based application: 'Solid Wood' helps you calculate and select fastening solutions suitable for the specific CLT structure at hand, according to Eurocode 5 and our ETA.

